

S.N O	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								

### 1. GEAR COUPLING FLANGES (MGC)

1	L/L 370/ TUSKER	6	SQR.	SQR.	4	12.8	21 NO.	SQUARE		MGC601	925	1020
2	L/L 370/ TUSKER	6	6	150	4	12.8	21 NO.	ROUND	F 1431022	MGC601A	1050	1155
3	L/L TAURUS - T11	6	7	175	8	9.5	15 NO.	ROUND		MGC801	1650	1815
4	JEEP DIESEL	10	3.8	94	4	8.2	13 NO.	ROUND		MGC902	440	485
5	TATA 1210/ SE	14	4.5	120	6	10.2	17 NO.	ROUND	312 261 1517	MGC101	500	550
6	TATA 407 O/M	16	4	100	6	8.2	13 NO.	ROUND	2515 2620 0111	MGGCC401	415	460
7	TATA GB - 40	16	4.5	120	6	10.2	17 NO.	ROUND	322 262 0045	MGC117	560	620
8	TATA 1312	16	5	130	8	10.2	17 NO.	ROUND	2507 2620 5001	MGC201	650	715
9	RIG SPL. 7", 8H	16	7	178	8	10.2	17 NO.	ROUND		MGC820R	2200	2420
10	RIG SPL. 6", 4H	16	6	150	4	15	22 NO.	SERRATED		MGC820SR	2000	2200
11	RIG SPL. 7", 4H	16	7	178	4	15	22 NO.	SERRATED		MGC820SSR	2475	2725
12	TATA GB - 60	18	5	130	8	10.2	17 NO.	ROUND		MGC1201	975	1075
13	TATA 2518	18	6	150	8	12.1	19 NO.	ROUND		MGC1330	1100	1210
14	TATA 2518 (TL=63mm)	18	6	150	4	13	19 NO.	SERRATED		MGC1601S	1450	1595
15	TATA 4018	18	6.5	165	8	16.2	24 NO.	ROUND		MGC1601	1450	1595
16	TATA 4018 (3 STEP - N/M)	18	6.5	165	8	16.2	24 NO.	ROUND		MGC1601A	1500	1650
17	EICHER CANTER/ SWARAJ MAZDA	18	SQR.	SQR.	4			SQUARE		MGC1401	970	1070
18	AMW/MANN	20	7	178	4	15	22 NO.	SERRATED		MGC2501	2450	2695
19	TATA SUMO (SPICER - PATTI TY.)	26	PATTI	PATTI				PATTI TYPE		MGC501	715	790
20	TATA GB-75/ 2518/ 4018 (TL=108mm)	26	6	150	4	13	19 NO.	SERRATED		MGC203AAS	1900	2090
21	AMW/MANN	26	7	178	4	15	22 NO.	SERRATED	TL=106mm	MGC2501A	2150	2365
22	L/L 2214, TCAC SUPER TUSKE	28	6	150	4	13	19 NO.	SERRATED		MGC1301B	1750	1925
23	L/L 2214, TCAC SUPER TUSKE	28	7	175	8	9.5	15 NO.	ROUND	F 14351711	MGC1301	1275	1405
24	L/L 2214 (ZF - LONG)	28	7	175	8	9.5	15 NO.	ROUND		MGC1301A	1700	1870
25	INTER-AXLE L/L 2214 (ZF - LONG) - 28S	28	SQR.	SQR.	4	12.8	21 NO.	SQUARE		MGPC1301AA	1275	1405

### 2. CENTER BRG. COUPLING FLANGES (MCC)

1	EICHER CANTER (SQUARE)	10	SQR.	SQR.	4	8.2	13 NO.	SQUARE		MCC1402	800	880
2	EICHER CANTER (ROUND)	10			4			ROUND		MCC1402A	800	880
3	SWARAJ MAZDA (SQUARE)	10	SQR.	SQR.	4	8.2	13 NO.	SQUARE		MCC3102	800	880
4	L/L 370/ TUSKER	10	SQR.	SQR.	4	12.8	21 NO.	SQUARE	F 1430211	MCC602	840	925
5	L/L 1613 TIPPER/ ECOMET	10	6	150	4	12.8	21 NO.	ROUND	01.04.5401	MCC1703	1050	1155
6	HINO BUS/ RIG TY. - 10S	10	7	175	8	9.5	15 NO.	ROUND		MCC813	1525	1680
7	TATA 1210	14	4.5	120	6	10.2	17 NO.	ROUND	312 410 1430	MCC102	500	550
8	TATA 1312	14	5	130	8	10.2	17 NO.	ROUND	2575 4110 0104	MCC202	615	680
9	TATA 407 N/M	16	4	100	6	8.2	13 NO.	ROUND		MCPC402	500	550
10	RIG TYPE - 16S	16	7	175	8	9.5	15 NO.	ROUND		MGCC802A	1525	1680
11	L/L TAURUS - T11	16	7	175	8	9.5	15 NO.	ROUND	F 1433311	MCC802	1550	1705
12	AMW/ MAH. NAVIATAR	16	7	178	8	9.5	15 NO.	ROUND		MCC820	2200	2420

S.N O	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								

**CENTER COUPLING FLANGES (MCC)**

13	AMW/ MAH. NAVIATAR	16	6	150	4	13	19 NO.	SERRATED		MCC820S	2000	2200
14	AMW/ MAH. NAVIATAR	16	7	178	4	15	22 NO.	SERRATED		MCC820SS	2475	2725
15	TATA SUMO (SPICER - PATTI TY.)	16	PATTI	PATTI				PATTI TYPE		MCC502	640	705
16	TATA 2416 (TL=72mm)	26	5	130	8	10.2	17 NO.	ROUND	2632 4111 0111	MCC203	860	950
17	TATA 2416 N/M (TL=92mm)	26	5	130	8	10.2	17 NO.	ROUND	INSKU 100847	MCC203A	975	1075
18	TATA 2518 (TL=82mm)	26	6	150	4	13	19 NO.	SERRATED		MCC203S	1550	1705
19	TATA 2518 (TL=94mm)	26	6	150	4	13	19 NO.	SERRATED		MCC203AS	1750	1925
20	TATA 2515/3516	34	5	130	8	10.2	17 NO.	ROUND		MCC1202	880	970
21	TATA 1616/1613	34	5	130	8	10.2	17 NO.	ROUND		MCC1202A	1000	1100
22	TATA 2516/3516 (SPICER - PATTI)	34	PATTI	PATTI				PATTI TYPE		MCC1202S	1500	1650
23	TATA 2518	34	6	150	8	12.1	19 NO.	ROUND	INSKU 100851	MCC1331	1100	1210
24	L/L 3116 (10 TYRE)	34	6	150	4	13	19 NO.	SERRATED	90-1-15	MCC1302S	1485	1635
25	L/L 3116 (INTER-AXLE)	34	6	150	4	13	19 NO.	SERRATED		MCC1302SS	1650	1815
26	L/L 1613 TIPPER - N/M	34	6	150	4	12.8	21 NO.	ROUND		MCC1703A	1050	1155
27	L/L 2214, 2516/ 3516/ TCAC SUPER TUSKER	34	7	175	8	9.5	15 NO.	ROUND	01.05.6501	MCC1302	1250	1375

**3. PINION/ DIFF. COUPLING FLANGES (MPC)**

1	JEEP DIESEL (PATTI TY)	10	PATTI	PATTI				PATTI TYPE		MPC903	575	635
2	L/L 370/ TUSKER	10	6	150	4	12.8	21 NO.	ROUND	F 1432611	MPC603	1060	1170
3	EICHER CANTER (SQUARE)	14	SQR.	SQR.	4			SQUARE		MPC1403	800	880
4	EICHER CANTER (ROUND)	14			4			ROUND		MPC1403A	900	990
5	TATA 407 - N/M	16	4	100	6	8.2	13 NO.	ROUND		MCPC402	500	550
6	INTER-AXLE (1st AXLE INPUT)	16	SQR.	SQR.	4			SQUARE		MPC1243	1300	1430
7	EICHER CANTER (ROUND)	18			4			ROUND		MPC1403AA	990	1090
8	TATA ACE - O/M	20			4			ROUND		MPC1505	585	645
9	TATA MAGIC/ HT - N/M	20			4			ROUND		MPC1505A	585	645
10	TATA SUMO (SPICER - PATTI TYPE)	26	PATTI	PATTI				PATTI TYPE		MPC503	650	715
11	JEEP DIESEL (MAX PICK-UP, BOLERO)	26	PATTI	PATTI				PATTI TYPE		MPC903A/503	650	715
12	TATA 1210	26	4.5	120	6	10.2	17 NO.	ROUND	312 350 1245	MPC103	550	605
13	TATA 1312	26	5	130	8	10.2	17 NO.	ROUND	2576 3520 0110	MPC204	625	690
14	TATA 2518	26	6	150	8	12.1	19 NO.	ROUND		MPC1314	1100	1210
15	TATA 2518 (TL=65mm, O/S 68mm)	26	6	150	4	13	19 NO.	SERRATED	90-1-0017	MPC1603RS	1450	1595

S.N O	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								
<b>PINION COUPLING FLANGES (MPC)</b>												
16	TATA 2518 (TL=86mm, O/S 90mm)	26	6	150	4	13	19 NO.	SERRATED		MPC1603RSS	2300	2530
17	TATA 4018 - N/M	26	6.5	165	8	16.2	24 NO.	ROUND		MPC1603R	1450	1595
18	INTER-AXLE (1710 SERIES)	34	6	150	4	13	19 NO.	SERRATED	TL=84mm, O/S 63.5mm	MPC1302SS	1700	1870
19	INTER-AXLE (1st AXLE OUTPUT) - 34S	34	SQR.	SQR.	4			SQUARE		MPC1302A	950	1045
20	TATA 2515/ 3516 (O/	39	5	130	8	10.2	17 NO.	ROUND		MPC1203	1040	1145
21	INTER-AXLE (2nd AXLE INPUT) - O/S 72, MERRITOR TYPE	39	6	150	4			ROUND	TL=87MM, O/S 66MM	MPC1303AA	1260	1390
22	INTER-AXLE (2nd AXLE INPUT) - O/S 76 - SPICER TYPE	39	6	150	4			ROUND	TL=87MM, O/S 74MM	MPC1303B	1350	1485
23	INTER-AXLE (2nd AXLE INPUT) - O/S 76 - SPICER TYPE	39	6	150	4			ROUND	TL=105MM, O/S 76MM	MPC1303AB	1440	1585
24	INTER-AXLE (2nd AXLE INPUT) - O/S 76 - SPICER TYPE	39	6	150	4	13	19 NO.	SERRATED	TL=87MM, O/S DIA 66MM	MPC1303AAS	1750	1925
25	TATA 2518/ 4018 (TL=95mm, O/S 72mm)	39	6	150	4	13	19 NO.	SERRATED		MPC1603AS	1950	2145
26	TATA 2518/ 4018 (O/S 76mm)	39	6	150	4	13	19 NO.	SERRATED		MPC1603AAS	1950	2145
27	TATA 4018	39	6.5	165	8	16.2	24 NO.	ROUND		MPC1603A	1800	1980
28	L/L TAURUS - T11 (O/S 72mm)	39	7	175	8	9.5	15 NO.	ROUND		MPC803	1650	1815
29	L/L 2214, TCAC SUPER TUSKER (O/S 76mm)	39	7	175	8	9.5	15 NO.	ROUND	P 4300214	MPC1303	1650	1815
30	AMW/ MANN (TL=109, O/S 72)	39	7	178	4	15	22 NO.	SERRATED	TL=109mm, O/S 72mm	MPC2503AS	2420	2665
31	AMW/ MANN (TL=109, O/S 76)	39	7	178	4	15	22 NO.	SERRATED	TL=109mm, O/S 76mm	MPC2503AAS	2420	2665
32	TATA 2515/ 3516 (SPICER TY - CROSS TUSKER - PATTI TY.)	39	PATTI	PATTI				PATTI TYPE	INSKU 100476	MPC1203S	1575	1735
33	INTER-AXLE (2nd AXLE INPUT) - 39S	39	SQR.	SQR.	4			SQUARE		MPC1303A	1100	1210
35	TATA 2515/ 3516 (O/S 72)	41	5	130	8	10.2	17 NO.	ROUND		MPC1203A	1040	1145
36	TATA 2518/ 4018 (TL=95mm)	41	6	150	4	13	19 NO.	SERRATED		MPC1603S	1950	2145
37	TATA 4018 (TL=110mm)	41	6.5	165	8	16.2	24 NO.	ROUND		MPC1603	1800	1980
38	L/L 2214, TCAC SUPER TUSKER (O/S 76mm)	41	7	175	8	9.5	15 NO.	ROUND		MPC1304	1650	1815
39	AMW/ MANN (TL=112, O/S 76)	41	7	178	4	15	22 NO.	SERRATED	TL=112mm, O/S 76mm	MPC2503S	2420	2665
40	INTER-AXLE (1Sst AXLE INPUT) - 41S	41	SQR.	SQR.	4			SQUARE		MPC1304A	1120	1235

S.N O	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								

**PINION COUPLING FLANGES (MPC)**

41	TATA 2515/ 3516 (SPICER TY - CROSS SPIECR SPL90 - PATTI TY.)	41	PATTI	PATTI				PATTI TYPE	INSKU 100475	MPC1203AS	1575	1735
42	AMW/ NAVISTAR (44S, 6", 4H CUT)	44	6	150	4	13	19 NO.	SERRATED	TL=94MM, O/S DIA 76MM	MPC1611	2000	2200
43	AMW/ MANN (TL=112, O/S 76)	44	7	178	4	15	22 NO.	SERRATED	TL=112mm, O/S 76mm	MPC2511	2420	2665
44	AMW/ NAVISTAR (46S, 6", 4H CUT)	46	6	150	4	13	19 NO.	SERRATED	TL=104MM, O/S DIA 83MM	MPC1612	2100	2310
45	AMW/ MANN (TL=73, O/S 82.5)	46	7	178	4	15	22 NO.	SERRATED	TL=73mm, O/S 82.5mm	MPC2512	2250	2575
46	TATA SUPER ACE				4			ROUND		MPC1505AA	625	690
47	MAH. MAXXIMO				4					MPC2805	575	635
48	L/L DOST				4					MPC2905	660	730
49	SWARAJ MAZDA		SQR.	SQR.	4			SQUARE		MPC3103	990	1090

**4. FLANGE YOKE CROSS HOLDER (MCH)**

S.N O	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								
1	TATA 1210/ SE	1210 - MC1022	4.5	120	6	10.2	17 NO.	38X56.7	312 411 1111	MCH104	650	715
2	TATA 1210 N/M	1210 - MC0122	5	130	8	10.2	17 NO.	38X56.7		MCH205C	1000	1100
3	1210 PLATE, 8H, 1210 CROSS	1210 - MC1022	4.5	120	8	10.2	17 NO.	38X56.7		MCH104C	725	800
4	TATA 1312	1312 - MC1023	5	130	8	10.2	17 NO.	46X68.7	2576 4111 5110	MCH205	1040	1145
5	TATA 1312 N/M (TIPPER - 6 HOLE)	1312 - MC1023	4.5	120	6	10.2	17 NO.	46X68.7		MCH205A	1040	1145
6	TATA 1312 - LONG	1312 - MC1023	5	130	8	10.2	17 NO.	46X68.7	INSKU 100231	MCH205AA	1170	1290
7	TATA 2518 LPK	1312 - MC1023	6	150	8	12.1	19 NO.	46X68.7		MCH205B	1300	1430
8	TATA 2515 EX	SPICER SPL90X - MC1013	5	130	8	10.2	17 NO.	41.27X126	INSKU 100860	MCH1204A	1150	1265
9	TATA 2518/ LPO 1616 BUS/ 1625 BUS/ LPO 1628/ LPO 2521	SPICER SPL90X - MC1013	6	150	8	12.1	19 NO.	41.27X126	90-2-29	MCH1204AA	1325	1460
10	LEY. 2214/ 3516/ 2516/ 1616/ TCAC SUPER TUSKER/ EICHER 30.25	SPICER SPL90X - MC1013	7	175	8	9.5	15 NO.	41.27X126	90-2-19	MCH1204	1375	1515
11	TATA 2518 TC/ LEY. 2516 (INTER-AXLE , SPICER SPL90X - LONG)	SPICER SPL90X - MC1013	SQR	SQR	4	12.8	21 NO.	41.27X126		MCH1220A	1125	1240
12	TATA 3118/ 2521/ LEY. 3116/ 1616 (SPICER SPL90X - SERRATED - HT=4.25")	SPICER SPL90X - MC1013	6	150	4	13	19 NO.	41.27X126	P 4502232	MCH1242	1750	1925

S.N O	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								
<b>FLANGE YOKE CROSS HOLDER (MCH)</b>												
13	TATA 2518/ INTER-AXLE 1710 SERIES (SPICER SPL90X SERRATED - HT=5.25")	SPICER SPL90X - MC1013	6	150	4	13	19 NO.	41.27X126		<b>MCH1242A</b>	1850	2035
14	TATA 2515 EX (RSB 325 SERIES)	RSB 325 - MC1030	5	130	8	10.2	17 NO.	42X119.8	2632 4110 5105	<b>MCH1204AR</b>	1150	1265
15	TATA 2518 N/M (RSB TYPE)	RSB 325 - MC1030	6	150	8	12.1	19 NO.	42X119.8		<b>MCH1204AAR</b>	1325	1460
16	TATA 2515 EX (RSB 325 - SERRATED - HT=4.25")	RSB 325 - MC1030	6	150	4	13	19 NO.	42X119.8		<b>MCH1604AS</b>	1750	1925
17	TATA 1616 (RSB 325 - SERRATED - HT=5.25") LONG	RSB 325 - MC1030	6	150	4	13	19 NO.	42X119.8		<b>MCH1604ASS</b>	1850	2035
18	TATA 2518 (RSB 403 SERIES)	RSB 403 - MC1026	6.5	165	8	16.2	24 NO.	42X129.4		<b>MCH1604</b>	1540	1695
19	TATA 2518 (RSB 403 SERIES - SERRATED - HT=4.25")	RSB 403 - MC1026	6	150	4	13	19 NO.	42X129.4		<b>MCH1604S</b>	1750	1925
20	TATA 2518 (RSB 403 SERIES - SERRATED - HT=5.25")	RSB 403 - MC1026	6	150	4	13	19 NO.	42X129.4		<b>MCH1604SS</b>	1850	2035
21	TATA 2516/ LEY. 2516 (RSB 403 - LONG)	RSB 403 - MC1026	7	175	8	9.5	15 NO.	42X129.4		<b>MCH1204R</b>	1540	1695
22	TATA 4018 (RSB 490 SERIES - LOCK TYPE)	RSB 490 - MC1031	6.5	165	8	16.2	24 NO.	48X135		<b>MCH1322</b>	1750	1925
23	TATA 4018 (RSB 490 SERIES - SERRATED - HT=4.5")	RSB 490 - MC1031	6	150	4	13	19 NO.	48X135		<b>MCH1322S</b>	2100	2310
24	TATA 4018 (RSB 490 - SERRATED - HT=5.25")	RSB 490 - MC1031	6	150	4	13	19 NO.	48X135		<b>MCH1322SS</b>	2350	2585
25	TATA 4018/ LEY. 4921 (RSB 490 - SERRATED - HT=5")	RSB 490 - MC1031	7	180	4	15	22 NO.	48X135		<b>MCH2504R</b>	2420	2665
26	TATA 4018 (SPICER - PATTI TY.)	SPICER 5- 280X - MC1032P	6.5	165	8	16.2	24 NO.	49.2X155		<b>MCH1604A</b>	1925	2120
27	TATA 3118/ 1618/ 2518/ 2521/ AMW 2518/ LEY. 2516/ 4921/ 3121/ MAN- 25T (SPICER PATTI TY. - SERRATED - HT=115MM)	SPICER 5- 280X - MC1032P	6	150	4	13	19 NO.	49.2X155	TL=115MM	<b>MCH1604AAS</b>	2200	2420
28	TATA 3118/ 1618/ 2518/ 2521/ AMW 2518/ LEY. 2516/ 4921/ 3121/ MAN- 25T (SPICER PATTI TY. - SERRATED - HT=125MM)	SPICER 5- 280X - MC1032P	6	150	4	13	19 NO.	49.2X155	TL=125MM	<b>MCH1604ABS</b>	2300	2530

S.N O	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								
<b>FLANGE YOKE CROSS HOLDER (MCH)</b>												
29	TATA 1623/ 1625/ 1628 (SPICER PATTI TY- SERRATED - HT=5")	SPICER 5- 280X - MC1032P	7	180	4	15	22 NO.	49.2X155		MCH2504P	2420	2665
30	AMW 2518/ EICHER 40.25 (SPICER PATTI TY - 8", 12H)	SPICER 5- 280X - MC1032P	8	204	12	12.1	19 NO.	49.2X155		MCH2704P	2420	2665
31	LEY. 370/ BEDFORD	L/L 370 - MC1020	6	150	4	12.8	21 NO.	39.67X116		MCH604	950	1045
32	LEY. TUSKER (MSL TYPE)	TUSKER - MC1021	SQR	SQR	4	12.8	21 NO.	34.92X126.2	F 2133311	MCH704	815	900
33	TATA 1109	TUSKER - MC1021	5	130	8	10.2	17 NO.	34.92X126.2		MCH704A	1160	1280
34	1210 PLATE, 6H, TUSKER CROSS	TUSKER - MC1021	4.5	120	6	10.2	17 NO.	34.92X126.2		MCH704C	1150	1265
35	PLATE 4.5", 4H, TUSKER CROSS, SERRATED	TUSKER - MC1021	4.5	120	4	11	18 NO.	34.92X126.2		MCH704S	1250	1375
36	TATA 2515 TC/ LEY. 2516 (INTER-AXLE , TUSKER - LONG)	TUSKER - MC1021	SQR	SQR	4	12.8	21 NO.	34.92X126.2	INSKU 1000082	MCH1220	1125	1240
37	LEY. TAURUS - T11	TAURUS - MC1015	7	175	8	9.5	15 NO.	47.62X135	MSL 3502027	MCH804	1515	1670
38	LEY U-TRUCK/ TATA PRIMA	TAURUS - MC1015	6	150	4	13	19 NO.	47.62X135		MCH2622SS	2420	2665
39	AMW - 52X133, 6", 4H, SERRATED	AMW - MC1037	6	150	4	13	19 NO.	52X133		MCH2604	2200	2420
40	AMW - 52X133, 7", 4H, SERRATED	AMW - MC1037	7	176	4	15	22 NO.	52X133		MCH2604A	2475	2725
41	AMW - 52X147, 7", 4H, SERRATED	AMW - MC1038	7	176	4	15	22 NO.	52X147		MCH2604AB	2475	2725
42	AMW - 57X144, 6.5", 8H	AMW - MC1034	6.5	165	8	16.2	24 NO.	57X144		MCH1604AA	1950	2145
43	AMW - 57X152, 7", 4H, SERRATED	AMW - MC1036	7	176	4	15	22 NO.	57X152		MCH2504AA	2475	2725
44	TATA 407	407 TELCO - MC1005	4	100	6	8.2	13 NO.	30X82	2651 4110 5102	MCH403	525	580
45	EICHER CANTER	CANTER - MC1025	SQR	SQR	4	8	13 NO.	30.17X106		MCH1404	605	665
46	EICHER CANTER - SERRATED	CANTER - MC1025	4.5	120	4	11	18 NO.	30.17X106		MCH1404S	1150	1265
47	TATA 407 TURBO/ EX/ 410 EX/ 709/ 909	CANTER - MC1025	4.5	120	6	10.2	17 NO.	30.17X106	3-2-0058	MCH104A	700	770
48	TATA 407 PICK UP	JCB 3D - MC1033	4.5	120	6	10.2	17 NO.	34.92X106		MCH104AA	700	770
49	TATA 407 TURBO (MSL TYPE)	DCM - MC1029	4	100	6	8.2	13 NO.	30.17X92.5		MCH403A	700	770
50	TATA ACE O/M (INNER LOCK TYPE)	ACE - MC1027	SQR	SQR	4	8	13 NO.	23.82X35.2		MCH1503	375	415
51	TATA MAGIC/ HT (OUTTER LOCK TY.)	MAGIC - MC1028	SQR	SQR	4	8	13 NO.	22X55		MCH1503A	375	415



S.N O	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			Inch	mm								

**FLANGE YOKE CROSS HOLDER (MCH)**

52	TATA SUPER ACE	JEEP DIESEL - MC1018	SQR	SQR	4			27X82		MCH1503AA	580	640
53	JEEP DIESEL (ROUND)	JEEP DIESEL - MC1018	3.8	97	4	8.2	13 NO.	27X82		MCH905	485	535
54	MAH. MAX-PICK UP/ BOLERO (JEEP - SQUARE)	JEEP DIESEL - MC1018	SQR	SQR	4	8.2	13 NO.	27X82		MCH905A	510	565
55	LEY. DOST	JEEP DIESEL - MC1018	SQR	SQR	4			27X82		MCH2903	580	640
56	MAH. MAXXIMO	JEEP DIESEL - MC1018	SQR	SQR	4			27X82		MCH2803	560	620
57	AMBASSADOR	AMB. - MC1019	3.4	86	4	8	13 NO.	23.83X61.4		MCH1804	340	375

**5. FULL YOKE & REAR TEETH SET (PLAIN & GLIDE COAT) - (MYT)**

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINE S	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
						S.YOKE	R.TEETH				
1	TATA 1210 - 2.5"	1210 - MC1022	38X56.7	10	2.5"	MP106	MP107		MYT105	2140	2355
2	TATA SE - 3"	1210 - MC1022	38X56.7	10	3"	MP113	MP114		MYT112	2180	2400
3	TATA 709 (1210 - 22 SPL)	1210 - MC1022	38X56.7	22	2.5"	MP106A	MP107A		MYT105A	2480	2730
4	TATA 709 (1210 - 22 SPL) - GLIDE COAT	1210 - MC1022	38X56.7	22	2.5"	MP106A	MP107AC		MYT105AC	2700	2970
5	TATA 1312	1312 - MC1023	46X69.7	16	3.5"	MP207	MP208		MYT206	3400	3740
6	TATA 1312 - GLIDE COAT	1312 - MC1023	46X69.7	16	3.5"	MP207	MP208C		MYT206C	3775	4155
7	TATA 2515 EX (1312 - LONG)	1312 - MC1023	46X69.7	16	3.5"	MP1207	MP1208		MYT1225	4215	4640
8	TATA 1312 - 24 SPLINE	1312 - MC1023	46X69.7	24	3.5"	MP207A	MP208A		MYT206A	3465	3815
9	TATA 1312 - 24 SPLINE - GLIDE COAT	1312 - MC1023	46X69.7	24	3.5"	MP207A	MP208AC		MYT206AC	3900	4290
10	TATA 1613 TURBO - N/M (MSL 63 SLIP - 3.5")	SPICER SPL90X - MC1013	41.27X126	16	3.5"	MP1206	MP1209A		MYT1205A	3500	3850
11	TATA 1613 TURBO - N/M (MSL 63 SLIP - 3.5") - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	3.5"	MP1206	MP1209AC		MYT1205AC	3850	4235
12	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A	MP1307A		MYT1305A	3600	3960
13	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, H/S, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A	MP1307AC	5016040/ 5016042	MYT1305AC	3950	4345
14	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A	MP1307AA	5016040/ 5016042	MYT1305AA	3625	3990

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINE S	PIPE DIA	MATING PARTS		OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
						S.YOKE	R.TEETH				

**FULL YOKE & REAR TEETH SET (MYT)**

15	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A	MP1307AAC	5016040/ 5016042	MYT1305AAC	4000	4400
16	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, YOKE EN-8	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A (FORG EN- 8)	MP1307A		MYT1305A(F)	3850	4235
17	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, H/S, YOKE EN-8 - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A (FORG EN- 8)	MP1307AC	5016040/ 5016042	MYT1305AC(F)	4200	4620
18	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S, YOKE EN-8	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A (FORG EN- 8)	MP1307AA	5016040/ 5016042	MYT1305AA(F)	3875	4265
19	TATA 2516/ 3516/ HYVA & L/L 2214 - MSL TY., 110 SLIP, F/S, YOKE EN-8 - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1306A (FORG EN- 8)	MP1307AAC	5016040/ 5016042	MYT1305AAC(F)	4250	4675
20	L/L TRAILOR - MSL, 4", 63 SLIP, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1206A	MP1210AC		MYT1216AC	3900	4290
21	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, SPICER SPL90X CROSS, 4"	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1241	MP1232MC		MYT1240C	6600	7260
22	L/L TRAILOR - MSL, 4", 63 SLIP	SPICER SPL90X - MC1013	41.27X126	16	4"	MP1206A	MP1210A		MYT1216A	3525	3880
23	TATA 1613 TURBO - N/M (SPICER 63 SLIP - 3.5")	SPICER SPL90X - MC1013	41.27X126	30	3.5"	MP1206	MP1209	INSKU 100259/ INSKU 100433	MYT1205	3500	3850
24	TATA 1613 TURBO - N/M (SPICER 63 SLIP - 3.5") - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	3.5"	MP1206	MP1209C	INSKU 100259/ INSKU 100433	MYT1205C	3850	4235
25	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP	SPICER SPL90X - MC1013	41.27X126	30	4"	MP1306	MP1307		MYT1305	3600	3960
26	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	4"	MP1306	MP1307C	INSKU 100257/ INSKU 100276	MYT1305C	3950	4345
27	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP, YOKE EN-8	SPICER SPL90X - MC1013	41.27X126	30	4"	MP1306	MP1307		MYT1305 (F)	3850	4235
28	TATA 2516/ 3516/ HYVA & L/L 2214 - SPICER TY., 110 SLIP, YOKE EN-8 - GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	4"	MP1306	MP1307C	INSKU 100257/ INSKU 100276	MYT1305C (F)	4200	4620
29	L/L TRAILOR - SPICER, 4", 63 SLIP	SPICER SPL90X - MC1013	41.27X126	30	4"	MP1206	MP1210		MYT1216	3525	3880

S.N	APPLICATION	U. J. CROSS	CROSS SIZE	NO. OF SPLINE	PIPE	MATING PARTS	OEM REF.	MOOVEL P.NO.	LIST-	M.R.P
-----	-------------	-------------	------------	------------------	------	--------------	----------	--------------	-------	-------



O	DESCRIPTION	REF.	CROSS SIZE	PIPS	DIA	S.YOKE	R.TEETH	PRICE Rs.	Rs.	
<b>FULL YOKE &amp; REAR TEETH SET (MYT)</b>										
30	L/L TRAILOR - SPICER, 4", 63 SLIP, GLIDE COAT	SPICER SPL90X - MC1013	41.27X126	30	4"	MP1206	MP1210C	MYT1216C	3875	4265
31	L/L 370/ BEDFORD - 3", F/S	370 - MC1020	39.67X116	16	3"	MP606	MP607	MYT605	2250	2475
32	L/L 370/ BEDFORD - 3", F/S - GLIDE COAT	370 - MC1020	39.67X116	16	3"	MP606	MP607C	MYT605C	2520	2775
33	L/L 370/ BEDFORD - 3.5", F/S	370 - MC1020	39.67X116	16	3.5"	MP606	MP608	MYT605A	2290	2520
34	L/L 370/ BEDFORD - 3.5", F/S - GLIDE COAT	370 - MC1020	39.67X116	16	3.5"	MP606	MP608C	MYT605AC	2550	2805
35	L/L TUSKER (MSL TY.) - 3", F/S	TUSKER - MC1021	34.92X126.2	16	3"	MP706	MP607	MYT705	2250	2475
36	L/L TUSKER (MSL TY.) - 3", F/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3"	MP706	MP607C	MYT705C	2520	2775
37	TATA 1109 TURBO	TUSKER - MC1021	34.92X126.2	16	3"	MP706B	MP1407AC	MYT1405BC	2700	2970
38	L/L TUSKER (MSL TY.) - 3.5", F/S	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706	MP608	MYT705A	2290	2520
39	L/L TUSKER (MSL TY.) - 3.5", F/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706	MP608C	MYT705AC	2550	2805
40	L/L 1613 TIPPER, ECOMET, L/L STAG BUS	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706A (L=10")	MP608AF (L=9")	MYT1705	2765	3045
41	L/L 1613 TIPPER, ECOMET, L/L STAG BUS - GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706A (L=10")	MP608AFC (L=9")	MYT1705C	3075	3385
42	L/L HINO BUS, EICHER JUMBO	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706AA (L=11.25")	MP608AAF (L=10")	MYT1705A	2930	3225
43	L/L HINO BUS, EICHER JUMBO - F/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706AA (L=11.25")	MP608AFC (L=10")	MYT1705AC	3230	3555
44	L/L HINO BUS, EICHER JUMBO - H/S, GLIDE COAT	TUSKER - MC1021	34.92X126.2	16	3.5"	MP706AA (L=11.25")	MP608AAHC (L=10")	MYT1705AHC	3230	3555
45	TATA & LEY. - INTER-AXLE, SPICER 1710 SERIES, TUSKER CROSS, 4"	TUSKER - MC1021	34.92X126.2	16	4"	MP1236	MP1232MC	MYT1235C	6550	7205
46	TATA 1109 EX	TUSKER - MC1021	34.92X126.2	27	3.5"	MP2306	MP2307C	MYT2305C	2755	3030
47	EICHER JUMBO (28 SPL) - GLIDE COAT	TUSKER - MC1021	34.92X126.2	28	3.5"	MP1213	MP1708C	MYT1705AAC	3950	4345
48	L/L TAURUS - T11 - F/S	TAURUS - MC1015	47.62X135	16	3.5"	MP805	MP806	MYT807	3300	3630
49	TATA 407	407 TELCO - MC1005	30X82	16	2.25"	MP405	MP406	MYT404	1355	1490
50	TATA 407 - GLIDE COAT	407 TELCO - MC1005	30X82	16	2.25"	MP405	MP406C	MYT404C	1555	1710
S.N	DESCRIPTION	U. J. CROSS		NO. OF	PIPE	MATING PARTS			LIST-	M R D

O	APPLICATION	REF.	CROSS SIZE	SPLINE S	DIA	S.YOKE	R.TEETH	OEM REF.	MOOVEL P.NO.	PRICE Rs.	IN.R Rs.
<b>FULL YOKE &amp; REAR TEETH SET (MYT)</b>											
51	TATA 407 TO 1210	1210 - MC1022	38X56.7	10	2.25"	MP106	MP406A		MYT404A	2140	2355
52	TATA 407 TURBO (407 TELCO CROSS)	407 TELCO - MC1005	30X82	16	2.25"	MP405	MP406TT		MYT404TT	1610	1775
53	TATA 407 TURBO (MSL TYPE) - GLIDE COAT	DCM - MC1029	30.17X92	16	3"	MP405A	MP406MC		MYT404MC	2000	2200
54	TATA 407 TURBO (JEEP CROSS), FORCE (TOOFAN & CRUISER)	JEEP - MC1018	27X82	16	2.5"	MP405T	MP406T		MYT404T	1590	1750
55	TATA 407 TURBO (JEEP CROSS), FORCE (TOOFAN & CRUISER) - GLIDE COAT	JEEP - MC1018	27X82	16	2.5"	MP405T	MP406TC		MYT404TC	1790	1970
56	JEEP DIESEL - 6"	JEEP - MC1018	27X82	16	2.5"	MP907	MP908		MYT904	1280	1410
57	JEEP DIESEL - 7"	JEEP - MC1018	27X82	16	2.5"	MP907	MP908A		MYT904A	1310	1445
58	JEEP DIESEL - 6", GLIDE COAT	JEEP - MC1018	27X82	16	2.5"	MP907	MP908C		MYT904C	1480	1630
59	JEEP DIESEL - 7", GLIDE COAT	JEEP - MC1018	27X82	16	2.5"	MP907	MP908AC		MYT904AC	1510	1665
60	MAH. SCORPIO - N/M	JEEP - MC1018	27X82	16	2.5"	MP405T	MP406T		MYT404TC	1790	1970
61	MAH. MAX PICK-UP	JEEP - MC1018	27X82	16	3"	MP907	MP914		MYT912	1325	1460
62	MAH. MAX PICK-UP (GLIDE COAT)	JEEP - MC1018	27X82	16	3"	MP907	MP914C		MYT912C	1525	1680
63	MAH. SCORPIO - O/M	JEEP - MC1018	27X82	16	3"	MP405T	MP914C		MYT913C	1625	1790
64	MAH. BOLERO - N/M	JEEP - MC1018	27X82	16	3"	MP907	MP914AC	BRG. DIA=35mm, BRG. NO: 6207	MYT912AC	1690	1860
65	EICHER CANTER	CANTER - MC1025	30.17X106	16	3"	MP1406	MP1407		MYT1405	1575	1735
66	EICHER CANTER - GLIDE COAT	CANTER - MC1025	30.17X106	16	3"	MP1406	MP1407C		MYT1405C	1775	1955
67	EICHER CANTER - LONG	CANTER - MC1025	30.17X106	16	3"	MP1406 A	MP1407A		MYT1405A	1725	1900
68	TATA 407 TURBO EX/ 709/ 909 - GLIDE COAT	CANTER - MC1025	30.17X106	16	3"	MP1406	MP1407AC		MYT1405AC	2250	2475
69	TATA 407 PICK-UP	JCB 3D - MC1033	34.92X106	16	3.5"	MP1406 B	MP1407AA		MYT1405AA	2430	2675
70	TATA 407 PICK-UP (GLIDE COAT)	JCB 3D - MC1033	34.92X106	16	3.5"	MP1406 B	MP1407AA C		MYT1405AAC	2630	2895

**6. FULL SLEEVE YOKE (MFY)**

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TEETH	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
1	TATA 1210	1210 - MC1022	38X56.7	10	8"	MP107	312 410 1908	MFY106	1210	1335
2	TATA SE	1210 - MC1022	38X56.7	10	8.25"	MP114	312 410 2108	MFY113	1210	1335
3	TATA 709 TURBO/ 809 (1210 - 22 SPL.)	1210 - MC1022	38X56.7	22	8"	MP107A, 107AC		MFY106A	1300	1430
4	TATA 1312	1312 - MC1023	46X68.7	16	10.25"	MP208	2576 4112 5104	MFY207	1900	2090
5	TATA 2515 EX (1312 - LONG)	1312 - MC1023	46X68.7	16	13"	MP1208		MFY1207	2400	2640
6	TATA 1613 TURBO (1312 - 24 SPL.)	1312 - MC1023	46X68.7	24	10.25"	MP208A		MFY207A	1950	2145
7	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - MSL TY., 120 SLIP	SPICER SPL90X - MC1013	41.27X126	16	10.5"	MP1307A, 1307AA, 1307AC, 1307AAC	5016040	MFY1306A	2050	2255
8	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - MSL TY., 120 SLIP - YOKE - EN-8	SPICER SPL90X - MC1013	41.27X126	16	10.5"	MP1307A, 1307AA, 1307AC, 1307AAC	5016040	MFY1306A (F)	2300	2530
9	TATA 1616/ 1613 TURBO & L/L 3516/ 3014 - TRAILOR (MSL TY, 63 SLIP)	SPICER SPL90X - MC1013	41.27X126	16	9"	MP1209A, 1209AC, 1210A, 1210AC		MFY1206A	2000	2200
10	TATA & L/L (INTER-AXLE SPICER 1710 SERIES) - SPICER SPL90X CROSS	SPICER SPL90X - MC013	41.27X126	16	13"	MP1232MC	5013734-3	MFY1241	3350	3685
11	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - SPICER TY., 110 SLIP	SPICER SPL90X - MC1013	41.27X126	30	10.5"	MP1307, 1307C	INSKU 100257	MFY1306	2050	2255
12	TATA 2516/3516/ HYVA & L/L 2214/ TCAC SUPER TUSKER - SPICER TY., 110 SLIP -(YOKE EN-8)	SPICER SPL90X - MC1013	41.27X126	30	10.5"	MP1307, 1307C	INSKU 100257	MP1306 (F)	2300	2530
13	TATA 1616/ 1613 TURBO & L/L 3516/ 3014 - TRAILOR (SPICER TY, 63 SLIP)	SPICER SPL90X - MC1013	41.27X126	30	9"	MP1209, 1209C, 1210, 1210C	INSKU 100259	MFY1206	2000	2200
14	TATA 4018 - SMALL & LEY. 2516	SPICER 5- 280X - MC1032P	49.2X155	16	11.25"	MP1607C	6-7-2671 KX	MFY1606	3300	3630
15	TATA 3118/ 2518/ 2521/ AMW 2518/ MAN 25T - 4018 LONG	SPICER 5- 280X - MC1032P	49.2X155	16	13"	MP1232C	6-3-2651 KX	MFY1906	3900	4290
16	L/L 370/ BEDFORD	370 - MC1020	39.67X116	16	8"	MP607, 608, 607FC, 608FC	K4-3GB-538	MFY606	1320	1455
17	L/L TAURUS	TUARUS - MC1015	47.62X135	16	9.5"	MP806, 806AC	MSL SUK 5055	MFY805	1800	1980
S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TEETH	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.

**FULL SLEEVE YOKE (MFY)**

18	L/L TAURUS - LONG	TUARUS - MC1015	47.62X135	16	10.5	MP817		<b>MFY816</b>	2300	2530
19	L/L TUSKER (MSL TYPE)	TUSKER - MC1021	34.92X126.2	16	8"	MP607, 608, 607FC, 608FC	P100432 4000 239	<b>MFY706</b>	1320	1455
20	L/L 1613 TIPPER/ STAG BUS/ ECOMET	TUSKER - MC1021	34.92X126.2	16	9.75"	MP608AF, 608AFC	4-3-2641X	<b>MFY706A</b>	1525	1680
21	L/L HINO BUS/ EICHER JUMBO	TUSKER - MC1021	34.92X126.2	16	11.25"	MP608AAF, 608AAFC, 608AAHC	4-3-1431 KX	<b>MFY706AA</b>	1650	1815
22	TATA & L/L (INTER-AXLE SPICER 1710 SERIES) - TUSKER CROSS	TUSKER - MC1021	34.92X126.2	16	13"	MP1232MC	4-3-0110X	<b>MFY1236</b>	3300	3630
23	TATA 1109 TURBO (TUSKER CROSS)	TUSKER - MC1021	34.92X126.2	16	7.5"	MP1407AC		<b>MFY706B</b>	1400	1540
24	TATA 1109	TUSKER - MC1021	34.92X126.2	27	9"	MP2307C		<b>MFY2306</b>	1380	1520
25	EICHER JUMBO (SPICER TY. - 28 SPL)	TUSKER - MC1021	34.92X126.2	28	12"	MP1708C		<b>MFY1213</b>	2000	2200
26	TATA 407	407 TELCO - MC1005	30X82	16	6.5"	MP406, 406C, 406TT	2651 4110 0125	<b>MFY405</b>	775	855
27	TATA 407 TURBO (JEEP CROSS)/ MAH. SCORPIO N/M	JEEP - MC1018	27X82	16	7"	MP406T, 406TC		<b>MFY405T/906</b>	840	925
28	EICHER CANTER/ TATA 407 TURBO EX/ 709/ 909	CANTER - MC1025	30.17X106	16	7.5"	MP1407, 1407C, 1407AC	3-3-118KX	<b>MFY1406</b>	950	1045
29	EICHER CANTER - LONG	CANTER - MC1025	30.17X106	16	8.5"	MP1407A		<b>MFY1406A</b>	1010	1115
30	JEEP DIESEL	JEEP - MC1018	27X82	16	6"	MP908, 908A, 908C, 908AC, 914C		<b>MFY907</b>	740	815
31	TATA ACE O/M (INNER LOCK TY.)	ACE - MC1027	23.82X35	22	6.25"	MP1506	INSKU 10074	<b>MFY1506</b>	625	690
32	TATA MAGIC/ HT N/M (OUTTER LOCK TY.)	MAGIC - MC1028	22X55	22	5.75"	MP1506A		<b>MFY1506A</b>	625	690
33	AMBASSADOR	AMB. - MC1019	23.83X61.4	16	5.5"	MP1807		<b>MFY1806</b>	480	530
34	TATA 407 TURBO (MSL TYPE - DCM CROSS)	DCM - MC1029	30.17X92	16	7"	MP406MC		<b>MFY405A</b>	925	1020
35	TATA 407 PICK-UP	JCB 3D - MC1033	34.92X106	16	8"	MP1407AA, 1407AAC		<b>MFY1406B</b>	1430	1575
36	TATA SUPER ACE	JEEP - MC1018	27X82		6.5"			<b>MFY1506AA</b>	935	1030
37	MAH. MAXXIMO	JEEP - MC1018	27X82		6"			<b>MFY2806</b>	700	770
38	LEY. DOST	JEEP - MC1018	27X82		6.5"			<b>MFY2906</b>	740	815

**7. REAR TEETH (PLAIN & GLIDE COAT)**

S.N	APPLICATION	NO. OF	PIPE DIA	TOTAL LENGTH	MATING YOKE	OEM REF	MOOVEL P NO	LIST-	M.R.P
-----	-------------	--------	----------	--------------	-------------	---------	-------------	-------	-------

O	APPLICATION	SPLINES	CROSS SIZE		TOTAL LENGTH	MATING TUBE	OEM REF.	MOOVEL P.NO.	PRICE Rs.	Rs.
			INCH	mm						
1	TATA 407/1210 CONVERT	10	2.25"	56	9"	MP106		MRT406A	930	1025
2	TATA 1210 - 2.5"	10	2.5"	62	9"	MP106	313 410 1908	MRT107	930	1025
3	TATA SE - 3"	10	3"	76	9"	MP113	312 411 1702	MRT114	970	1070
4	AMBASSADOR	16	2"	52	5.5"	MP1806		MRT1807	385	425
5	TATA 407	16	2.25"	56	6.5"	MP405		MRT406	580	640
6	TATA 407 - GLIDE COAT	16	2.25"	56	6.5"	MP405		MRT406C	780	860
7	TATA 407 TURBO N/M (407 TELCO TY.)	16	2.25"	56	8.5"	MP405	BRG. DIA = 35mm BEARING NO: 6207	MRT406TT	835	920
8	TATA 407 TURBO O/M/ 207 DI & FORCE (TOOFAN & CRUISER)	16	2.5"	62	7.5"	MP405T	BRG DIA = 35mm BEARING NO: 6207	MRT406T	750	825
9	TATA 407 TURBO O/M/ 207 DI & FORCE (TOOFAN & CRUISER) - GLIDE COAT	16	2.5"	62	7.5"	MP405T	BRG DIA = 35mm BEARING NO: 6207	MRT406TC	950	1045
10	MAH. JEEP DIESEL - 6"	16	2.5"	62	6"	MP907		MRT908	540	595
11	MAH. JEEP DIESEL - 6" (GLIDE COAT)	16	2.5"	62	6"	MP907		MRT908C	740	815
12	MAH. JEEP DIESEL - 7"	16	2.5"	62	7"	MP907		MRT908A	570	630
13	MAH. JEEP DIESEL - 7" (GLIDE COAT)	16	2.5"	62	7"	MP907		MRT908AC	770	850
14	TATA 709 TURBO - 22 SPL.	22	2.5"	62	9"	MP106A	BRG DIA=50mm	MRT107A	1180	1300
15	TATA 709 TURBO - 22 SPL., GLIDE COAT	22	2.5"	62	9"	MP106A	BRG DIA=50mm	MRT107AC	1400	1540
16	L/L 370/ TUSKER - 3", HALF SPL.	16	3"	76	7"	MP706, 606		MRT607A	920	1015
17	L/L 370/ TUSKER - 3", FULL SPL.	16	3"	76	7"	MP706, 606		MRT607	930	1025
18	L/L 370/ TUSKER - 3", FULL SPL., GLIDE COAT	16	3"	76	7"	MP706, 606		MRT607FC	1200	1320
19	TATA 407 TURBO EX/ 709/ 909 - GLIDE COAT	16	3"	76	9"	MP1406, 706B	BRG. DIA = 40mm BEARING NO: 88507/ 6208	MRT1407AC	1300	1430
20	TATA 407 TURBO N/M (MSL TYPE) - GLIDE COAT	16	3"	76	8"	MP405A	BRG. DIA = 40mm BEARING NO: 88507/ 6208	MRT406MC	1075	1185
21	MAH. MAX PICK-UP, BOLERO	16	3"	76	7"	MP907, 405T		MRT914	585	645
22	MAH. MAX PICK-UP, BOLERO - 3", GLIDE COAT	16	3"	76	7"	MP907, 405T		MRT914C	785	865
23	EICHER CANTER	16	3"	76	7"	MP1406		MRT1407	625	690

S.N O	APPLICATION	UJC	CROSS SIZE		NO. OF SPLINES	TOTAL LENGTH	MATING TUBE	OEM REF.	MOOVEL P.NO.	LIST-PRICE Rs.	M.R.P Rs.
			CUP OD	LOCK							

**REAR TEETH (MRT)**

24	EICHER CANTER - GLIDE COAT	16	3"	76	7"	MP1406		MRT1407C	825	910
25	EICHER CANTER - LONG	16	3"	76	8"	MP1406A		MRT1407A	715	790
26	JEEP - BOLERO N/M BRG TY	16	3"	72	7"	MP907		MRT914AC	1100	1210
27	TATA 1312	16	3.5"	90	11.5"	MP207		MRT208	1500	1650
28	TATA 1312 - GLIDE COAT	16	3.5"	90	11.5"	MP207		MRT208C	1875	2065
29	TATA 1312 - LONG	16	3.5"	90	13"	MP1207		MRT1208	1815	2000
30	TATA 1613 TURBO - MSL TY., 63 SLIP	16	3.5"	90	9"	MP1206A		MRT1209A	1500	1650
31	TATA 1613 TURBO - MSL TY., 63 SLIP, GLIDE COAT	16	3.5"	90	9"	MP1206		MRT1209AC	1850	2035
32	L/L 370/ TUSKER - 3.5", HALF SPL.	16	3.5"	90	7"	MP706, 606		MRT608A	900	990
33	L/L 370/ TUSKER - 3.5", FULL SPL.	16	3.5"	90	7"	MP706, 606		MRT608	970	1070
34	L/L 370/ TUSKER - 3.5", FULL SPL., GLIDE COAT	16	3.5"	90	7"	MP706, 606		MRT608FC	1230	1355
35	L/L TAURUS - T11 - HALF SPLINE	16	3.5"	90	8.5"	MP805		MRT806A	1485	1635
36	L/L TAURUS - T11 - FULL SPLINE	16	3.5"	90	8.5"	MP805		MRT806	1500	1650
37	L/L TAURUS - T11 - HALF SPLINE, GLIDE COAT	16	3.5"	90	8.5"	MP805		MRT806AC	1850	2035
38	L/L TAURUS - LONG, FULL SPL.	16	3.5"	90	10.5"	MP816		MRT817	1750	1925
39	L/L 1613 TIPPER/ STAG BUS/ ECOMET	16	3.5"	90	9"	MP706A	4-40-1071	MRT608AF	1240	1365
40	L/L 1613 TIPPER/ STAG BUS/ ECOMET - GLIDE COAT	16	3.5"	90	9"	MP706A	4-40-1071	MRT608AFC	1550	1705
41	HINO BUS/ ECOMET BUS - SPICER TY., FULL SPL.	16	3.5"	90	10"	MP706AA	4-40-721	MRT608AAF	1280	1410
42	HINO BUS/ ECOMET BUS - SPICER TY., FULL SPL., GLIDE COAT	16	3.5"	90	10"	MP706AA	4-40-721	MRT608AAFC	1580	1740
43	HINO BUS/ ECOMET BUS - SPICER TY., HALF SPL., GLIDE COAT	16	3.5"	90	10"	MP706AA	4-40-721	MRT608AAHC	1580	1740
44	TATA 407 (PICK UP)	16	3.5"	90	7.5"	MP1406, 1406B		MRT1407AA	1000	1100
45	TATA 407 (PICK UP) - GLIDE COAT	16	3.5"	90	7.5"	MP1406, 1406B		MRT1407AAC	1200	1320
46	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., HALF SPLINE	16	4"	100	10"	MP1306A, 1306A(F)	5016042	MRT1307A	1550	1705
S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm						



**REAR TEETH (MRT)**

47	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., HALF SPLINE, GLIDE COAT	16	4"	100	10"	MP1306A, 1306A(F)	5016042	MRT1307AC	1900	2090
48	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., FULL SPLINE	16	4"	100	10"	MP1306A, 1306A(F)	5016042	MRT1307AA	1575	1735
49	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - MSL TY., FULL SPLINE, GLIDE COAT	16	4"	100	10"	MP1306A, 1306A(F)	5016042	MRT1307AAC	1950	2145
50	L/L TRAILOR - MSL., 63 SLIP, HALF SPL.	16	4"	100	9"	MP1206A		MRT1210A	1525	1680
51	L/L TRAILOR - MSL., 63 SLIP, HALF SPL., GLIDE COAT	16	4"	100	9"	MP1206A		MRT1210AC	1900	2090
52	TATA & LEY. INTER-AXLE - SPICER TY., 1710 SERIES	16	4"	100	13"	MP1236, 1241	INSKU 100650/100655	MRT1232MC	3250	3575
53	TATA 4018 - SMALL, PLAIN	16	4"	100	10"	MP1606	6-40-541	MRT1607	2300	2530
54	TATA 4018 - SMALL, GLIDE COAT	16	4"	100	10"	MP1606	6-40-541	MRT1607C	2600	2860
55	TATA 3118/ 4018 - LONG, GLIDE COAT	16	4"	100	13"	MP1906	6-40-521	MRT1232C	3000	3300
56	TATA 1312 - 24 SPL.	24	3.5"	90	11.5"	MP207A		MRT208A	1550	1705
57	TATA 1312 - 24SPL., GLIDE COAT	24	3.5"	90	11.5"	MP207A		MRT208AC	1950	2145
58	TATA 1109 EX BSIII - 3.5", GLIDE COAT	27	3.5"	90	9"	MP2306		MPRT2307C	1375	1515
59	EICHER JUMBO - 28 SPL	28	3.5"	90	11.5"	MP1213	BRG DIA = 45mm BRG. NO.: 88509/6209	MRT1708	1600	1760
60	EICHER JUMBO - 28 SPL., GLIDE COAT	28	3.5"	90	11.5"	MP1213	BRG DIA = 45mm BRG. NO.: 88509/6209	MRT1708C	1950	2145
61	TATA 1613 TURBO - SPICER TY., 63 SLIP	30	3.5"	90	9"	MP1206	INSKU 100433	MRT1209	1500	1650
62	TATA 1613 TURBO - SPICER TY., 63 SLIP, GLIDE COAT	30	3.5"	90	9"	MP1206	INSKU 100433	MRT1209C	1850	2035
63	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - SPICER TY.	30	4"	100	10"	MP1305, 1305 (F)	INSKU 100276	MRT1307	1550	1705
64	TATA 2516/ 3516/ HYVA & LEY. 2214/ TCAC SUPER TUSKER - SPICER TY., GLIDE COAT	30	4"	100	10"	MP1306, 1306 (F)	INSKU 100276	MRT1307C	1900	2090
S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm						

**REAR TEETH (MRT)**

65	L/L TRAILOR - SPICER TY., 63 SLIP, HALF SPL.	30	4"	100	9"	MP1206		MRT1210	1525	1680
66	L/L TRAILOR - SPICER TY., 63 SLIP, HALF SPL., GLIDE COAT	30	4"	100	9"	MP1206		MRT1210C	1875	2065

### 8. FORK TEETH/ REVERSE YOKE/ GODHI (RSB 390, 403, 425 & SPICER SPR2040 SERIES - LONG & SHORT) - (MRY)

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TUBE/ R. YOKE	O.E. P. NO.	MOOVEL P.NO.	LIST-PRICE Rs.	M.R.P Rs.
1	FORK TEETH ONLY - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO (SMALL)	RSB - MC1030	42X119.8	20	12.5"	MP1325 - 3.5"	F570 325 055 317/ 2632 4112 5103	MRY1316T	2640	2905
2	FORK TEETH W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO (SMALL)	RSB - MC1030	42X119.8	20	12.5"	MP1325 - 3.5"	F570 325 055 317/ 2632 4112 5103	MRY1316TP	3140	3455
3	FORK TEETH ONLY - RSB 403 SERIES, TATA 2516 - (SHORT)	RSB - MC1026	42X129.4	20	13"	MP1326 - 4"	F570 403 055 296/ 2171 4112 5107	MRY1317T	2640	2905
4	FORK TEETH W/ D. COVER & SEAL - RSB 403, TATA 2516 - SHORT	RSB - MC1026	42X129.4	20	13"	MP1326 - 4"	F570 403 055 296/ 2171 4112 5107	MRY1317TP	3140	3455
5	FORK TEETH ONLY - RSB 403 SERIES, TATA 2516 - MEDIUM	RSB - MC1026	42X129.4	20	15"	MP1326 A - 4"		MRY1317AT	3200	3520
6	FORK TEETH W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - MEDIUM	RSB - MC1026	42X129.4	20	15"	MP1326 A - 4"		MRY1317ATP	3800	4180
7	FORK TEETH ONLY - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	20	16"	MP1326AB		MRY1317ABT	3500	3850
8	FORK TEETH W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	20	16"	MP1326AB		MRY1317ABTP	4200	4620
9	FORK TEETH ONLY - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	30	13"	MP1327 A - 4"	F570 490 066 298/ 2167 4112 5103	MRY1320AT	3300	3630
10	FORK TEETH W/ D. COVER & SEAL - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	30	13"	MP1327 A - 4"	F570 490 066 298/ 2167 4112 5103	MRY1320ATP	3900	4290
11	FORK TEETH ONLY - RSB 490, TATA 4018/ 3116 & LEY. 3116 - MEDIUM	RSB - MC1031	48X135	30	14.5"	MP1327 - 4"	F571 490 062 373	MRY1320T	3550	3905
12	FORK TEETH W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - MEDIUM	RSB - MC1031	48X135	30	14.5"	MP1327 - 4"	F571 490 062 373	MRY1320TP	4250	4675
S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	TOTAL LENGTH	MATING TUBE/ R. YOKE	O.E. P. NO.	MOOVEL P.NO.	LIST-PRICE Rs.	M.R.P Rs.

### FORK TEETH/ REVERSE YOKE (MRY)

13	FORK TEETH ONLY - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	30	16"	MP1327AA		<b>MRY1320AAT</b>	4000	4400
14	FORK TEETH W/ D.COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	30	16"	MP1327AA		<b>MRY1320AATP</b>	4800	5280
15	FORK TEETH W/ D. COVER & SEAL - SPR2040 SERIES - SHORT	SPR2040 - MC1015UT	47.65X135	34	13"	MP2627 A - 4"		<b>MRY2620ATP</b>	4125	4540
16	FORK TEETH W/ D. COVER & SEAL - SPR2040, TATA PRIMA/ LEY. U-TRUCK - MEDIUM	SPR2040 - MC1015UT	47.65X135	34	14.5"	MP2627 - 4"		<b>MRY2620TP</b>	4400	4840

### 9. SLIDING TUBE/ BOTTLE/ GLASSY (RSB 390, 403, 425 & SPICER SPR2040 SERIES - LONG & SHORT) - (MST)

S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm						
1	RSB 325 SERIES - TATA 2515 EX/ 2518/ 1613 TURBO	20	3.5"	90	7"	MP1316T, 1316TP, 1317T, 1317TP	F540 325 084 180/ 2632 4112 5109	<b>MST1325</b>	1560	1720
2	RSB 403 SERIES - TATA 2516 - SHORT	20	4"	100	7"	MP1316T, 1316TP, 1317T, 1317TP	F541 403 094 180/ 2171 4112 5106	<b>MST1326</b>	1650	1815
3	RSB 403 SERIES - INTER-AXLE TATA 2516 - MEDIUM	20	4"	100	9.25"	MP1317AT, 1317ATP	F556 403 064 220/ 2167 4112 5108	<b>MST1326A</b>	2350	2585
4	RSB 403 SERIES - INTER-AXLE TATA 2516 - LONG	20	4"	100	10"	MP1317ABT, 1317ABT		<b>MST1326AB</b>	2640	2905
5	RSB 490 SERIES - TATA 4018 - SHORT	30	4"	100	8"	MP1320AT, 1320ATP		<b>MST1327A</b>	2550	2805
6	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - MEDIUM	30	4"	100	9"	MP1320T, 1320TP	F550 490 062 373	<b>MST1327</b>	2975	3275
7	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - LONG	30	4"	100	10.5"	MP1320AAT, 1320AAT		<b>MST1327AA</b>	3250	3575
8	SPR2040 SERIES - TATA PRIMA/ LEY. U-TRUCK - SHORT	34	4"	100	8.5"	MP2620ATP		<b>MST2627A</b>	2800	3080
9	SPR2040 - TATA PRIMA/ LEY. U-TRUCK - MEDIUM	34	4"	100	9.5"	MP2620TP		<b>MST2627</b>	3100	3410

### 10. SLIDING TUBE/ BOTTLE/ GLASSY (RSB 390, 403, 425 & SPICER SPR2040 SERIES - LONG & SHORT) - GLIDE COAT - (MST - COATED)

S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	MATING YOKE	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm						
1	RSB 325 SERIES - TATA 2515 EX/ 2518/ 1613 TURBO - GLIDE COAT	20	3.5"	90	7"	MP1316T, 1316TP, 1317T, 1317TP	F540 325 084 180/ 2632 4112 5109	MST1325C	2160	2380
2	RSB 403 SERIES - TATA 2516 - SHORT - GLIDE COAT	20	4"	100	7"	MP1316T, 1316TP, 1317T, 1317TP	F541 403 094 180/ 2171 4112 5106	MST1326C	2250	2475
3	RSB 403 SERIES - INTER- AXLE TATA 2516 - MEDIUM - GLIDE COAT	20	4"	100	9.25"	MP1317AT, 1317ATP	F556 403 064 220/ 2167 4112 5108	MST1326AC	3050	3355
4	RSB 403 SERIES - INTER- AXLE TATA 2516 - MEDIUM - GLIDE COAT	20	4"	100	10"	MP1317ABT, 1317ABTP		MST1326ABC	3350	3685
5	RSB 490 SERIES - TATA 4018 - SHORT - GLIDE COAT	30	4"	100	8"	MP1320AT, 1320ATP		MST1327AC	3750	4125
6	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - MEDIUM - GLIDE COAT	30	4"	100	9"	MP1320T, 1320TP	F550 490 062 373	MST1327C	3900	4290
7	RSB 490 - TATA 4018/ 3118 & LEY. 3116 - LONG - GLIDE COAT	30	4"	100	10.5"	MP1320AAT, 1320AATP		MST1327AAC	4050	4455
8	SPR2040 SERIES - TATA PRIMA/ LEY. U-TRUCK - SHORT	34	4"	100	8.5"	MP2620ATP		MST2627AC	3500	3850
9	SPR2040 - TATA PRIMA/ LEY. U-TRUCK - MEDIUM	34	4"	100	9.5"	MP2620TP		MST2627C	3800	4180

### 11. DUST COVER & SEAL (RSB & SPICER FORK TEETH/ REVERSE YOKE / GODHI) - (MDCS)

S.N O	APPLICATION	MATING YOKE	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
1	RSB 325 & 403 SERIES - SHORT	MP1316T, 1317T	MDCS1328	500	550
2	RSB 403 SERIES - LONG	MP1317AT	MDCS1328A	600	660
3	RSB 490 SERIES - SHORT & MEDIUM	MP1320AT, 1320T	MDCS1329	700	770
4	RSB 490 SERIES - LONG	MP1320AAT, 1320AAT	MDCS1329A	800	880

### 12. FORK TEETH & SLIDING TUBE SET (RSB 390, 403, 425 & SPICER SPR2040 SERIES - SHORT & LONG) - (MRYST)

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
				TEETH	TUBE						
1	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB - MC1030	42X119.8	12.75'	7"	20	MP1325 - 3.5"	NO	MRYST1316	4200	4620
2	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB - MC1030	42X119.8	12.75'	7"	20	MP1325 - 3.5"	YES	MRYST1316P	4700	5170
3	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB - MC1030	42X119.8	12.75'	7"	20	MP1326 - 4"	NO	MRYST1316A	4290	4720
4	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB - MC1030	42X119.8	12.75'	7"	20	MP1326 - 4"	YES	MRYST1316AP	4790	5270
5	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MP1326 - 4"	NO	MRYST1317	4290	4720
6	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MP1326 - 4"	YES	MRYST1317P	4790	5270
7	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - MEDIUM	RSB - MC1026	42X129.4	15"	9.25"	20	MP1326A - 4"	NO	MRYST1317A	5550	6105
8	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - MEDIUM	RSB - MC1026	42X129.4	15"	9.25"	20	MP1326A - 4"	YES	MRYST1317AP	6150	6765
9	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	16"	10"	20	MP1326AB - 4"	NO	MRYST1317AB	6140	6755
10	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	16"	10"	20	MP1326AB - 4"	YES	MRYST1317ABP	6840	7525
11	FORK TEETH 7 S. TUBE - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	13"	8"	30	MP1327A - 4"	NO	MRYST1320A	5850	6435
S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
				TEETH	TUBE						

**FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET (MRYST)**

12	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	13"	8"	13"	MP1327A - 4"	YES	MRYST1320AP	6450	7095
13	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - MEDIUM	RSB - MC1031	48X135	14.5"	9"	30	MP1327 - 4"	NO	MRYST1320	6525	7180
14	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - MEDIUM	RSB - MC1031	48X135	14.5"	9"	30	MP1327 - 4"	YES	MRYST1320P	7225	7950
15	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	16"	10.5"	30	MP1327AA - 4"	NO	MRYST1320AA	7250	7975
16	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	16"	10.5"	30	MP1327AA - 4"	YES	MRYST1320AAP	8050	8855
17	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPR2040 SERIES, TATA PRIMA/ LEY. U-TRUCK - SHORT	L/L TAURUS - MC1015U T	47.65X135	13"	8.5"	34	MP2627A - 4"	YES	MRYST2620AP	6925	7620
18	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPR2040, TATA PRIMA/ LEY. U-TRUCK - MEDIUM	L/L TAURUS - MC1015U T	47.65X135	14.5"	9.5"	34	MP2627 - 4"	YES	MRYST2620P	7500	8250

### 13. FORK TEETH & SLIDING TUBE SET (RSB 390, 403, 425 & SPICER SPR2040 SERIES - SHORT & LONG) - GLIDE COAT - (MRYST - COATED)

S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	LIST-PRICE Rs.	M.R.P Rs.
				TEETH	TUBE						
1	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MP1325 - 3.5"	NO	MRYST1316C	4800	5280
2	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 3.5" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MP1325 - 3.5"	YES	MRYST1316PC	5300	5830
3	FORK TEETH & S. TUBE - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MP1326 - 4"	NO	MRYST1316AC	4890	5380
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	LIST-PRICE Rs.	M.R.P Rs.
				TEETH	TUBE						

### FORK TEETH/ REVERSE YOKE & SLIDING TUBE SET COATED (MRYST - COATED)



4	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 325 SERIES, TATA 2518/ 2515 EX/ 1613 TURBO - 4" PIPE	RSB - MC1030	42X119.8	12.5"	7"	20	MP1326 - 4"	YES	MRYST1316APC	5390	5930
5	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MP1326 - 4"	NO	MRYST1317C	4890	5380
6	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403, TATA 2516 - SHORT	RSB - MC1026	42X129.4	13"	7"	20	MP1326 - 4"	YES	MRYST1317PC	5390	5930
7	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - MEDIUM	RSB - MC1026	42X129.4	15"	9.25"	20	MP1326A - 4"	NO	MRYST1317AC	6250	6875
8	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - MEDIUM	RSB - MC1026	42X129.4	15"	9.25"	20	MP1326A - 4"	YES	MRYST1317APC	6850	7535
9	FORK TEETH & S. TUBE - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	15"	10"	20	MP1326AB - 4"	NO	MRYST1317ABC	6850	7535
10	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 403 SERIES, TATA 2516 - LONG	RSB - MC1026	42X129.4	15"	10"	20	MP1326AB - 4"	YES	MRYST1317ABPC	7550	8305
11	FORK TEETH 7 S. TUBE - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	13"	8"	30	MP1327A - 4"	NO	MRYST1320AC	6400	7040
12	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490 SERIES, TATA 4018 - SHORT	RSB - MC1031	48X135	13"	8"	30	MP1327A - 4"	YES	MRYST1320APC	7050	7755
13	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - MEDIUM	RSB - MC1031	48X135	14.5"	9"	30	MP1327 - 4"	NO	MRYST1320C	7450	8195
14	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - MEDIUM	RSB - MC1031	48X135	14.5"	9"	30	MP1327 - 4"	YES	MRYST1320PC	8150	8965
15	FORK TEETH & S. TUBE - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	14.5"	10.5"	30	MP1327AA - 4"	NO	MRYST1320AAC	8050	8855
16	FORK TEETH & S. TUBE W/ D. COVER & SEAL - RSB 490, TATA 4018/ 3116 & LEY. 3116 - LONG	RSB - MC1031	48X135	14.5"	10.5"	30	MP1327AA - 4"	YES	MRYST1320AAPC	8850	9735
S.NO	APPLICATION	U. J. CROSS REF.	CROSS SIZE	TOTAL LENGTH		NO. OF SPLINES	PIPE DIA.	W/ DUST COVER & SEAL	MOOVEL P.NO.	LIST-PRICE Rs.	M.R.P Rs.
				TEETH	TUBE						
<b>FORK TEETH/ REVERSE YOKE &amp; SLIDING TUBE SET COATED (MRYST - COATED)</b>											

17	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPICER SPR2040 SERIES, TATA PRIMA/ LEY. U-TRUCK - SHORT	L/L TAURUS - MC1015U T	47.62X135	13"	8.5"	34	MP2627A - 4"	YES	MRYST2620A PC	7625	8380
18	FORK TEETH & S. TUBE W/ D. COVER & SEAL - SPICER SPR2040, TATA PRIMA/ LEY. U-TRUCK - MEDIUM	L/L TAURUS - MC1015U T	47.65X135	14.5"	9.5"	34	MP2627 - 4"	YES	MRYST2620 PC	8200	9020

#### 14. STUB BALL HALF YOKE (MHY)

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
				mm	Inch				
1	TATA 407/ 1210 CONVERT	1210 - MC1022	38X56.9	56	2.25"		MHY407A	700	770
2	TATA 1210 - 2.5"	1210 - MC1022	38X56.9	62	2.5"	2573 4111 5115	MHY108	700	770
3	TATA SE - 3"	1210 - MC1022	38X56.9	76	3"	312 411 1205	MHY115	740	815
4	TATA 1312 - 3"	1312 - MC1023	46X68.9	76	3"		MHY209A	1075	1185
5	TATA 1312 - 3.5"	1312 - MC1023	46X68.9	90	3.5"	2576 4111 5109	MHY209	1075	1185
6	TATA LPK 2516/ 1615 - SPICER 3.5"	SPICER SPL90X - MC1013	41.27X126	90	3.5"	INSKU 100232	MHY1308B	1540	1695
7	L/L 2214 / TCAC SUPER TUSKER	SPICER SPL90X - MC1013	41.27X126	100	4"	90-28-27/ 90-28-17	MHY1308	1560	1720
8	L/L 2214 / TCAC SUPER TUSKER - LONG	SPICER SPL90X - MC1013	41.27X126	100	4"		MHY1308L	1600	1760
9	TATA 2515 EX/ 2518 - RSB 325 SERIES - 3.5"	RSB - MC1030	42X119.8	90	3.5"	2632 4140 5106	MHY1319	1540	1695
10	TATA 2515 EX/ 2518 - RSB 325 SERIES - 4"	RSB - MC1030	42X119.8	100	4"		MHY1319A	1560	1720
11	TATA 2516 - RSB 403 SERIES - 4"	RSB - MC1026	42X129.4	100	4"	2171 4112 5105	MHY1318	1560	1720
12	TATA 2516 - RSB 403 SERIES - 4" LONG L=5.75"	RSB - MC1026	42X129.4	100	4"	2171 4112 5105	MHY1318L	1600	1760
13	TATA 4018 - RSB 490 SERIES - 4"	RSB - MC1031	48X135	100	4"	2161 4112 5102	MHY1321	1760	1940
14	TATA 4018 - RSB 490 SERIES - 4", LONG	RSB - MC1031	48X135	100	4"	2161 4112 5102	MHY1321L	1825	2010
15	TATA 4018/ 3118/ LPO 1623/ 1618/ 1615/ 1625 & L/L 2515/ 3213/ 3118 & MAN 25T - SPICER PATTI TY.	SPICER 5-280X - MC1032P	49.2X155	100	4"	6-28-347	MHY1608	1800	1980
16	L/L 370/ BEDFORD - 3"	370 - MC1020	39.7X116	76	3"	K4-26-GB-477	MHY611	960	1060
17	L/L 370/ BEDFORD - 3"	370 - MC1020	39.7X116	90	3.5"	K4-26-GB-577	MHY612	980	1080

#### STUB BALL HALF YOKE (MHY)

18	L/L TUSKER - 3"	TUSKER - MC1021	34.92X126.2	76	3"	P 1500 114/ F2134011	MHY711	920	1015
19	L/L TUSKER - 3.5"	TUSKER - MC1021	34.92X126.2	90	3.5"	P4200 234/ F2134311	MHY712	980	1080
20	INTER-AXLE TATA/ LEY. 2516/ 3516/ HYVA	TUSKER - MC1021	34.92X126.2	100	4"	INSKU 100963/ 975	MHY1308A	1560	1720
21	L/L TAURUS - T11 - 3.5"	TUARUS - MC1015	47.62X135	90	3.5"		MHY809	1475	1625
22	TATA 407 - TELCO TY	407 - MC1005	30X82	56	2.25"		MHY407	525	580
23	MAH. JEEP DIESEL - 2.5"	JEEP - MC1018	27X82	62	2.5"		MHY909	500	550
24	MAH. MAX PICK-UP - 3"	JEEP - MC1018	27X82	76	3"		MHY909A	540	595
25	EICHER CANTER	CANTER - MC1025	30.17X106	76	3"		MHY1408	600	660
26	TATA ACE O/M - INNER LOCK TY.	ACE - MC1027	23.82X35	45	1.75"		MHY1504	375	415
27	TATA MAGIC/ HT - OUTER LOCK TY.	MAGIC - MC1028	22X55	45	1.75"		MHY1504A	375	415
28	AMBASSADOR	AMB. - MC1019	23.83X61.4	45	1.75"		MHY1808	360	400
29	TATA SUPER ACE	JEEP - MC1018	27X82	56	2.25"		MHY1504AA	580	640
30	L/L DOST	JEEP - MC1018	27X82	46	2"		MHY2904	550	605
31	MAH. MAXXIMO	JEEP - MC1018	27X82	56	2.25"		MHY2804	500	550
32	TATA 407 TURBO (MSL TYPE)	DCM - MC1029	30.17X92	76	3"		MHY1408A	600	660

### 15. FRONTH TEETH W/ NUT (MFT)

S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	BRG. DIA mm	MATING COUPLING	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm							
1	TATA 1510 TC & L/L 1613 TIPPER/ ECOMET	10	3.5"	90	6"	45 mm (BRG. NO.: 88509/ 6209)	MP1703	INSKU 100557	MFT309	1025	1130
2	L/L 370/ TUSKER - 3"	10	3"	76	8.25"	46 mm (BRG. NO.: MSN-14)	MP602	P1502733	MFT609	990	1090
3	L/L 370/ TUSKER - 3.5"	10	3.5"	90	8.25"	46 mm (BRG. NO.: MSN-14)	MP602, 813, 813A	P1502535	MFT610	1040	1145
4	EICHER CANTER	10	3"	76	6.5"	40 mm (BRG. NO.: 88508/ 6208)	MP1402, 1402A		MP1409	975	1075
S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	BRG. DIA mm	MATING COUPLING	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm							

### FRONT TEETH (MFT)

5	SWARAJ MAZDA	10	3"	76	6.5"	40 mm (BRG. NO.: 88508/ 6208)	MP3102		<b>MFT3109</b>	1000	1100
6	TATA 407	16	2.25"	56	7"	35 mm (BRG. NO.: 6207)	MP402		<b>MFT408</b>	740	815
7	TATA 1210 - 2.5"	16	2.5"	62	8"		MP102	2573 4111 0511	<b>MFT109</b>	900	990
8	TATA SE - 3"	16	3	76	8"		MP102, 202	313 411 1702	<b>MFT116</b>	960	1060
9	L/L TAURUS - T11 - 3.5"	16	3.5"	90	7"	62 mm (BRG. NO.: 600112)	MP802		<b>MFT808</b>	1320	1455
10	AMW/ MANN/ 3118	16	4"	100	6.5"	60mm	MP820, MP820S, MP820SS		<b>MFT2509</b>	2200	2420
11	TATA 1312 - 3"	26	3"	76	8"	55 mm (BRG. NO.: 88511/ 6211)	MP203		<b>MFT210A</b>	1320	1455
12	TATA 1312 - 3.5"	26	3.5"	90	8"	55mm (BRG. NO.: 88511/ 6211)	MP203, 203A	2576 4111 5104	<b>MFT210</b>	1320	1455
13	TATA 1312 - 4"	26	4"	100	8"	55 mm (BRG. NO.: 88511/ 6211)	MP203A, 203S, 203AS	INSKU 100853	<b>MFT210AA</b>	1650	1815
14	TATA 1312 - 4" (BIG COLLAR)	26	4"	100	8"	55 mm (BRG. NO.: 88511/ 6211)	MP203S, 203AS	BIG HEAD, BIG COLLAR	<b>MFT210AB</b>	1650	1815
15	TATA 1312 - 4" (2 STEP)	26	4"	100	8"	55 mm (BRG. NO.: 88511/ 6211)	MP203S, 203AS	BIG HEAD, 2STEP	<b>MFT210C</b>	1650	1815
16	TATA 2518/ 2516 - RSB, 3 STEP	26	4"	100	7"	65mm (BRG.NO.: 6013)	MP203AS		<b>MFT210B</b>	1650	1815
17	TATA 2518/ 2516 - RSB, 2 STEP	26	4"	100	7"	65mm (BRG.NO.: 6013)	MP203AS		<b>MFT210BB</b>	1650	1815
18	L/L 2214/ TCAC SUPER TUSKER - 4"	34	4"	100	6.5"	45 mm (BRG. NO.: 88509/ 6209)	MP1302	5-53-271/ 90-53-31	<b>MFT1309</b>	1275	1405
S.N O	APPLICATION	NO. OF SPLINES	PIPE DIA		TOTAL LENGTH	BRG. DIA mm	MATING COUPLING	OEM REF.	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
			INCH	mm							

**FRONT TEETH (MFT)**

19	TATA 2518 N/M & L/L 3516 - 3 STEP, 4"	34	4"	100	6.5"	55mm (BRG.NO.: 88511/ 6211)	MP1302S	INSKU 100902	MFT1309AA	1450	1595
20	TATA 1616	34	3.5"	90	6.5"	55mm (BRG.NO.: 88511/ 6211)	MP1703A, 1302S	90-53-0020	MFT1309A / 1309B	1400	1540

### 16. FULL YOKE ASSEMBLY (MFYA)

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	NO. OF SPLINES	CROSS HOLDER TY.	MATING PARTS	MATING REAR TEETH	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
1	TATA 1210	1210 - MC1022	38X56.9	10	4.5"/ 120mm, 6 Holes	MP106, MC1022, MP104	MP107	MFYA110	2520	2775
2	TATA SE	1210 - MC1022	38X56.9	10	4.5"/ 120mm, 6 Holes	MP113, MC1022, MP104	MP114	MFYA118	2520	2775
3	TATA 1312	1312 - MC1023	46X68.9	16	5"/ 90mm, 8 HOLE	MP207, MC1023, MP205	MP208, 208C	MFYA211	3960	4360
4	FORK TEETH ASSY. (RSB 42X129.4 - SHORT)	RSB 403 SERIES - MC1026	42X129.4	20	6"/ 150mm, 4H, CUT	MP1317TP, MP1326, MC1026, MP1604S	MP1326	MFYA1333	8075	8885
5	FORK TEETH ASSY. (RSB 42X129.4 - LONG)	RSB 403 SERIES - MC1026	42X129.4	20	6"/ 150mm, 4H, CUT, LONG	MP1317ATP, MP1326A, MC1026, MP1604SS	MP1326A	MFYA1333A	9250	10175
6	L/L 370/ BEDFORD	370 - MC1020	39.7X116	16	6"/ 150mm, 4 HOLE	MP606, MC1020, MP604	MP607, 607FC, 608, 608FC	MFYA613	3095	3405
7	L/L TUSKER - MSL TYPE	TUSKER - MC1021	34.92X126.2	16	Square base, 4 hole	MP706, MC1021, MP704	MP607, 607FC, 608, 608FC	MFYA713	2960	3260
9	L/L TAURUS - T11	TAURUS - MC1015	47.62X135	16	7"/ 175mm, 8 HOLE	MP805, MC1015, MP804	MP806, MP806AC	MFYA810	4615	5080
10	L/L 2214/ TCAC SUPER TUSKER - SPICER TY.	SPICER SPL90X - MC1013	41.27X126	30	7"/ 175mm, 8 HOLE	MP1306, MC1013, MP1204	MP1307, 1307C	MFYA1311	4470	4920
11	L/L 2214/ TCAC SUPER TUSKER - MSL TY.	SPICER SPL90X - MC1013	41.27X126	16	7"/ 175mm, 8 HOLE	MP1306A, MC1013, MP1204	MP1307A, 1307AC, 1307AAC	MFYA1311A	4470	4920
12	TATA 407	407 - MC1005	30X82	16	4"/ 100mm, 6 HOLE	MP405, MC1005, MP403	MP406, 406C	MFYA409	1760	1940
13	MAH. JEEP DIESEL - ROUND BASE	JEEP - MC1018	27X82	16	4"/ 100mm, 4 HOLE	MP907, MC1018, MP905	MP908, 908C, 908A, 908AC	MFYA910	1610	1775
14	MAH. JEEP DIESEL - SQUARE BASE	JEEP - MC1018	27X82	16	Square base, 4 HOLE	MP907, MC1018, MP905A	MP908, 908C, 908A, 908AC	MFYA910A	1635	1800
15	AMBASSADOR	AMB. - MC1019	23.3X61.4	16	3.4"/ 87mm, 4HOLE	MP1806, MC1019, MP1804	MP1806	MFYA1809	1150	1265

### 17. HALF YOKE ASSEMBLY (MHYA)

S.N O	APPLICATION	U. J. CROSS REF.	CROSS SIZE	PIPE DIA		MATING PARTS	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
				mm	Inch				
1	TATA 1210 - 2.5"	1210 - MC1022	38X56.9	62	2.5"	MP108, MC1022, MP104	<b>MHYA111</b>	2010	2215
2	TATA SE - 3"	1210 - MC1022	38X56.9	76	3"	MP115, MC1022, MP104	<b>MHYA119</b>	2050	2255
3	TATA 1312 - 3.5"	1312 - MC1023	46X68.9	90	3.5"	MP209, MC1023, MP205	<b>MHYA212</b>	3135	3450
4	L/L 2214/ TCAC SUPER TUSKER - 4"	SPICER SPL90X - MC1013	41.27X126	100	4"	MP1308, MC1013, MP1204	<b>MHYA1312</b>	3980	4380
5	RSB 403 SERIES - 4", 42X129.4 - SHORT	RSB 403 SERIES - 42X129.4	42X129.4	100	4"	MP1318, MC1026, MP1604S	<b>MHYA1334A</b>	4480	4930
6	RSB 403 SERIES - 4", 42X129.4 - LONG	RSB 403 SERIES - 42X129.4	42X129.4	100	4"	MP1318, MC1026, MP1604SS	<b>MHYA1334</b>	4600	5060
7	L/L 370/ BEDFORD - 3"	370 - MC1020	39.7X116	76	3"	MP611, MC1020, MP604	<b>MHYA614</b>	2735	3010
8	L/L 370/ BEDFORD - 3.5"	370 - MC1020	39.7X116	90	3.5"	MP612, MC1020, MP604	<b>MHYA615</b>	2755	3030
9	L/L TUSKER - 3"	TUSKER - MC1021	34.92X126.2	76	3"	MP711, MC1021, MP704	<b>MHYA714</b>	2560	2820
10	L/L TUSKER - 3.5"	TUSKER - MC1021	34.92X126.2	90	3.5"	MP712, MC1021, MP704	<b>MHYA715</b>	2620	2885
11	L/L TAURUS - T11 - 3.5"	TAURUS - MC1015	47.62X135	90	3.5"	MP809, MC1015, MP804	<b>MHYA811</b>	4290	4720
12	TATA 407	407 - MC1005	30X82	56	2.25"	MP407, MC1005, MP403	<b>MHYA410</b>	1510	1665
13	JEEP DIESEL - 2.5" (ROUND BASE)	JEEP - MC1018	27X82	62	2.5"	MP909, MC1018, MP905	<b>MHYA911</b>	1370	1510
14	JEEP DIESEL - 2.5" (SQUARE BASE)	JEEP - MC1018	27X82	62	2.5"	MP909A, MC1018, MP905	<b>MHYA911A</b>	1435	1580
15	AMBASSADOR	AMB. - MC1019	23.83X61.4	45	1.75"	MP1809, MC1019, MP1804	<b>MHYA1810</b>	1030	1135

### 18. U. J. CROSS FOR TATA/ LEY./ MAH. JEEP/ EICHER/ AMW/ MAN - SPICER & RSB TYPE

S.N O	APPLICATION	CROSS SIZE		LOCK TYPE	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
		CUP OD mm	LOCK SIZE mm				
1	TATA 1210/ SE	38	56.9	INNER LOCK	<b>MC1022</b>	660	730
2	TATA 1312/ 1612/ 2515	46	68.9	INNER LOCK	<b>MC1023</b>	1020	1125



3	TATA 2510/ 3510/ TITVA & L/L 2214/ 3510/ TCAC SLIDER TUSKER - SPICER SPL00V	41.27	126	OUTTER LOCK	MC1013	1045	1150
4	L/L TUSKER (MSL TYPE)	34.92	126.2	OUTTER LOCK	MC1021	825	910
5	L/L 370/ BEDFORD	39.67	116	OUTTER LOCK	MC1020	825	910
6	TATA 1616/ 2518 - RSB 390 SERIES	42	119.8	OUTTER LOCK	MC1030	1075	1185
7	TATA 2516 - RSB 403 SERIES	42	129.4	OUTTER LOCK	MC1026	1155	1270
8	TATA 4018 (LOCK TYPE) - RSB 425 SERIES	48	135	OUTTER LOCK	MC1031	1595	1755
9	TATA 4018 (PATTI TY.) - SPICER 5-280X	49.2	155	PATTI TYPE	MC1032P	2115	2330
10	TATA 407 - TELCO TYPE	30	82	OUTTER LOCK	MC1005	460	510
11	MAH. JEEP DIESEL	27	82	OUTTER LOCK	MC1018	385	425
12	TATA SUMO (SPICER TYPE - PATTI CLAMP TYPE)	27	82	PATTI CLAMP TYPE	MC1018P	440	485
13	EICHER CANTER	30.17	106	OUTTER LOCK	MC1025	560	620
14	TATA 407 TURBO - MSL TYPE (DCM CROSS)	30.17	92	OUTTER LOCK	MC1029	550	605
15	L/L TAURUS - T11 (LOCK TYPE)	47.62	135	OUTTER LOCK	MC1015	1300	1430
16	AMBASSADOR	23.83	61.4	OUTTER LOCK	MC1019	330	365
17	TATA ACE O/M	23.84	35.2	INNER LOCK	MC1027	330	365
18	TATA MAGIC/ HT N/M	22.03	55	OUTTER LOCK	MC1028	330	365
19	MINIDOR/ MATADOR	30	82	OUTTER LOCK	MC1024	360	400
20	TATA 410 EX/ JCB 3D	34.92	106	OUTTER LOCK	MC1033	680	750
21	AMW	57	144	OUTTER LOCK	MC1034	2500	2750
22	JAMELA ASSY. CROSS	18	44.5	OUTTER LOCK	MC1035	230	255
23	AMW	57	152	OUTTER LOCK	MC1036	2600	2860
24	AMW/ TATA PRIMA	52	133	OUTTER LOCK	MC1037	2000	2200
25	AMW/ TATA PRIMA	52	147	OUTTER LOCK	MC1038	2300	2530

### 19. STEERING YOKE & TEETH - GLIDE COAT (MSYT - COATED)

S.NO	APPLICATION			MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	TATA SUMO - 8" LONG			MSYT2111C	1180	1300
2	TATA 207 DI - 15" LONG			MSST2112C	1840	2025
3	TATA 407 - 17.5" LONG			MSYT2113C	1330	1465
4	TATA 407 TURBO - HEAVY DUTY - 17.5"			MSYT2113AC	1550	1705
5	TATA 609 - 16" LONG			MSYT2114C	1330	1465
6	TATA 709 LP - 16" LONG			MSYT2115C	1840	2025
7	TATA 1109 - 15.75" LONG			MSYT2116C	1900	2090
8	TATA 3015 TC - 15.5" LONG			MSYT2117C	2100	2310
9	TATA 1613 SFC/ 1613 EX - 17.5" LONG			MSYT2118C	2100	2310
10	TATA 2515 RANE POWER STEERING - 18.75" LONG			MSYT2119C	2100	2310
11	TATA 2515 ZF POWER STEERING - 19.5" LONG			MSYT2120C	2100	2310
12	TATA 4018			MSYT2021C	2100	2310
13	TATA 410			MSYT2122C	1380	1520
14	TATA 1109 EX BIG -			MSYT2123C	1900	2090
15	TATA 1613 LPT			MSYT2124C	1840	2025
16	TATA 712			MSYT2125C	1290	1420
17	TATA 407 CITY RIDE			MSYT2126C	1290	1420
18	TATA 909 - 18.5"			MSYT2127C	1575	1735

### 21. STEERING PITMAN ARM (MSPA & MSSA)

S.NO	APPLICATION			MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	TATA 1210 - TRUCK			MSPA2006	990	1090
2	TATA 1210 - BUS			MSPA2007	990	1090

3	TATA SE - TRUCK			MSPA2014	715	790
4	TATA SE - LPS BUS			MSPA2015	750	825
5	TATA 1109 - MANUAL STEERING			MSPA3201	890	980
6	TATA 1109 - POWER STEERING			MSPA3202	890	980
7	TATA 1613 LP			MSPA3203	900	990
8	TATA 1613 SFC			MSPA3204	815	900
9	TATA 407 - TRUCK			MSPA2030	600	660
10	TATA 207 W/ BUSH			MSPA3205	590	650
11	TATA SUMO - SPLINE BORE			MSPA3206	530	585
12	TATA SUMO - SPACIO BIG			MSPA3207	880	970
13	TATA SUMO - W/ BUSH SMALL			MSPA3208	590	650
14	TATA 2416 TRUCK - 12"			MSPA3209	1050	1155
15	TATA 2516 - RANE POWER STEERING 11"			MSPA3211	975	1075
16	TATA 2416 - ZF 12"			MSPA3214	1050	1155
17	TATA 1613 BIG - 12"			MSPA3215	1080	1190
18	STRAIGHT ARM - TATA 3118 - RIGHT	RIGHT		MSSA3216	1980	2180
19	STRAIGHT ARM - TATA 3118 - LEFT	LEFT		MSSA3217	1980	2180

## 22. CLUTCH FORK (MCF)

S.NO	APPLICATION			MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	Tata 1210 O/M			MCF2048	525	580
2	Tata 1210 SE O/M - GB 30 - Long			MCF2049	525	580
3	Tata GB 40			MCF2049A	525	580
4	Tata 1312 O/M			MCF2050	525	580
5	Tata 1312 N/M			MCF2051	525	580
6	Tata 1510/1516			MCF2051A	525	580
7	Tata 407			MCF2052	525	580
8	Leyland W/ Bush			MCF2054	1050	1155
9	Leyland W/ Bush - Thread Type			MCF2054A	1050	1155
10	Tata 2515 EX (Cut Type/ C-Type			MCF2056	925	1020
11	Tata 1613 TC - Small			MCF2057	615	680
12	Tata 1613 TC - Big			MCF2058	615	680
13	TATA GB-75			MCF2070	1200	1320

## 23. STEERING JOINT CROSS ASSEMBLY - TATA/ LEYLAND/ EICHER/ MAH. JEEP/ AMW/ BHARAT BENZ/ MANN - (MSCA)

S.NO	APPLICATION			MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	Tata 1210 O/M			MSCA2003	1210	1335
2	Tata 1312/ SE			MSCA2011	760	840
3	Tata 1613 Turbo - one side thin & other thick spl			MSCA2012	780	860
4	Tata 2515/ 2516 - Rane Power Steering			MSCA2020	780	860
5	Tata 2515/ 2516 - ZF Steering			MSCA2055A	780	860
S.NO	APPLICATION			MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.

### STEERING JT. CROSS ASSY. (MSCA)

6	Tata 709 LPT			MSCA2055B	650	715
7	Tata 1109			MSCA2057	550	605

8	Tata 407			MSCA2027	550	605
9	Tata SUMO			MSCA2041	560	620
10	Tata SUMO - Victa			MSCA2041A	1050	1155
11	Tata 207 DI RX			MSCA2085	575	635
12	Tata 4018			MSCA2086A	660	730
13	Leyland 2516/ 3516 - Thick Spline			MSCA2045	880	970
14	Leyland 2516/ 3516 - Thin Spline			MSCA2045A	880	970
15	Leyland 3516 Long			MSCA2055	925	1020
16	Leyland ZF Steering			MSCA2055A	770	860
17	Leyland ZF Power Steering			MSCA2055B	650	715
18	Tata ACE			MSCA2059	550	605
19	Tata ACE with Rod - Old Model			MSCA2059A	880	960
20	Tata ACE with Rod - Magic			MSCA2059AA	925	1020
21	Jeep Mahindra - Marshall Big			MSCA2082A	550	605
22	Jeep Mahindra - Commander Small			MSCA2083	550	605
23	Jeep mahindra - Bolero Upper Patti Type			MSCA2080U	600	660
24	Jeep mahindra - Bolero Lower			MSCA2081L	550	605
25	Jeep Mahindra - Scorpio			MSCA2084	625	690
26	JCB			MSCA2086J	535	590
27	Eicher Canter 10.70 - Original Type			MSCA2087	950	1045
28	Eicher Canter 10.95 - Original Type Long			MSCA2088	1000	1100
29	Swaraj Mazda N/M			MSCA2089	975	1075
28	Eicher Canter 1110 - Original Type Long			MSCA2090	970	1070
28	Eicher Jumbo - TURBO - Original Type Long			MSCA2091	975	1075
30	Rane Power Strg. - MODIFIED			MSCA2020M	775	855
31	ZF Power Strg. - MODIFIED			MSCA2055BM	650	715
32	Leyland DOST - Rane Power Strg. W/ Rod			MSCA2092	815	900
33	Leyland DOST - Manual Strg. W/ Rod			MSCA2093	815	900
34	Leyland DOST - UPPER W/ Rod			MSCA2094	815	900
35	Leyland IVECO 709, STALLION (O.E. P.No.: F-7859500) NO.: 116			MSCA2095	1870	2060
36	Leyland IVECO 909 New Model NO.: 119			MSCA2096	1870	2060
37	LEYLAND U-TRUCK 26 TEETH, PIPE 305mm			MSCA2097	2200	2420
38	LEYLAND U-TRUCK 26 TEETH, PIPE 250mm			MSCA2098	2035	2240
39	LEYLAND 4018/ U-TRUCK 26 TEETH, PIPE 192mm			MSCA2099	1870	2060
40	EICHER JUMBO/ GALAXY (16 SPLINE) OE P.NO.: 312380, NO.: 113			MSCA2100	2035	2240
41	EICHER JUMBO/ GALAXY - POWER STRG. EICHER H.C.V. NO.: 113A			MSCA2101	2035	2240
42	TATA ACE SUPER W/ ROD			MSCA2102	935	1030
43	TATA ACE SUPER LOWER W/ ROD			MSCA2103	925	1020
44	TATA ACE IRIS BIG 18" W/ ROD WITH SMALL BORE IN SMALL YOKE			MSCA2104	990	1090
45	TATA ACE IRIS BIG 18" W/ ROD WITH BIG BORE IN SMALL YOKE			MSCA2105	990	1090
46	TATA ACE IRIS BIG 18" - RANE STEERING W/ ROD			MSCA2106	1015	1120
47	TATA ACE IRIS SMALL 5" W/ ROD SMALL BORE IN SMALL YOKE			MSCA2107	855	940
48	TATA ACE HT 20" W/ ROD			MSCA2108	1035	1140
49	Tata 2515/ 2516 - Rane Power Steering - Original Type		PUNCH TYPE	MSCA2020P	815	900
S.NO	APPLICATION			MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
	<b>STEERING JT. CROSS ASSY. (MSCA)</b>					
50	Tata 709 LPT - Original Type		PUNCH TYPE	MSCA2055BP	675	745
51	Tata 1109 - Original Type		PUNCH TYPE	MSCA2057P	585	645
52	Tata 407 - Original Type		PUNCH TYPE	MSCA2027P	585	645

**24. GEAR HOUSING BLOCK ASSEMBLY (JAMELA ASSY.) - (MHBA)**

S.NO	APPLICATION	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	Tata 2515/ Leyland - Spline Type	MHBA2061	1265	1395
2	Tata 1512/ 1613 TC - Thread Type	MHBA2065	1265	1395
3	Leyland 3118	MHBA2068	1320	1455
4	Tata 2516 TC	MHBA2066	1265	1395
5	Tata 4018	MHBA2067	1100	1210
6	Tata 1312 TC	MHBA2060	1265	1395
7	Tata 1616 TC	MHBA2062	1265	1395
8	Tata 1313 TC	MHBA2064	1265	1395

**25. STEERING SECTOR SHAFT (MSSS)**

S.NO	APPLICATION	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	Tata 1312/ SE	MSSS2009	1175	1295
2	Tata 1312/ SE W/ Nut	MSSS2010	1240	1365
3	Tata 407	MSSS2025	1175	1295
4	Tata 407 W/ Nut	MSSS2026	1240	1365
5	Tata 407 N/M	MSSS2025A	1240	1365
6	Tata 407 N/M W/ Nut	MSSS2026A	1290	1420
7	Tata Sumo	MSSS2033	1290	1420
8	Tata 1613 LP	MSSS2080	2640	2905
9	Tata 1613 SFC - Modified	MSSS2081	2640	2905
10	Tata 1613 SE	MSSS2082	2640	2905
11	Tata 1613 VRST	MSSS2084	2340	2450

**26. X-SERRATED (CUT Type) CROSS HOLDER - (MCH - SERRATED/ CUT TY.)**

S.N O	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
			Inch	mm								
1	TATA 2516 (RSB 403 SERIES - SERRATED - HT=4.25")	RSB 403 SERIES - MC1026	6	150	4	13	19 NO.	42X129.4		MCH1604S	1750	1925
2	TATA 2516 (RSB 403 SERIES - SERRATED - HT=5.25")	RSB 403 - MC1026	6	150	4	13	19 NO.	42X129.4		MCH1604SS	1850	2035
3	TATA 2518 (RSB 390 SERIES - SERRATED - HT=4.25")	RSB 390 SERIES - MC1030	6	150	4	13	19 NO.	42X119.8		MCH1604AS	1750	1925
4	TATA 2518 (RSB 390 SERIES - SERRATED - HT=5.25")	RSB 390 SERIES - MC1030	6	150	4	13	19 NO.	42X119.8		MCH1604ASS	1850	2035
S.N O	APPLICATION	U. J. CROSS REF.	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	U. J. CROSS SIZE	OEM REF.	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
			Inch	mm								

**CROSS HOLDER (X-SERRATED/ CUT TY.) - (MCH - SERRATED/ CUT TY.)**

5	TATA 4018 (RSB 490 SERIES - SERRATED - HT=4.5")	RSB 490 - MC1031	6	150	4	13	19 NO.	48X135			MCH1322S	1975	2175
6	TATA 4018 (RSB 490 SERIES - SERRATED - LONG, HT=5.25")	RSB 490 - MC1031	6	150	4	13	19 NO.	48X135			MCH1322SS	2420	2665
7	TATA 4018/ LEY. 4921 (RSB 490 - SERRATED - HT=5")	RSB 490 - MC1031	7	180	4	15	22 NO.	48X135			MCH2504R	1540	1695
8	TATA 3118/ 1618/ 2518/ 2521/ AMW 2518/ LEY. 2516/ 4921/ 3121/ MAN-25T (SPICER PATTI TY. - SERRATED - HT=4.75")	SPICER 5-280X - MC1032P	6	150	4	13	19 NO.	49.2X155			MCH1604AAS	2200	2420
9	TATA 3118/ 1618/ 2518/ 2521/ AMW 2518/ LEY. 2516/ 4921/ 3121/ MAN-25T (SPICER PATTI TY. - SERRATED - HT=5.5")	SPICER 5-280X - MC1032P	6	150	4	13	19 NO.	49.2X155			MCH1604ABS	2300	2530
10	TATA 3118/ 2521/ LEY. 3116/ 1616 (SPICER SPL90X - SERRATED - HT=4.25")	SPICER SPL90X - MC1013	6	150	4	13	19 NO.	41.27X126	P 4502232		MCH1242	1750	1925
11	TATA 2518/ INTER-AXLE 1710 SERIES (SPICER SPL90X - SERRATED - HT=5.25")	SPICER SPL90X - MC1013	6	150	4	13	19 NO.	41.27X126			MCH1242A	1850	2035
12	E-Comet Cargo -PLATE 4.5", 4H, TUSKER CROSS, SERRATED	TUSKER - MC1021	4.5	120	4	11	18 NO.	34.92X126.2			MCH704S	1200	1320
13	EICHER CANTER - SERRATED	CANTER - MC1025	4.5	120	4	11	18 NO.	30.17X106			MCH1404S	1200	1320
14	AMW - 57X152, 7", 4H, SERRATED	AMW - 57X152	7	176	4	15	22 NO.	57X152			MCH2504AA	2475	2725
15	AMW - 52X133, 6", 4H, SERRATED	AMW - 52X133	6	150	4	13	19 NO.	52X133			MCH2604	2200	2320
16	AMW - 52X133, 7", 4H, SERRATED	AMW - 52X133	7	176	4	15	22 NO.	52X133			MCH2604A	2475	2725
17	AMW - 52X147, 7", 4H, SERRATED	AMW - 52X147	7	176	4	15	22 NO.	52X147			MCH2604AB	2475	2725
18	TATA 4018/ LEY. 4921 (RSB 490 - SERRATED - HT=5")	RSB 490 - MC1031	7	180	4	15	22 NO.	48X135			MCH2504R	2420	2665
19	TATA 1623/ 1625/ 1628 (SPICER PATTI TY - SERRATED - HT=5")	SPICER 5-280X - MC1032P	7	180	4	15	22 NO.	49.2X155			MCH2504P	2420	2665
20	LEY U-TRUCK/ TATA PRIMA	TAURUS - MC1015	6	150	4	13	19 NO.	47.62X135			MCH2622SS	2420	2665

### 27. X-SERRATED (CUT Type) COUPLING FLANGES - (MGC/ MCC/ MPC - SERRATED/ CUT TY.)

S.N	NO OF	PLATE DIA.	NO OF	HOLE							LIST	M.R.P.
-----	-------	------------	-------	------	--	--	--	--	--	--	------	--------

O	APPLICATION	SPLINES	Inch	mm	HOLES	SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	PRICE Rs.	Rs.
1	AMW/ MAH. NAVIATAR/ RIG SPL. - GEAR COUPLING	16	6	150	4	13	19 NO.	SERRATED		MCC820S	1950	2145
2	RIG SPL. 7", 4H	16	7	176	4	15	22 NO.	SERRATED		MCC820SS	2475	2725
3	TATA 2518 (TL=63mm)	18	6	150	4	13	19 NO.	SERRATED		MGC1601S	1450	1595
4	AMW	20	7	176	4	15	22 NO.	SERRATED		MGC2501	2450	2695
5	TATA 2518 (TL=82mm)	26	6	150	4	13	19 NO.	SERRATED		MCC203S	1550	1705
6	TATA 2518 (TL=94mm)	26	6	150	4	13	19 NO.	SERRATED		MCC203AS	1750	1925
7	TATA GB-75/ 2518/ 4018 (TL=108mm)	26	6	150	4	13	19 NO.	SERRATED		MGC203AAS	1980	2180
8	TATA 2518 (TL=86mm, o/s 90mm)	26	6	150	4	13	19 NO.	SERRATED		MPC1603RSS	2350	2585
9	AMW/ MANN	26	7	178	4	15	22 NO.	SERRATED	TL=106MM	MGC2501A	2150	2365
10	TATA 2518 (TL=63mm)	26	6	150	4	13	19 NO.	SERRATED	90-1-0017	MPC1603RS	1450	1595
11	L/L 2214, TCAC SUPER TUSKER	28	6	150	4	13	19 NO.	SERRATED		MGC1301B	1800	1980
12	L/L 3116 (10 TYRE)	34	6	150	4	13	19 NO.	SERRATED	90-1-15	MCC1302S	1500	1650
13	L/L 3116 (INTER- AXLE)	34	6	150	4	13	19 NO.	SERRATED		MPC1302SS	1650	1815
14	INTER-AXLE (39S, 4H, CUT, 6")	39	6	150	4	13	19 NO.	SERRATED	TL=87MM, O/S DIA 66MM	MPC1303AAS	1750	1925
15	TATA 2518/ 4018 (TL=95mm, O/S 72mm)	39	6	150	4	13	19 NO.	SERRATED		MPC1603AS	1950	2145
16	TATA 2518/ 4018 (O/S 76mm)	39	6	150	4	13	19 NO.	SERRATED		MPC1603AAS	1950	2145
17	AMW/ MANN	39	7	178	4	15	22 NO.	SERRATED	TL=109MM, O/S 72MM	MCP2503AS	2420	2665
18	AMW/ MANN	39	7	178	4	15	22 NO.	SERRATED	TL=109MM, O/S 76MM	MPC2503AAS	2420	2665
19	TATA 2518/ 4018 (TL=95mm)	41	6	150	4	13	19 NO.	SERRATED		MPC1603S	1950	2145
20	AMW/ MANN	41	7	178	4	15	22 NO.	SERRATED	TL=112MM, O/S 76MM	MPC2503S	2420	2665
21	AMW/ NAISTAR (44S 6" 4H CUT)	44	6	150	4	13	19 NO.	SERRATED	TL=94MM, O/S DIA 76MM	MPC1611	2000	2200
22	AMW/ MANN	44	7	178	4	15	22 NO.	SERRATED	TL=112MM, O/S 76MM	MPC2511	2420	2665
23	AMW/ NAISTAR (46S 6" 4H CUT)	46	6	150	4	13	19 NO.	SERRATED	TL=104MM, O/S DIA 83MM	MPC1612	2100	2310
24	AMW/ MANN	46	7	178	4	15	22 NO.	SERRATED	TL=73MM, O/S 82.5MM	MPC2512	2250	2575

### 28. INTER-AXLE (D. DIFF.) PROPSHAFT ASSY. - TATA & LEYLAND ( SPICER & RSB TYPE) - (MIAPS)

S.N O	APPLICATION	SPECIFICATION	MATING PARTS	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
----------	-------------	---------------	--------------	--------------	-------------------	---------------

1	SPICER TYPE - L/L TUSKER CROSS - L=27" (SQUARE BASE, 4 HOLE, LONG EARS)	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, 4 HOLE, SQUARE BASE, LONG EARS, L/L TUSKER CROSS - 34.92X126.2, SHAFT L=27"	(MP1236 + MP1232MC+MC1021+MP1220) + (MP1220+MC1021+MP1308A)	MIAPS1245	14550	16000
2	SPICER TYPE - SPICER SPL90X CROSS - L=27" (SQUARE BASE, 4 HOLE, LONG EARS)	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, 4 HOLE, SQUARE BASE, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=27"	(MP1241 + MP1232MC+MC1013+MP1220A) + (MP1220A+MC1013+MP1308)	MIAPS1245A	15050	16500
3	SPICER TYPE - SPICER SPL90X CROSS - L=29" (6", 4 HOLE, X-SERRATED, LONG EARS)	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=29"	(MP1241 + MP1232MC+MC1013+MP1242A) + (MP1242A+MC1013+MP1308)	MIAPS1250	16450	18250
4	SPICER TYPE - SPICER SPL90X CROSS - L=27" (6", 4 HOLE, X-SERRATED, LONG EARS)	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=27"	(MP1241 + MP1232MC+MC1013+MP1242A) + (MP1242A+MC1013+MP1308)	MIAPS1250A	16000	17600
5	RSB TYPE - RSB 403 SERIES CROSS 42X129.4, SHORT, X-SERRATED - L=23"	20 SPLINE, FORK L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, RSB CROSS - 42X129.4, LONG EARS, SHAFT L=23"	(MP1317TP+MP1326+MC1026+MP1604SS) + (MP1604SS+MC1026+MP1318L)	MIAPS1336	14400	15840
6	RSB TYPE - RSB 403 SERIES CROSS 42X129.4, LONG, X-SERRATED - L=29"	20 SPLINE, FORK L=15", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, RSB CROSS - 42X129.4, LONG EARS, SHAFT L=29"	(MP1317ATP+MP1326A+MC1026+MP1604SS) + (MP1604SS+MC1026+MP1318L)	MIAPS1340	14900	16390
7	MAIN DRIVE ASSY. - JCB 3D	16 SPLINE, SQUARE BASE, 4 HOLE, JCB 3D CROSS - 34.92X106		MMDS2500T	4500	4950
8	PUMP DRIVE ASSY. - JCB	16 SPLINE, 4 HOLE, SQUARE BASE, JEEP CROSS - 27X82		MPDS2510T	2520	2775
9	Inter -Axle Propshaft Assy - RSB Ty., RSB cross- 48x135, X=Serrated - L=23"	30 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, Shaft L=23" (Small Ears)	(MP1320ATP+MP1327A+MC1031+MP1322S) + (MP1322S+MC1031+MP1621)	MIAPS1350	17400	19140
10	Inter -Axle Propshaft Assy - RSB Ty., RSB cross- 48x135, X=Serrated - L=29"	30 Spl., Fork L=14.5", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, Shaft L=29" (Long Ears)	(MP1320TP+MP1327+MC1031+MP1322SS) + (MP1322SS+MC1031+MP1621)	MIAPS1355	19600	21560
11	SPICER TYPE - SPICER SPL90X CROSS - L=23" (6", 4 HOLE, X-SERRATED, LONG EARS)	16 SPLINE, YOKE L=13", PIPE DIA 4"/ 100mm, PLATE DIA 6"/ 150mm, 4 HOLE, X-SERRATED, LONG EARS, SPICER SPL90X CROSS - 41.26X126, SHAFT L=29"	(MP1241 + MP1232MC+MC1013+MP1242A) + (MP1242A+MC1013+MP1308)	MIAPS1260	16750	18425

### 29. CROSS HOLDER ASSEMBLY (FOR AGRI, INDUSTRIAL & MARINE APPLICATIONS) - (MCHA)

S.N O	APPLICATION	SPECIFICATION	MATING PARTS	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	1210 TYPE	PLATE DIA 4.5"/ 120mm, 6 HOLE, 1210 CROSS- 38X56.8	MP104+MP1022+MP104	MCHA120T	1960	2160
2	370 TYPE	PLATE DIA 6"/ 150mm, 4 HOLE, 370 CROSS- 39.67X116	MP604+MC1020+MP604	MCHA616T	2725	3000
3	407 TYPE	PLATE DIA 4"/ 100mm, 6 HOLE, 407 CROSS- 30X82	MP403+MC1005+MP403	MCHA411T	1510	1665
5	SPICER TYPE	PLATE DIA 7"/ 175mm, 8 HOLE, SPICER SPL90X CROSS- 41.27X126	MP1204+MC1013+MP1204	MCHA1255T	3795	4175
6	TAURUS TYPE	PLATE DIA 7"/ 175mm, 8 HOLE, TAURUS CROSS- 47.62X135	MP804+MC1015+MP804	MCHA818T	4330	4765

### 30. INTER-AXLE (DOUBLE DIFF.) THROUGH SHAFT - MERRITOR & SPICER TYPE - (MTS)

S.N O	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
-------	-------------	---------------	------	--------------	----------------	------------



1	LEYLAND	34 SPL. X 32 SPL.	MERRITOR TY.	MTS2601T	1525	1680
2	TATA & LEYLAND	26 SPL. X 35 SPL.	SPICER TY.	MTS2602T	3575	3935
3	TATA & LEYLAND	39 SPL. X 20 SPL.	SPICER TY.	MTS2603T	2000	2200
3	TATA & LEYLAND	39 SPL. X 20 SPL.	SPICER TY.	MTS2603T	2000	2200
4	TATA & LEYLAND	39 SPL. X 34 SPL.	SPICER TY.	MTS2604T	2000	2200

### 31. RIG GEAR COUPLING FLANGES (MGC - RIG TY.)

S.N O	APPLICATION	NO. OF SPLINES	PLATE DIA.		NO. OF HOLES	HOLE SIZE mm	BOLT NO.	TYPE	OEM REF.	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
			Inch	mm								
1	RIG TY. - 10S	10	7	175	8	9.5	15 NO.	ROUND	SMALL BORE - N/M	MGC813R	1525	1680
2	RIG TYPE - 16S	16	7	175	8	9.5	15 NO.	ROUND	SMALL BORE - N/M	MGC802AR	1525	1680
3	RIG SPL. 7", 8H	16	7	178	8	10.2	17 NO.	ROUND	BIG BORE - N/M	MGC820R	2200	2420
4	RIG SPL. 6", 4H	16	6	150	4	15	22 NO.	SERRATED	BIG BORE - N/M	MGC820SR	2000	2200
5	RIG SPL. 7", 4H	16	7	178	4	15	22 NO.	SERRATED	BIG BORE - N/M	MGC820SSR	2475	2725

### 32. COUPLING FLANGE W/ CUP CONE ASSEMBLY (MCCCA)

S.N O	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	TATA & LEYLAND - O/M	OLD MODEL	O/M	MCCCA3201	2100	2310
2	TATA & LEYLAND - N/M	NEW MODEL	N/M	MCCCA3202	2400	2640

### 33. DOUBLE DIFFERENTIAL NEST CAGE ASSEMBLY (MNA)

S.N O	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	NEST ASSY. - TATA 2516 - O/M	41 SPLINE	O/M	MNA3101	6600	7260
2	NEST ASSY. - TATA 2518 - N/M	22 SPLINE	N/M	MNA3102	7500	8250
3	NEST ASSY. - TATA 3118	37 SPLINE	3118	MNA3103	7900	8690

### 34. U J CROSS - GREASELESS TYPE (MC - GL)

S.N O	APPLICATION	CROSS SIZE		LOCK TYPE	MOOVEL P.NO.	LIST- PRICE Rs.	M.R.P Rs.
		CUP OD mm	LOCK SIZE mm				
1	TATA 1210/ SE - GREASELESS	38	56.9	INNER LOCK	MC1022GL	715	790
2	TATA 1312/ 1612/ 2515 - GREASELESS	46	68.9	INNER LOCK	MC1023GL	1100	1210
3	TATA 2516/ 3516/ HYVA & L/L 2214/ 3516/ TCAC SUPER TUSKER - SPICER SPL90X - GREASELESS	41.27	126	OUTTER LOCK	MC1013GL	1100	1210
4	L/L TUSKER (MSL TYPE) - GREASELESS	34.92	126.2	OUTTER LOCK	MC1021GL	880	970
5	TATA 1616/ 2518 - RSB 390 SERIES - GREASELESS	42	119.8	OUTTER LOCK	MC1030GL	1150	1265
6	TATA 2516 - RSB 403 SERIES - GREASELESS	42	129.4	OUTTER LOCK	MC1026GL	1215	1340
7	TATA 4018 (LOCK TYPE) - RSB 425 SERIES - GREASELESS	48	135	OUTTER LOCK	MC1031GL	1675	1845

**MOOVEL AUTOMOTIVE PARTS**  
**Products of an ISO 9001: 2015 Certified Company**  
**IMPULSE TECHNO CORPORATION**

G-1019, DSIIDC Narela Industrial Area, Narela, Delhi - 40. (INDIA).

Tel. No.: 011-27782898, Telefax No.: 011-27782238, Mobile: 09810005509

E-mail: moovel@gmail.com, moovel@rediffmail.com, Website: www.moovel.co.in

**PRICE LIST wef 1st FEBURARY '2018 (UD 1)**

*\* Propeller Shaft Components & Assy. \* Steering Joint Cross Assy. \* U. J. Cross \* Clutch Fc  
 \* Pitman Arm \* Gear Housing Block assy. \* Strg. Yoke & Teeth*

**INDEX (ITEM WISE)**

<b>S.No.</b>	<b>ITEM WISE</b>	<b>Pg. No.</b>
1	Replacements for <b>GEAR BOX COUPLING FLANGES</b>	1
2	Replacements for <b>CENTER BRG. COUPLING FLANGES</b>	1
3	Replacements for <b>PINION COUPLING FLANGES</b>	2
4	Replacements for <b>FLANGE YOKE CROSS HOLDER</b>	4
5	Replacements for <b>FULL YOKE &amp; TEETH SET (PLAIN &amp; GLIDE COAT)</b>	7
6	Replacements for <b>FULL SLEEVE YOKE</b>	11
7	Replacements for <b>REAR TEETH (PLAIN &amp; GLIDE COAT)</b>	13
8	Replacements for <b>FORK TEETH/GODHI - RSB 390, 403, 425 (LONG &amp; SHORT)</b>	16
9	Repl. for <b>SLIDING TUBE/BOTTLE/GLASSY - RSB 390, 403, 425 (LONG &amp; SHORT)</b>	17
10	Repl. for <b>S. TUBE/BOTTLE/GLASSY - RSB 390, 403, 425 (LONG &amp; SHORT) - GLIDE COAT</b>	18
11	Repl. for <b>DUST COVER &amp; SEAL - RSB 390, 403, 425 (LONG &amp; SHORT)</b>	18
12	Repl. for <b>FORK TEETH &amp; S. TUBE SET - RSB 390, 403, 425 (LONG &amp; SHORT)</b>	19
13	Repl. for <b>FORK TEETH &amp; S. TUBE SET - RSB 390, 403, 425 (LONG &amp; SHORT) - GLIDE COAT</b>	20
14	Replacements for <b>STUB BALL HALF YOKE</b>	22
15	Replacements for <b>FRONT TEETH W/ NUT</b>	23
16	Replacements for <b>FULL YOKE ASSEMBLY</b>	25
17	Replacements for <b>STUB BALL HALF YOKE ASSEMBLY</b>	26
18	Replacements for <b>U. J. CROSSES</b>	27
19	Replacements for <b>STEERING YOKE &amp; TEETH - GLIDE COAT</b>	27
21	Replacements for <b>STEERING PITMAN ARM</b>	28
22	Replacements for <b>CLUTCH FORK</b>	28
23	Replacements for <b>STEERING JOINT CROSS ASSEMBLY</b>	28
24	Replacements for <b>G. B. HOUSING BLOCK ASSY./ JAMELA ASSY.</b>	30
25	Replacements for <b>STEERING SECTOR SHAFT</b>	30
26	Replacements for <b>CROSS HOLDER (X-SERRATED)</b>	30
27	Replacements for <b>COUPLING FLANGES (X-SERRATED)</b>	32
28	Repl. for <b>INTER-AXLE PROPSHAFT ASSY. - SPICER &amp; RSB</b>	33
29	Repl. for <b>CROSS HOLDER ASSY. (AGRI, MARINE &amp; INDL. APPL.)</b>	33
30	Repl. for <b>INTER-AXLE (D. Diff.) THROUGH SHAFT - MERRITOR &amp; SPICER TY.</b>	34
31	Repl. for <b>RIG G B COUPLING FLANGES &amp; NEST &amp; CUP CONE ASSY. &amp; UJC - GREASELESS</b>	34

ork