

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

### 1. TATA 1210 - 2.5"/ 62mm Shaft, 1210 cross- 38x56.8mm

1	Gear Box Coupling Flange	14 Spline, Plate dia 4.5"/ 120mm, 6 hole	312 261 1517	MGC101	500	550
2	Center Brg. Coupling Flange	14 Spline, Plate dia 4.5"/ 120mm, 6 hole	312 410 1430	MCC102	500	550
3	Pinion Coupling Flange	26 Spline, Plate dia 4.5"/ 120mm, 6 hole	312 350 1245	MPC103	550	605
4	Cross Holder	Plate dia 4.5"/ 120mm, 6 hole, 1210 cross- 38mm	312 411 1111	MCH104	650	715
5	Sleeve Yoke & Teeth Set	10 Spline, 1210 cross- 38mm, Pipe dia 2.5"/ 62mm	MP105 + MP107	MYT105	2140	2355
6	Full Sleeve Yoke	10 Spline, 1210 cross- 38mm	312 410 1908	MFY106	1210	1335
7	Rear Teeth	10 Spline, Pipe dia 2.5"/ 62mm	312 411 1702	MRT107	930	1025
8	Stub Ball Half Yoke	Pipe dia 2.5"/62mm, 1210 cross- 38mm	2573 4111 5115	MHY108	700	770
9	Front Teeth W/ Nut	Pipe dia 2.5"/62mm, 16 Spline	2573 4111 0511	MFT109	900	990
10	Full Yoke Assy.	10 Spline, 6 hole, Pipe dia 2.5"/ 62mm, 1210 cross- 38mm	312 410 2108	MFYA110	2520	2775
11	Half Yoke Assy.	Pipe dia 2.5"/ 62mm, 6 hole, 1210 cross- 38mm		MHYA111	2010	2215

### 2. S MODEL - 3"/ 76mm Shaft, 1210 cross- 38x56.8mm

1	Sleeve Yoke & Teeth Set	10 Spline, 1210 cross- 38mm, Pipe dia 3"/ 76mm	MP113 + MP114	MYT112	2180	2400
2	Full Sleeve Yoke	10 Spline, 1210 cross- 38mm	312 410 2108	MFY113	1210	1335
3	Rear Teeth	10 Spline, Pipe dia 3"/ 72mm	312 411 1702	MRT114	970	1070
4	Stub Ball Half Yoke	Pipe dia 3"/72mm, 1210 cross- 38mm	312 411 1205	MHY115	740	815
5	Front Teeth W/ Nut	Pipe dia 3"/72mm, 16 Spline		MFT116	960	1060
6	Gear Box Coupling (GB - 40)	16 Spline, Plate dia 4.5"/ 120mm, 6 hole	322 262 0045	MGC117	560	620
7	Full Yoke Assy.	10 Spline, 6 hole, Pipe 3"/ 72mm, 1210 cross- 38mm	2573 4112 0109	MFYA118	2520	2775
8	Half Yoke Assy.	Pipe dia 3"/ 72mm, 6 hole, 1210 cross- 38mm		MHYA119	2050	2255

### 3. TATA 1312 - 3.5"/ 90mm Shaft, 1312 cross- 46x67mm

1	Gear Box Coupling Flange	16 Spline, Plate dia 5"/ 130mm, 8 hole	2507 2620 5001	MGC201	650	715
2	Center Brg. Coupling Flange	14 Spline, Plate dia 5"/ 130mm, 8 hole	2575 4110 0104	MCC202	615	680
3	Center Brg. Coupling Flange	26 Spline, Plate 5"/ 130mm, 8 hole, TL=72mm	2632 4111 0111	MCC203	860	950
4	Pinion Coupling Flange	26 Spline, Plate dia 5"/ 130mm, 8 hole	2576 3520 0110	MPC204	625	690
5	Cross Holder	Plate 5"/ 130mm, 8 hole, 1312 cross- 46x69mm	2576 4111 5110	MCH205	1040	1145
6	Yoke & Teeth Set (1312)	16 Spline, 1312 cross- 46mm, Pipe 3.5"/ 90mm	MP207 + MP208	MYT206	3400	3740
7	Yoke & Teeth Set - 1312, Glide Coat	16 Spline, 1312 cross- 46mm, Pipe 3.5"/ 90mm, Coated	MP207 + MP208C	MYT206C	3775	4155
8	Full Sleeve Yoke (1312)	16 Spline, 1312 cross- 46mm, Yoke L=10"		MFY207	1900	2090
9	Rear Teeth (1312)	16 Spline, Pipe dia 3.5"/ 90mm		MRT208	1500	1650
10	Rear Teeth - 1312, Glide Coat	16 Spline, Pipe dia 3.5"/ 90mm, COATED		MRT208C	1875	2065
11	Yoke & Teeth Set (1312, 24 Spline) - Glide Coat	24 Spline, 1312 cross- 46mm, Pipe 3.5"/ 90mm, Coated	MP207A + MP208AC	MYT206AC	3900	4290
12	Yoke & Teeth Set - 1312, 24T	24 Spline, 1312 cross- 46mm, Pipe 3.5"/ 90mm	MP207A + MP208AC	MYT206A	3465	3815
13	Full Sleeve Yoke (1312 - 24T)	16 Spline, 1312 cross- 46mm, Yoke L=10"		MFY207A	1950	2145
14	Rear Teeth (1312 - 24 Spl)	16 Spline, Pipe dia 3.5"/ 90mm		MRT208A	1550	1705
15	Rear Teeth (Glide Coate) - 1312, 24 Spline	16 Spline, Pipe dia 3.5"/ 90mm, COATED		MRT208AC	1950	2145
16	Stub Ball Half Yoke - 90mm	Pipe dia 3.5"/ 90mm, 1312 cross- 46x69mm	INSKU-100232	MHY209	1075	1185
17	Front Teeth W/ Nut	Pipe dia 3.5"/90mm, 26 Spline, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210	1320	1455
18	Full Yoke Assy.	16 Spl, 8 hole, Pipe 3.5"/ 90mm, 1312 cross- 46mm		MFYA211	3960	4360
19	Half Yoke Assy.	Pipe dia 3.5"/ 90mm, 8 hole, 1312 cross- 46x69mm		HYA212	3135	3450

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

#### 4. HYWA 2516/ 3516/ 2515EX (SPICER Shaft - 4", Spicer cross-41.28x126 Lock Type)

1	Gear Box Coupling Flange	18 Spline, Plate dia 5"/ 130mm, 8 hole, GB-60		MGC1201	975	1075
2	Center Brg. Coupling Flange	34 Spline, Plate dia 5"/ 130mm, 8 hole		MCC1202	880	970
3	Center Brg. Coupling Flange	34 Spline, Plate dia 5"/ 130mm, 8 hole, 3 Step		MCC1202A	1000	1100
4	Center Brg. Coupling Flange	34 Spline, Patti Clamp Type	SIL# 4-4-4101-1	MCC1202S	1500	1650
5	Pinion Coupling Flange	39 Spline, Plate dia 5"/ 130mm, 8 hole		MPC1203	1040	1145
6	Pinion Coupling Flange	41 Spline, Plate dia 5"/ 130mm, 8 hole		MPC1203A	1040	1145
7	Pinion Coupling Flange	39 Spline, Patti Clamp Type	SIL# INSKU 100476	MPC1203S	1575	1735
8	Pinion Coupling Flange	41 Spline, Patti Clamp Type	SIL# INSKU 100475	MPC1203AS	1575	1735
9	Cross Holder	Plate dia 5"/ 130mm, 8 hole, Spicer cross- 41.28mm	SIL# INSKU 100860	MCH1204A	1150	1265
10	Full Sleeve Yoke	30 Spl, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty.	SIL# INSKU 100257	MFY1306	2050	2255
11	Full Sleeve Yoke	16 Spl, Spicer cross- 41.28mm, Yoke L=10.5".MSL	SIL# 5016040	MFY1306A	2050	2255
12	Rear Teeth (Plain)	30 Spline, Pipe dia = 4"/ 102mm, Full Spline, Teeth L=10", Spicer Ty.	SIL# INSKU100276	MRT1307	1550	1705
13	Rear Teeth (Plain)	16 Spline, Pipe dia = 4"/ 102mm, HALF Spline, Teeth L=10", MSL Ty.	SIL# 5016042	MRT1307A	1550	1705
14	Rear Teeth (Plain)	16 Spline, Pipe dia = 4"/ 102mm, FULL Spline, Teeth L=10", MSL Ty.	SIL# 5016042	MRT1307AA	1575	1735
15	Rear Teeth (Glide Coate)	30 Spline, Pipe dia = 4"/ 102mm, Half Spline, Teeth L=10", Spicer Ty., COATED	SIL# INSKU100276	MRT1307C	1900	2090
16	Rear Teeth (Glide Coate)	16 Spline, Pipe dia = 4"/ 102mm, HALF Spline, Teeth L=10", MSL Ty., COATED	SIL# 5016042	MRT1307AC	1900	2090
17	Rear Teeth (Glide Coate)	16 Spline, Pipe dia = 4"/ 102mm, FULL Spline, Teeth L=10", MSL Ty., COATED	SIL# 5016042	MRT1307AAC	1950	2145
18	Sleeve Yoke & Teeth Set - F/S, 30 Spl	30 Spline, Spicer cross- 41.28mm, Pipe dia = 4"/ 102mm, Full Spline, Teeth L=10", Spicer Ty.	MP1306 + MP1307	MYT1305	3600	3960
19	Sleeve Yoke & Teeth Set - H/S, 30 Spl, GLIDE COAT	30 Spline, Spicer cross- 41.28mm, Pipe dia = 4"/ 102mm, Half Spline, 110 Slip, Spicer Ty., Coated	MP1306 + MP1307C	MYT1305C	3950	4345
20	Sleeve yoke & Teeth Set - H/S, 16 SPL	16 Spline, Spicer cross- 41.28mm, Pipe dia = 4"/ 102mm, Half Spline, Teeth L=10", MSL Ty.	MP1306A + MP1307A	MYT1305A	3600	3960
21	Sleeve yoke & Teeth Set - F/S, 16 SPL	16 Spline, Spicer cross- 41.28mm, Pipe dia = 4"/ 102mm, Full Spline, 110 Slip, MSL Ty.	MP1306A + MP1307AA	MYT1305AA	3625	3990
22	Sleeve yoke & Teeth Set - H/S, 16 SPL, GLIDE COAT	16 Spline, Spicer cross- 41.28mm, Pipe dia = 4"/ 102mm, Half Spline, 110 Slip, MSL Ty., Coated	MP1306A + MP1307AC	MYT1305AC	3950	4345
23	Sleeve yoke & Teeth Set - F/S, 16 SPL, GLIDE COAT	16 Spline, Spicer cross- 41.28mm, Pipe dia = 4"/ 102mm, Full Spline, 110 Slip, MSL Ty., Coated	MP1306A + MP1307AAC	MYT1305AAC	4000	4400
24	Stub Ball Half Yoke	Pipe dia 3.5"/ 90mm, Spicer cross-41.28mm		MHY1308B	1540	1695
25	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, Spicer cross-41.28mm	SIL# 90-28-27/ 90-28-17	MHY1308	1560	1720
26	Front Teeth W/ Nut	Pipe 4"/ 102mm, 34 Spline, Brg. Dia=55mm (Brg. No.: 88511/ 6211), 3 Step	INSKU 100902	MFT1309AA	1450	1595
27	Front Teeth W/ Nut	Pipe dia 4"/ 102mm, 34 Spline, Brg. Dia=45mm (Brg. No.: 88509/ 6209) - O/M	INSKU100551/ 90-53-31	MFT1309	1275	1405

#### 5. TATA 2518/ 2516 (SPICER Shaft 4"/ 102mm, Spicer cross- 41.28x126mm, 110 Slip)

1	Gear Box Coupling Flange	18 Spline, Plate dia 6"/ 150mm, 8 hole, 12mm bolt		MGC1330	1100	1210
2	Center Brg. Coupling Flange	34 Spline, Plate dia 6"/ 150mm, 8 hole, 12mm bolt	INSKU 100906	MCC1331	1100	1210
3	Pinion Coupling Flange	26 Spline, Plate dia 6"/ 150mm, 8 hole, 12mm bolt	INSKU 100851	MPC1314	1100	1210

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
4	Cross Holder	Plate dia 6" / 150mm, 8 hole, 12mm bolt, Spicer cross- 41.28mm	90-2-29	MCH1204AA	1325	1460
5	Full Sleeve Yoke	30 Spl, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty.	INSKU-100257	MFY1306	2050	2255
6	Full Sleeve Yoke	16 Spl, Spicer cross- 41.28mm, Yoke L=10.5". MSL Ty.	SIL# 5016040	MFY1306A	2050	2255
7	Rear Teeth (Plain)	30 Spline, Pipe dia = 4" / 102mm, Full Spline, Teeth L=10", Spicer Ty.	SIL# INSKU100276	MRT1307	1550	1705
8	Rear Teeth (Plain)	16 Spline, Pipe dia = 4" / 102mm, HALF Spline, Teeth L=10", MSL Ty.	SIL# 5016042	MRT1307A	1550	1705
9	Rear Teeth (Plain)	16 Spline, Pipe dia = 4" / 102mm, FULL Spline, Teeth L=10", MSL Ty.	SIL# 5016042	MRT1307AA	1575	1735
10	Rear Teeth (Glide Coate)	30 Spline, Pipe dia = 4" / 102mm, Full Spline, Teeth L=10", Spicer Ty., COATED	SIL# INSKU100276	MRT1307C	1900	2090
11	Rear Teeth (Glide Coate)	16 Spline, Pipe dia = 4" / 102mm, HALF Spline, Teeth L=10", MSL Ty., COATED	SIL# 5016042	MRT1307AC	1900	2090
12	Rear Teeth (Glide Coate)	16 Spline, Pipe dia = 4" / 102mm, FULL Spline, Teeth L=10", MSL Ty., COATED	SIL# 5016042	MRT1307AAC	1950	2145
13	Full Yoke & Teeth Set - Thin Spline	30 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Full Spline	MP1306 + MP1307	MFY1305	3600	3960
14	Full Yoke & Teeth Set - Thin Spline, Glide Coate	30 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Half Spline, Coated	MP1306 + MP1307C	MFY1305C	3950	4345
15	Full Sleeve Yoke & Teeth Set - Thick & Half Spline	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Half & Thick Spline - MSL Ty.	MP1306A + MP1307A	MFY1305A	3600	3960
16	Full Sleeve Yoke & Teeth Set - Thick & Full Spline	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Full & Thick Spline - MSL Ty.	MP1306A + MP1307AA	MFY1305AA	3625	3990
17	Sleeve Yoke & Teeth Set - Thick & Half Spline, Glide Coate	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Half & Thick Spline - MSL Ty.	MP1306A + MP1307AC	MFY1305AC	3950	4345
18	Full Sleeve Yoke & Teeth Set - Thick & Full Spline, Glide Coate	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Full & Thick Spline - MSL Ty.	MP1306A + MP1307AAC	MFY1305AAC	4000	4400
19	Stub Ball Half Yoke	Pipe dia 4" / 102mm, Spicer cross-41.28mm	SIL# 90-28-27/ 90-28-17	MHY1308	1560	1720
20	Front Teeth W/ Nut	Pipe dia 4" / 102mm, 34 Spline, 2 step, Brg. Dia=55mm (Brg. No.: 88511/ 6211)	1NSKU 100902	MFT1309AA	1450	1595
21	Front Teeth W/ Nut	Pipe dia 4" / 102mm, 34 Spline, Brg. Dia=45mm (Brg. No.: 88509/ 6209) - O/M	INSKU100551 / 90-53-31	MFT1309	1275	1405

### 6. TATA 1613 Turbo (SPICER 3.5" Shaft, Spicer cross- 41.28x126, 63 Slip)

1	Gear Box Coupling Flange	18 Spline, Plate dia 5" / 130mm, 8 hole, GB-60		MGC1201	975	1075
2	Center Brg. Coupling Flange	34 Spline, Plate dia 5" / 130mm, 8 hole		MCC1202	880	970
3	Center Brg. Coupling Flange	34 Spline, Plate dia 5" / 130mm, 8 hole, 3 Step		MCC1202A	1000	1100
4	Center Brg. Coupling Flange	34 Spline, Patti Clamp Type	SIL# 4-4-4101-1	MCC1202S	1500	1650
5	Pinion Coupling Flange	39 Spline, Plate dia 5" / 130mm, 8 hole		MPC1203	1040	1145
6	Pinion Coupling Flange	41 Spline, Plate dia 5" / 130mm, 8 hole		MPC1203A	1040	1145
7	Cross Holder	Plate dia 5" / 130mm, 8 hole, Spicer cross- 41.28mm	SIL# INSKU 100860	MCH1204A	1150	1265
8	Sleeve Yoke & Teeth Set - F/S, 30 Spl.	30 Spline, Spicer cross- 41.28mm, Pipe dia = 3.5" / 90mm, Full Spline, 63 Slip, Spicer Ty.	MP1206 + MP1206	MYT1205	3500	3850
9	Sleeve Yoke & Teeth Set - F/S, 16 Spl.	16 Spline, Spicer cross- 41.28mm, Pipe dia = 3.5" / 90mm, Full Spline, 63 Slip, MSL Ty.	MP1206A + MP1209A	MYT1205A	3500	3850

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
10	Sleeve Yoke & Teeth Set - F/S, 30 Spl., GLIDE COAT	30 Spline, Spicer cross- 41.28mm, Pipe dia = 3.5"/ 90mm, Full Spline, 63 Slip, Spicer Ty., Coated	MP1206 + MP1209C	MYT1205C	3850	4235
11	Sleeve Yoke & Teeth Set - F/S, 16 Spl., GLIDE COAT	16 Spline, Spicer cross- 41.28mm, Pipe dia = 3.5"/ 90mm, Full Spline, 63 Slip, Spicer Ty., Coated	MP1206A + MP1209AC	MYT1205AC	3850	4235
12	Full Sleeve Yoke	30 Spl, Spicer cross- 41.28mm, Yoke L=9", Spicer Ty.	SIL# INSKU 100259	MFY1206	2000	2200
13	Full Sleeve Yoke	16 Spl, Spicer cross- 41.28mm, Yoke L=9", MSL Ty.		MFY1206A	2000	2200
14	Rear Teeth (Plain)	30 Spline, Pipe dia = 3.5"/ 90mm, Full Spline, Teeth L=8.5", Spicer Ty., 63 Slip	SIL# INSKU 100433	MRT1209	1500	1650
15	Rear Teeth (Plain)	16 Spline, Pipe dia = 3.5"/ 90mm, FULL Spline, Teeth L=8.5", MSL Ty.		MRT1209A	1500	1650
16	Rear Teeth (Glide Coate)	30 Spline, Pipe dia = 3.5"/ 90mm, HALF Spline, Teeth L=8.5", Spicer Ty., COATED	INSKU-100433	MRT1209C	1850	2035
17	Rear Teeth (Glide Coate)	16 Spline, Pipe dia = 3.5"/ 90mm, HALF Spline, Teeth L=8.5", MSL Ty., COATED		MRT1209AC	1850	2035
18	Stub Ball Half Yoke	Pipe dia 3.5"/ 90mm, Spicer cross-41.28mm		MHY1308B	1540	1695

### 7. TATA 2515 EX (1312 Long Type, 3.5" Shaft, 1312 cross- 46x60mm)

1	Gear Box Coupling Flange	18 Spline, Plate dia 5"/ 130mm, 8 hole		MGC1201	975	1075
2	Center Brg. Coupling Flange	26 Spline, Plate dia 5"/ 130mm, 8 hole, TL=92mm		MCC203A	975	1075
3	Pinion Coupling Flange	39 Spline, Plate dia 5"/ 130mm, 8 hole		MPC1203	1040	1145
4	Pinion Coupling Flange	41 Spline, Plate dia 5"/ 130mm, 8 hole		MPC1203A	1040	1145
5	Cross Holder	Plate dia 5"/ 130mm, 8 hole, 1312 cross- 46mm. Long Ears	SIL# INSKU 100231	MCH205AA	1170	1290
6	Sleeve Yoke & Teeth Set - 160 Slip (1312 Long)	16 Spline, 1312 cross- 46mm, Yoke L=11.5", 160 Slip, Pipe dia 3.5"/ 90mm, Teeth L=10.5", 1312 Long	MP1207 + MP1208	MYT1225	4215	4640
7	Full Sleeve Yoke	16 Spline, 1312 cross- 46mm, Yoke L=11.5", 160 Slip, 1312 Long		MFY1207	2400	2640
8	Rear Teeth	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=10.5", 1312 Long		MRT1208	1815	2000
9	Stub Ball Half Yoke	Pipe dia 3.5"/90mm, 1312 cross- 46mm	INSKU-100232	MHY209	1075	1185
10	Front Teeth W/ Nut	Pipe dia 3.5"/90mm, 26 Spline, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210	1320	1455

### 8. TATA 2518 (RSB - 3.5" Shaft, RSB cross- 42x119.2, Plate 5", 8 hole) - RSB 325 TATA SERIES

1	Gear Box Coupling Flange	18 Spline, Plate dia 5"/ 130mm, 8 hole		MGC1201	975	1075
2	Center Brg. Coupling Flange	34 Spline, Plate dia 5"/ 130mm, 8 hole, 3 Step	90-1-0017	MCC1202A	1000	1100
3	Center Brg. Coupling Flange	26 Spline, Plate dia 5"/ 130mm, 8 hole, TL=92mm	INSKU-100847	MCC203A	975	1075
4	Pinion Coupling Flange	39 Spline, Plate dia 5"/ 130mm, 8 hole		MPC1203	1040	1145
5	Pinion Coupling Flange	41 Spline, Plate dia 5"/ 130mm, 8 hole		MPC1203A	1040	1145
6	Cross Holder	Plate dia 5"/ 130mm, 8 hole, RSB cross- 42x119.2		MCH1204AR	1150	1265
7	Fork Teeth W/ Sliding Tube	20 Spline, Pipe dia 3.5"/ 90mm, RSB cross- 42x119.2, Fork L=12"	MP1316T + MP1325	MRYST1316	4200	4620
8	Fork Teeth W/ Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 3.5"/ 90mm, RSB cross- 42x119.2, Fork L=13", Glide Coat	MP1316T + MP1325C	MRYST1316C	4800	5280
9	Fork Teeth	20 Spline, RSB cross- 42x119.2, Fork L=12"	2632 4112 5103	MRY1316T	2640	2905
10	Sliding Tube	20 Spline, Pipe dia 3.5"/ 90mm, Tube L=7"	2632 4112 5109	MST1325	1560	1720
11	Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 3.5"/ 90mm, Tube L=7", Coated	2632 4112 5109	MST1325C	2160	2380
12	Fork Teeth W/ D. Cover & Seal	20 Spline, RSB cross- 42x119.2, Fork L=12" W/ Dust Cover & Seal	2632 4112 5103	MRY1316TP	3140	3455
13	Dust Cover W/ Seal	for MP1316T, MP1317T & MP1317AT		MDCS1328	500	550

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
14	Fork Teeh+Tube+D.Cover	20 Spline, Pipe dia 3.5"/ 90mm, RSB cross-42x119.2, Fork L=12"	MP1316T + MP1325 + MP1328	MRYST1316F	4700	5170
15	Fork Teeh+Tube+D.Cover - GLIDE COAT	20 Spline, Pipe dia 3.5"/ 90mm, RSB cross-42x119.2, Fork L=13", Coated	MP1316T + MP1325C + MP1328	MRYST1316F	5300	5830
16	Stub Ball Half Yoke	Pipe dia 3.5", RSB cross- 42x119.2		MHY1319	1540	1695
17	Front Teeth W/ Nut	Pipe dia 3.5"/90mm, 26 Spline, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210	1320	1455

### 9. TATA 2518 (RSB Shaft - 4", RSB cross- 42x119.2, Plate 6", 8 hole, bolt 12mm)

1	Gear Box Coupling Flange	18 Spline, Plate dia 6"/ 150mm, 8 hole, 12mm bolt		MGC1330	1100	1210
2	Center Brg. Coupling Flange	34 Spline, Plate dia 6"/ 150mm, 8 hole, 12mm bolt	INSKU-100906	MCC1331	1100	1210
3	Pinion Coupling Flange	26 Spline, Plate dia 6"/ 150mm, 8 hole, 12mm bolt	INSKU-100851	MPC1314	1100	1210
4	Cross Holder	Plate dia 6"/ 150mm, 8 hole, 12mm bolt, RSB cross-42x119.2		MCH1204AAR	1325	1460
5	Fork Teeth W/ Sliding Tube	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12"	MP1316T + MP1326	MRYST1316A	4290	4720
6	Fork Teeth W/ Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12", COATED	MP1316T + MP1326C	MRYST1316A	4890	5380
7	Fork Teeth	20 Spline, RSB cross- 42x119.2, Fork L=12"	2632 4112 5103	MRY1316T	2640	2905
8	Sliding Tube	20 Spline, Pipe dia 4"/ 102mm, Tube L=7"	2171 4112 5106	MST1326	1650	1815
9	Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, Tube L=7", Coated	2171 4112 5106	MST1326C	2250	2475
10	Fork Teeth W/ D. Cover & Seal	20 Spline, RSB cross- 42x119.2, Fork L=12" W/ Dust Cover & Seal	2632 4112 5103	MRY1316TP	3140	3455
11	Dust Cover W/ Seal	for MP1316T, MP1317T & MP1317AT		MPDCS1328	500	550
12	Fork Teeh + Tube + D. Cover	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12"	MP1316T + MP1326 + MP1328	MRYST1316A P	4790	5270
13	Fork Teeh + Tube + D. Cover GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12"	MP1316T + MP1326C + MP1328	MRYST1316A PC	5390	5930
14	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, RSB cross- 42x119.2		MHY1319A	1560	1720
15	Front Teeth W/ Nut	Pipe 4"/ 102mm, 34 Spline, 2 step, Brg. Dia=55mm (Brg. No.: 88511/ 6211)	INSKU 100902	MFT1309AA	1450	1595

### 10. TATA 2518 (RSB Shaft - 4", RSB cross- 42x119.2, Plate 6", 4 hole, X-Serrated)

1	Gear Box Coupling Flange	18 Spline, Plate dia 6"/ 150mm, 4 hole, 12mm bolt, X-Serrated		MGC1601S	1450	1595
2	Center Brg. Coupling Flange	34 Spl., Plate 6"/ 150mm, 4 hole, 12mm bolt, X-Serrated	SIL# 90-1-15	MCC1302S	1485	1635
3	Pinion Coupling Flange	26 Spl., Plate 6"/ 150mm, 4 hole, 12mm bolt, X-Serrated		MPC1603RS	1450	1595
4	Cross Holder	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, RSB cross- 42x119.2, X-Serrated, Ear L=4"		MCH1604AS	1750	1925
5	Fork Teeth W/ Sliding Tube	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12"	MP1316T + MP1326	MRYST1316A	4290	4720
6	Fork Teeth W/ Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12", COATED	MP1316T + MP1326C	MRYST1316A C	4890	5380
7	Fork Teeth	20 Spline, RSB cross- 42x119.2, Fork L=12"		MRY1316T	2640	2905
8	Fork Teeth W/ D. Cover & Seal	20 Spline, RSB cross- 42x119.2, Fork L=12" W/ Dust Cover & Seal	2632 4112 5103	MRY1316TP	3140	3455
9	Sliding Tube	20 Spline, Pipe dia 4"/ 102mm, Tube L=7"		MST1326	1650	1815
10	Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, Tube L=7", COATED		MST1326C	2250	2475
11	Dust Cover W/ Seal	for MP1316T, MP1317T & MP1317AT		MDCS1328	500	550
12	Fork Teeh + Tube + D. Cover	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x119.2, Fork L=12"	MP1316T + MP1326 + MP1328	MRYST1316A P	4790	5270

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
13	Fork Teeh + Tube + D. Cover GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12", COATED	MP1316T + MP1326C + MP1328	MRYST1316A PC	5390	5930
14	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, RSB cross- 42x119.2		MHY1319A	1560	1720
15	Front Teeth W/ Nut	Pipe 4"/ 102mm, 34 Spline, 2 step, Brg. Dia=55mm (Brg. No.: 88511/ 6211)	INSKU 100902	MFT1309AA	1450	1595

### 11. TATA 1616 TIPPER 6 Tyre (RSB Shaft - 4", RSB cross- 42x119.2, 4 hole, X-Serrated)

1	Gear Box Coupling Flange	18 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MGC1601S	1450	1595
2	Center Brg. Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, TL=94mm, X-Serrated		MCC203AS	1750	1925
3	Pinion Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MPC1603RS	1450	1595
4	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, O/S 73mm, X-Serrated		MPC1603AS	1950	2145
5	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, O/S 76mm, X-Serrated		MPC1603AAS	1950	2145
6	Cross Holder	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, RSB cross- 42x119.2, X-Serrated, Ear L=4"		MCH1604AS	1750	1925
7	Cross Holder (LONG)	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, RSB cross- 42x119.2, X-Serrated, Long Ears=5.25"		MCH1604ASS	1850	2035
8	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210AA	1650	1815
9	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=65mm (Brg. NO.: 6013), 3 step	INSKU-100853	MFT210B	1650	1815
10	Fork Teeth W/ Sliding Tube	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12"	MP1316T + MP1326	MRYST1316A	4290	4720
11	Fork Teeth W/ Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross-42x119.2, Fork L=12", COATED	MP1316T + MP1326C	MRYST1316A C	4890	5380
12	Fork Teeth	20 Spline, RSB cross- 42x119.2, Fork L=12"	2632 4112 5103	MRY1316T	2640	2905
13	Sliding Tube	20 Spline, Pipe dia 4"/ 102mm, Tube L=7"	2171 4112 5106	MST1326	1650	1815
14	Sliding Tube - GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, Tube L=7", COATE	2171 4112 5106	MST1326C	2250	2475
15	Dust Cover W/ Seal	for MP1316T, MP1317T & MP1317AT		MDCS1328	500	550
16	Fork Teeh + Tube + D. Cover	20 Spline, Pipe dia 4", RSB cross- 42x119.2, Fork L=12"	MP1316T + MP1326 + MP1328	MRYST1316A P	4790	5270
17	Fork Teeh + Tube + D. Cover GLIDE COAT	20 Spline, Pipe dia 4", RSB cross- 42x119.2, Fork L=12", COATED	MP1316T + MP1326C + MP1328	MRYST1316 APC	5390	5930
18	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, RSB cross- 42x119.2		MHY1319A	1560	1720

### 12. TATA 2516 (RSB Propshaft - 4" Shaft, RSB cross-42x129.4mm) - RSB 403 SERIES(SHORT & LONG)

1	Gear Box Coupling Flange	18 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt		MGC1601	1450	1595
2	Center Brg. Coupling Flange	26 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt		MCC1603R	1450	1595
3	Pinion Coupling Flange	41 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt, RSB cross- 42x129.4		MPC1603	1800	1980
4	Pinion Coupling Flange	39 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt		MPC1603A	1800	1980
5	Cross Holder (6.5" Plate)	Plate dia 6.5"/ 165mm, 8 hole, 16mm bolt		MCH1604	1540	1695
6	Cross Holder (7" Plate)	Plate dia 7"/ 175mm, 8 hole, 10mm bolt		MCH1204R	1540	1695
7	Gear Box Coupling Flange	18 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MGC1601S	1450	1595

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
8	Center Brg. Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, X-Serrated		MCC203AS	1750	1925
9	Pinion Coupling Flange	41 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MPC1603S	1950	2145
10	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, O/S 73mm, X-Serrated		MPC1603AS	1950	2145
11	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, O/S 76mm, X-Serrated		MPC1603AAS	1950	2145
12	Cross Holder	Plate dia 6", 4 hole, 12mm bolt, RSB cross- 42x129.4, Ear L=4", X-Serrated		MCH1604S	1750	1925
13	Cross Holder	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, RSB cross- 42x129.4, Long Ears=5.25", X-Serrated		MCH1604SS	1850	2035
14	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210AA	1650	1815
15	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=65mm (Brg. No.: 6013), 3 step	SIL# INSKU100853	MFT210B	1650	1815
16	Fork Teeth W/ Sliding Tube - Short	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=13"	MP1317T + MP1326	MRYST1317	4290	4720
17	Fork Teeth W/ Sliding Tube - (Short) GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=13", COATED	MP1317T + MP1326C	MRYST1317C	4890	5380
18	Fork Teeth - Short	20 Spline, RSB cross- 42x129.4, Fork L=13"		MRY1317T	2640	2905
19	Sliding Tube (Small)	20 Spline, Pipe dia 4"/ 102mm, Tube L=7"		MST1326	1650	1815
20	Sliding Tube - (Small) GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, Tube L=7", COATED		MST1326C	2250	2475
21	Dust Cover W/ Seal	for MP1316T, MP1317T & MP1317AT		MDCS1328	500	550
22	Fork Teeth + Tube + D. Cover (Short)	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=13"	MP1317T + MP1326 + MP1328	MRYST1317P	4790	5270
23	Fork Teeth + Tube + D. Cover - (Short)GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=13", COATED	MP1317T + MP1326C + MP1328	MRYST1317PC	5390	5930
24	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, RSB cross- 42x129.4		MHY1318	1560	1720
25	Stub Ball Half Yoke	Pipe 4"/ 102mm, RSB cross- 42x129.4, LONG ears L=4.25"		MHY1318L	1600	1760
26	Fork Teeth W/ Sliding Tube - Medium	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=15"	MP1317AT + MP1326A	MRYST1317A	5550	6105
27	Fork Teeth W/ Sliding Tube - (Medium) GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=15", COATED	MP1317AT + MP1326AC	MRYST1317AC	6250	6875
28	Fork Teeth - Medium	20 Spline, RSB cross- 42x129.4, Fork L=15"		MRY1317AT	3200	3520
29	Sliding Tube - Medium	20 Spline, Pipe dia 4"/ 102mm, Tube L=9.25"		MST1326A	2350	2805
30	Sliding Tube - (Medium) GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, Tube L=9.25", COATED		MST1326AC	3050	3355
31	F.Teeth + Tube W/ D.Cover & Seal - Medium	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=15", S.Tube L=9.25"	MP1317AT + MP1326A + MP1328	MRYST1317AP	6150	6765
32	F.Teeth + Tube W/ D.Cover & Seal - (Medium) GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=15", S.Tube L=9.25", COATED	MP1317AT + MP1326AC + MP1328	MRYST1317APC	6850	7535
33	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=65mm, 3 step	SIL# INSKU100853	MFT210B	1650	1815
34	Fork Teeth Assy. W/ S. Tube	20 Spline, 4 hole, Plate 6"/ 150mm, 4 hole, X-Serrated, RSB Cross- 42x129.4, Teeth L=12", Long Ears		MRYA1333	8075	8885
35	F.Teeth Assy. W/ S. Tube (LONG)	20 Spline, 4 hole, Plate 6"/ 150mm, 4 hole, X-Serrated, RSB Cross- 42x129.4, Teeth L=15", long ears		MRYA1333A	9250	10175
36	Half Yoke Assy.	Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Plate dia 6", 4 hole, X-Serrated		MHYA1334	4600	4930
37	Fork Teeth W/ Sliding Tube - Short (3.5" Pipe)	20 Spline, Pipe dia 3.5"/ 90mm, RSB cross- 42x129.4, Fork L=13"	MP1317T + MP1325	MRYST1317A	4200	4620

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
38	F.Teeth W/ Dust Cover & Seal - Short	20 Spline, RSB cross- 42x129.4, Fork L=13"	2171 4112 5107	MRY1317TP	3140	3455
39	F.Teeth W/ D. Cover & Seal - Medium	20 Spline, RSB cross- 42x129.4, Fork L=15"		MRY1317ATP	3800	4180
40	Fork Teeth W/ Sliding Tube - Long	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=16"	MP1317ABT + MP1326AB	MRYST1317AB	6140	6755
41	Fork Teeth W/ Sliding Tube - (Long) GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=16", S.Tube L=10", COATED	MP1317ABT + MP1326ABC	MRYST1317ABC	6850	7535
42	Fork Teeth - Long	20 Spline, RSB cross- 42x129.4, Fork L=16"		MRY1317ABT	3500	3850
43	F.Teeth W/ D. Cover & Seal - Long	20 Spline, RSB cross- 42x129.4, Fork L=16"		MRY1317ABTP	4200	4620
44	Sliding Tube - (20S, Long)	20 Spline, Pipe dia 4"/ 102mm, Tube L=10"		MST1326AB	2640	2905
45	Sliding Tube - Long, GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, Tube L=10", COATED		MST1326ABC	6850	7535
46	F.Teeth + Tube W/ D.Cover & Seal - Long	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=16", S.Tube L=10"	MP1317ABT + MP1326AB + MP1328A	MRYST1317ABP	6840	7525
47	F.Teeth + Tube W/ D.Cover & Seal - Long, GLIDE COAT	20 Spline, Pipe dia 4"/ 102mm, RSB cross- 42x129.4, Fork L=15", S.Tube=10", COATED	MP1317ABT + MP1326ABC + MP1328A	MRYST1317ABCP	7550	8305

### 13. TATA 4018 (Dumper)/ 3116 (12 Tyre) (RSB - 4" Shaft, RSB cross 48x135 Lock Ty.) - RSB 490 SERIES(LONG & SHORT)

1	Gear Box Coupling Flange	18 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MGC1601S	1450	1595
2	Center Brg. Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MCC203AS	1750	1925
3	Pinion Coupling Flange	41 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, X-Serrated		MPC1603S	1950	2145
4	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, O/S 73mm, X-Serrated		MPC1603AS	1950	2145
5	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, O/S 76mm, X-Serrated		MPC1603AAS	1950	2145
6	Cross Holder	Plate dia 6.5"/ 165mm, 8 hole, 16mm bolt, RSB cross- 48x135 lock Ty.		MCH1322	1750	1925
7	Cross Holder (6" - Med. Ears)	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, RSB cross- 48x135 lock Ty., X-Serrated, Ear L=4.75"		MCH1322S	2100	2310
8	Cross Holder (6" - Long Ears)	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, RSB cross- 48x135 lock Ty., X-Serrated, Ear L=5.25"		MCH1322SS	2350	2585
9	Cross Holder (7" - Long Ears)	Plate dia 7"/ 178mm, 4 hole, 14mm bolt, RSB cross- 48x135 lock Ty., X-Serrated		MCH2504R	2420	2665
10	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210AA	1650	1815
11	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=65mm (Brg. No.: 6013), 3 step	SIL# INSKU100853	MFT210B	1650	1815
12	Stub Ball Half Yoke	Pipe dia 4", RSB cross- 48x135 lock Type, Ears L=4"		MHY1321	1760	1940
13	Fork Teeth + Tube Set (Med.)	30 Spline, RSB cross- 48x135, Teeth L=14.5", Pipe dia 4", Tube L=9"	MP1320T + MP1327	MRYST1320	6525	7180
14	Fork Teeth+Tube+D. Cover (Med.)	30 Spline, RSB cross- 48x135, Teeth L=14.5", Pipe dia 4", Tube L=9", Dust cover W/ seal	MP1320T + MP1327 + MP1329	MRYST1320P	7225	7950
15	Fork Teeth + Tube Set (Med.) - GLIDE COAT	30 Spline, RSB cross- 48x135, Teeth L=14.5", Pipe dia 4", Tube L=9", COATED	MP1320T + MP1327C	MRYST1320C	7450	8195
16	Fork Teeth+Tube+D. Cover (Med.) - GLIDE COAT	30 Spline, RSB cross- 48x135, Teeth L=14.5", Pipe dia 4", Tube L=9", Dust cover W/ seal, COATED	MP1320T + MP1327C + MP1329	MRYST1320PC	8150	8965



S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
17	Fork Teeth (Med.)	30 Spline, RSB cross- 48x135, Teeth L=14.5", Pipe dia 4"		MRY1320T	3550	3905
18	Fork Teeth W/ D. Cover & Seal (Med.)	30 Spline, RSB cross- 48x135, Teeth L=14.5", Pipe dia 4" W/ D. Cover & Seal	MP1320T + MP1329	MRY1320TP	4250	4675
19	Sliding Tube (Med.)	30 Spline, Pipe dia 4"/ 102mm, Tube L=9"		MST1327	2975	3275
20	Sliding Tube - GLIDE COAT (Med.)	30 Spline, Pipe dia 4"/ 102mm, Tube L=9", COATED		MST1327C	3900	4290
21	Dust CoverW/ Seal	Suitable for MP1320T & MP1320AT		MDCS1329	700	770
22	Fork Teeth + Tube Set (Short)	30 Spline, RSB cross- 48x135, Teeth L=13", Pipe dia 4", Tube L=8"	MP1320AT + MP1327A	MRYST1320A	5850	6435
23	Fork Teeth+Tube+D. Cover (Short)	30 Spline, RSB cross- 48x135, Teeth L=13", Pipe dia 4", Tube L=8", Dust cover W/ seal	MP1320AT + MP1327A + MP1329	MRYST1320A P	6450	7095
24	Fork Teeth + Tube Set (Short) - GLIDE COAT	30 Spline, RSB cross- 48x135, Teeth L=13", Pipe dia 4", Tube L=8", COATED	MP1320AT + MP1327AC	MRYST1320A C	6400	7040
25	Fork Teeth+Tube+D. Cover (Short) - GLIDE COAT	30 Spline, RSB cross- 48x135, Teeth L=13", Pipe dia 4", Tube L=8", Dust cover W/ seal, COATED	MP1320AT + MP1327AC + MP1329	MRYST1320A PC	7050	7755
26	Fork Teeth (Short)	30 Spline, RSB cross- 48x135, Teeth L=13", Pipe dia 4"	2167 4112 5103	MRY1320AT	3300	3630
27	Fork Teeth W/ D. Cover & Seal (Short)	30 Spline, RSB cross- 48x135, Teeth L=13", Pipe dia 4" W/ D. Cover & Seal	2167 4112 5103	MRY1320ATP	3900	4290
28	Sliding Tube (Short)	30 Spline, Pipe dia 4"/ 102mm, Tube L=8"	2167 4112 5104	MST1327A	2550	2805
29	Sliding Tube (Short) - GLIDE COAT	30 Spline, Pipe dia 4"/ 102mm, Tube L=8", COATED	2167 4112 5104	MST1327AC	3750	4125
30	Fork Teeth + Tube Set (Long)	30 Spline, RSB cross- 48x135, Teeth L=16", Pipe dia 4", Tube L=10.5"	MP1320AAT + MP1327AA	MRYST1320A A	7250	7975
31	Fork Teeth+Tube+D. Cover (Long)	30 Spline, RSB cross- 48x135, Teeth L=16", Pipe dia 4", Tube L=10.5", Dust cover W/ seal	MP1320AAT + MP1327AA + MP1329A	MRYST1320A AP	8050	8855
32	Fork Teeth + Tube Set (Long) - GLIDE COAT	30 Spline, RSB cross- 48x135, Teeth L=16", Pipe dia 4", Tube L=10.5", COATED	MP1320AAT + MP1327AAC	MRYST1320A AC	8050	8855
33	Fork Teeth+Tube+D. Cover (Long) - GLIDE COAT	30 Spline, RSB cross- 48x135, Teeth L=16", Pipe dia 4", Tube L=10.5", Dust cover W/ seal, COATED	MP1320AAT + MP1327AAC + MP1329A	MRYST1320A APC	8850	9735
34	Fork Teeth (Long)	30 Spline, RSB cross- 48x135, Teeth L=16", Pipe dia 4"		MRY1320AA T	4000	4400
35	Fork Teeth W/ D. Cover & Seal (Long)	30 Spline, RSB cross- 48x135, Teeth L=16", Pipe dia 4" W/ D. Cover & Seal		MRY1320AAT P	4800	5280
36	Sliding Tube (30s, Long)	30 Spline, Pipe dia 4"/ 102mm, Tube L=10.5"		MST1327AA	3250	3575
37	Sliding Tube (30S. Long) - GLIDE COAT	30 Spline, Pipe dia 4"/ 102mm, Tube L=10.5", COATED		MST1327AA C	4050	4455

#### 14. TATA 4018 (Dumper) (SPICER Propshaft - 4", Spicer Patti cross-49.2x155 PATTI Ty.)

1	Gear Box Coupling Flange	18 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt, RSB cross- 42x129.4		MGC1601	1450	1595
2	Gear Box Coupling Flange	18 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt, RSB cross- 42x129.4, 3 Step - N/M		MGC1601A	1500	1650
3	Pinion Coupling Flange	26 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt, RSB cross- 42x129.4		MPC1603R	1450	1595
4	Pinion Coupling Flange	41 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt, RSB cross- 42x129.4		MPC1603	1800	1980
5	Pinion Coupling Flange	39 Spline, 8 hole, Plate dia 6.5"/ 165mm, 16mm bolt, RSB cross- 42x129.4		MPC1603A	1800	1980

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
6	Gear Box Coupling Flange	18 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MGC1601S	1450	1595
7	Center Brg. Coupling Flange	34 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated	SIL# 90-1-15	MCC1302S	1485	1635
8	Center Brg. Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MCC203AS	1750	1925
9	Pinion Coupling Flange	41 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MPC1603S	1950	2145
10	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, O/S 73mm, X-Serrated		MPC1603AS	1950	2145
11	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, O/S 76mm, X-Serrated		MPC1603AAS	1950	2145
12	Cross Holder (Round, 8 Hole)	Plate dia 6.5"/ 165mm, 8 hole, 16mm bolt, Spicer 5-280x cross- 49.2x155 PATTI Ty.	6-2-1259	MCH1604A	1925	2120
13	Cross Holder (4 hole, X-Serrated)	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, Spicer 5-280x cross- 49.2x155 PATTI Ty., X-Serrated	6_2_15	MCH1604AAS	2200	2420
14	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, Spicer 5-280x cross- 49.2x155 PATTI Ty.	6-28-347	MHY1608	1800	1980
15	Full Sleeve Yoke	16 Spline, Spicer 5-280x cross- 49.2x155 PATTI Ty., Yoke L=10"	6-3-2671 KX	MFY1606	3300	3630
16	Rear Teeth	16 Spline, Pipe dia 4"/102mm, Teeth L=9.5", Glide coate	6-40-541	MRT1607C	2600	2860
17	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=65mm (Brg. NO.: 6013), 3 step	INSKU100853	MFT210B	1650	1815
18	Front Teeth W/ Nut	Pipe 4"/ 102mm, 34 Spline, 2 step, Brg. Dia=55mm (Brg. No.: 88511/ 6211)	INSKU 100902	MFT1309AA	1450	1595

### 15. TATA 1613 Tipper - 6 Tyre O/M (1312 Shaft - 3"/ 76mm, 1312 cross- 46x69mm)

1	Gear Box Coupling	16 Spline, Plate dia 4.5"/ 120mm, 6 hole, GB-40		MGC117	560	620
2	Center Brg. Coupling Flange	26 Spline, 4.5"/ 120mm, 6 hole		MCC102	500	550
3	Pinion Coupling Flange	26 Spline, 4.5"/ 120mm, 6 hole		MPC103	550	605
4	Cross Holder	Plate dia 4.5"/ 120mm, 6 hole, 1312 cross- 46x67		MCH205A	1040	1145
5	Full Sleeve Yoke	16 Spline, 1312 cross- 46mm, Yoke L=10"		MFY207	1900	2090
6	Rear Teeth	16 Spline, Pipe dia 3.5"/ 90mm		MRT208	1500	1650
7	Rear Teeth (Glide Coate)	16 Spline, Pipe dia 3.5"/ 90mm, COATED		MRT208C	1875	2065
8	Stub Ball Half Yoke	Pipe dia 3"/76mm, 1312 cross- 46mm		MHY209A	1075	1185
9	Front Teeth W/ Nut	Pipe dia 3"/76mm, 26 Spline, Brg. Dia=55mm (Brg. No.: 88511/ 6211)		MFT210A	1320	1455

### 16. LEYLAND 370/ 350 (Bedford Type) - 3"/ 76mm for TRUCK & 3.5"/ 90mm for BUS

1	Gear Box Coupling Flange	6 Spline, Square base, 4 hole		MGC601	925	1020
2	Gear Box Coupling Flange	6 Spline, Plate dia 6"/ 150mm, 4 hole, Round		MGC601A	1050	1155
3	Center Brg. Coupling Flange	10 Spline, Square base, 4 hole		MCC602	840	925
4	Pinion Coupling Flange	10 Spline, Plate dia 6"/ 150mm, 4 hole, Round		MPC603	1060	1170
5	Cross Holder	Plate 6"/ 150mm, 4 hole, L/L 370 cross- 39.7x116		MCH604	950	1045

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
6	Full Sleeve Yoke	16 Spline, L/L 370 cross-39.7x116, Yoke L=8"		MFY606	1320	1455
7	Rear Teeth H/S - 3"/76mm	16 Spline, Pipe 3"/ 76mm, Half Spline, Teeth L=7"		MRT607A	920	1015
8	Rear Teeth F/S - 3"/76mm	16 Spline, Pipe dia 3"/ 76mm, Full Spline, Teeth L=7"		MRT607	930	1025
9	Rear Teeth H/S - 3.5"/90mm	16 Spline, Pipe 3.5"/ 90mm, Half Spline, Teeth L=7"		MRT608A	900	990
10	Rear Teeth F/S - 3.5"/90mm	16 Spline, Pipe 3.5"/ 90mm, Full Spline, Teeth L=7"		MRT608	970	1070
11	Rear Teeth F/S - 3"/76mm, Coated	16 Spline, Pipe dia 3"/ 76mm, Full Spline, Teeth L=7", Glide Coate		MRT607FC	1200	1320
12	Rear Teeth F/S - 3.5"/90mm, Coated	16 Spline, Pipe dia 3.5"/ 90mm, Full Spline, Teeth L=7", Glide Coate		MRT608FC	1230	1355
13	Sleeve Yoke + Teeth Set F/S - 3"/76mm	MP606 + MP607		MYT605	2250	2475
14	Sleeve Yoke + Teeth Set F/S - 3.5"/90mm	MP606 + MP608		MYT605A	2290	2520
15	Sleeve Yoke + Teeth Set F/S - 3"/76mm, Coated	MP606 + MP607FC		MYT605C	2520	2775
16	Sleeve Yoke + Teeth Set F/S - 3.5"/90mm, Coated	MP606 + MP608FC		MYT605AC	2550	2805
17	Front Teeth W/ Nut - 3"/76mm	10 Spline, Pipe dia 3"/ 76mm, Brd. Dia=46mm (Brg. No.: MSN-14)		MFT609	990	1090
18	Front Teeth W/ Nut - 3.5"/90mm	10 Spline, Pipe dia 3.5"/ 90mm, Brd. Dia=46mm (Brg. No.: MSN-14)		MFT610	1040	1145
19	Stub Ball Half Yoke - 3"/76mm	Pipe dia 3"/76mm, L/L 370 cross- 39.7x116		MHY611	960	1060
20	Stub Ball Half Yoke - 3.5"/90mm	Pipe dia 3.5"/ 90mm, L/L 370 cross- 39.7x116		MHY612	980	1080
21	Full Yoke Assy.	16 Spline, Plate 6", 4 hole, L/L 370 cross- 39.7x116		MFYA613	3095	3405
22	Half Yoke Assy. - 3"/ 76mm	Pipe dia 3"/ 76mm, L/L 370 cross- 39.7x116		MHYA614	2735	3010
23	Half Yoke Assy. - 3.5"/ 90mm	Pipe dia 3.5"/ 90mm, L/L 370 cross- 39.7x116		MHYA615	2755	3030

### 17. LEYLAND TUSKER (MSL Type) - 3"/ 76mm for TRUCK & 3.5"/ 90mm for BUS

1	Gear Box Coupling Flange	6 Spline, Square base, 4 hole		MGC601	925	1020
2	Gear Box Coupling Flange	6 Spline, Plate dia 6"/ 150mm, 4 hole, Round		MGC601A	1050	1155
3	Center Brg. Coupling Flange	10 Spline, Square base, 4 hole		MCC602	840	925
4	Pinion Coupling Flange	10 Spline, Plate dia 6"/ 150mm, 4 hole, Round		MPC603	1060	1170
5	Cross Holder	Square base, 4 hole, MSL Tusker cross- 34.92x126	INSKU 100060	MCH704	815	900
6	Full Sleeve Yoke	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=8"	4-3-1241 KX	MFY706	1320	1455
7	Rear Teeth H/S - 3"/76mm	16 Spline, Pipe 3"/ 76mm, Half Spline, Teeth L=7"		MRT607A	920	1015
8	Rear Teeth F/S - 3"/76mm	16 Spline, Pipe dia 3"/ 76mm, Full Spline, Teeth L=7"		MRT607	930	1025
9	Rear Teeth H/S - 3.5"/90mm	16 Spline, Pipe 3.5"/ 90mm, Half Spline, Teeth L=7"		MRT608A	900	990
10	Rear Teeth F/S - 3.5"/90mm	16 Spline, Pipe 3.5"/ 90mm, Full Spline, Teeth L=7"		MRT608	970	1070
11	Rear Teeth F/S - 3"/76mm, Coated	16 Spline, Pipe dia 3"/ 76mm, Full Spline, Teeth L=7", Glide Coate	4-40-761	MRT607FC	1200	1320
12	Rear Teeth F/S - 3.5"/90mm, Coated	16 Spline, Pipe dia 3.5"/ 90mm, Full Spline, Teeth L=7", Glide Coate		MRT608FC	1230	1355
13	Sleeve Yoke + Teeth Set F/S - 3"/76mm	MP706 + MP607		MYT705	2250	2475
14	Sleeve Yoke + Teeth Set F/S - 3.5"/90mm	MP706 + MP608		MYT705A	2290	2520
15	Sleeve Yoke + Teeth Set F/S - 3"/76mm, Coated	MP706 + MP607FC		MYT705C	2520	2775

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
16	Sleeve Yoke + Teeth Set F/S - 3.5"/90mm, Coated	MP706 + MP608FC		MYT705AC	2550	2805
17	Front Teeth W/ Nut - 3"/76mm	10 Spline, Pipe dia 3"/ 76mm, Brd. Dia=46mm (Brg. No.: MSN-14)		MFT609	990	1090
18	Front Teeth W/ Nut - 3.5"/90mm	10 Spline, Pipe dia 3.5"/ 90mm, Brd. Dia=46mm (Brg. No.: MSN-14)		MFT610	1040	1145
19	Stub Ball Half Yoke - 3"/76mm	Pipe dia 3"/76mm, MSL Tusker cross- 34.92x126		MHY711	920	1015
20	Stub Ball Half Yoke - 3.5"/90mm	Pipe dia 3.5"/ 90mm, MSL Tusker cross- 34.92x126		MHY712	980	1080
21	Full Yoke Assy.	16 Spline, Plate dia 6", 4 hole, MSL Tusker cross- 34.92x126		MFYA713	2960	3260
22	Half Yoke Assy. - 3"/ 76mm	Pipe dia 3"/ 76mm, MSL Tusker cross- 34.92x126		MHYA714	2560	2820
23	Half Yoke Assy. - 3.5"/ 90mm	Pipe dia 3.5"/ 90mm, MSL Tusker cross- 34.92x126		MHYA715	2620	2885

### 18. LEYLAND TAURUS 2516/ 3516/ T-11 O/M - 3.5"/ 90MM Propshaft

1	Gear Box Coupling Flange	6 Spline, Plate dia 7"/ 175mm, 8 hole		MGC801	1650	1815
2	Center Brg. Coupling Flange	16 Spline, Plate dia 7"/ 175mm, 8 hole		MCC802	1550	1705
3	G. B. Cplng Flange (RIG Ty.)	16 Spline, Plate dia 7"/ 175mm, 8 hole, Modified		GC802A	1525	1680
4	G. B. Cplng Flange (RIG Ty.)	10 Spline, Plate dia 7"/ 175mm, 8 hole, Modified		MGC813	1525	1680
5	Pinion Coupling Flange	39 Spline, Plate dia 7"/ 175mm, 8 hole, O/S 71.6		MPC803	1650	1815
6	Cross Holder (Lock Ty.)	Plate 7"/ 175mm, 8 hole, L/L Taurus cross- 47.8x155		MCH804	1515	1670
7	Full Sleeve Yoke (Lock Ty.)	16 Spl, L/L Taurus cross- 47.8x155, Yoke L=9", 63 Slip		MFY805	1800	1980
8	Rear Teeth H/S - 3.5"	16 Spl, Pipe 3.5"/ 90mm, Teeth L=8.5", Half Spline		MRT806A	1485	1635
9	Rear Teeth F/S - 3.5"	16 Spl, Pipe 3.5"/ 90mm, Teeth L=8.5", Full Spline		MRT806	1500	1650
10	Rear Teeth H/S - 3.5", Glide Coate	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=8.5", Half Spline, Coated		MRT806AC	1850	2035
11	Rear Teeth F/S - 3.5", Glide Coate	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=8.5", Full Spline, Coated		MRT806C	1875	2065
12	Sleeve Yoke & Teeth Set	MP805 + MP806		MYT807	3300	3630
13	Front Teeth W/ Nut - 3.5"	16 Spline, Pipe dia 3.5"/90mm, Brg. Dia=62mm		MFT808	1320	1455
14	Half Yoke (Lock Ty.)	Pipe dia 3.5"/ 90mm, L/L Taurus cross- 47.8x155		MHY809	1475	1625
15	Full Sleeve Yoke (Lock Ty.) - Long	16 Spline, L/L Taurus cross- 47.8x155, Yoke L=10.5", 110 Slip		MFY816	2300	2530
16	Rear Teeth - Long	16 Spl, Pipe 3.5"/ 90mm, Teeth L=10", Full Spline		MRT817	1750	1925
17	Full Yoke Assy.	16 Spline, Plate dia 7", 8 hole, Yoke L=9", 63 Slip		MFYA810	4615	5080
18	Half Yoke Assy.(Lock Ty.)	Pipe dia 3.5"/ 90mm, L/L Taurus cross- 47.8x155		MHYA811	4290	4720

### 19. LEYLAND 2516/ 3516/ 2214/ S. Tusker (SPICER - 4" Shaft, Spicer cross- 41.28x126)

1	Gear Box Coupling Flange	28 Spline, Plate dia 7"/ 175mm, 8 hole, ZF		MGC1301	1275	1405
2	Gear Box Coupling - Long	28 Spline, Plate dia 7"/ 175mm, 8 hole, ZF - Long		MGC1301A	1700	1870
3	Gear Box Coupling Flange - Long (X-Serrated)	28 Spline, Plate dia 6"/ 150mm, 4 hole, 12mm bolt, ZF - Long, X-Serrated		MGC1301B	1750	1925
4	Center Brg. Coupling Flange	34 Spline, Plate dia 7"/ 175mm, 8 hole, Round	SIL# 5-1-6501	MCC1302	1250	1375
5	Center Brg. Coupling Flange (X-Serrated)	34 Spline, Plate dia 6"/ 150mm, 4 hole, 12mm bolt, Long, X-Serrated	SIL# 90-1-15	MCC1302S	1485	1625
6	Pinion Coupling Flange	39 Spline, Plate dia 7"/ 175mm, 8 hole, O/S 71.6		MPC803	1650	1815

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
7	Pinion Coupling Flange	39 Spline, Plate dia 7"/ 175mm, 8 hole, O/S 76		MPC1303	1650	1815
8	Pinion Coupling Flange	41 Spline, Plate dia 7"/ 175mm, 8 hole, O/S 76		MPC1304	1650	1815
9	Cross Holder	Plate 7"/ 175mm, Spicer SPL90 cross- 41.28x126	90-2-19	MCH1204	1375	1515
10	Half Yoke	Pipe dia 4"/ 102mm, Spicer SPL90 cross- 41.28x126	90-28-27/ 90-28-17	MHY1308	1560	1720
11	Front Teeth W/ Nut (Brg.=55mm)	Pipe 4"/ 102mm, 34 Spline, 2 step, Brg. Dia=55mm (Brg. No.: 88511/ 6211)	INSKU 100902	MFT1309AA	1450	1595
12	Front Teeth W/ Nut (Brg.=45mm)	Pipe dia 4"/ 102mm, 34 Spline, Brg. Dia=45mm (Brg. No.: 88509/ 6209) - O/M	INSKU100551 / 90-53-31	MFT1309	1275	1405
13	Full Sleeve Yoke - 110 Slip	30 Spl, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty.	SIL# INSKU 100257	MFY1306	2050	2255
14	Full Sleeve Yoke - 110 Slip	16 Spl, Spicer cross- 41.28mm, Yoke L=10.5". MSL Ty.	SIL# 5016040	MFY1306A	2050	2255
15	Rear Teeth (Plain) - 110 Slip	30 Spline, Pipe dia = 4"/ 102mm, Full Spline, Teeth L=10", Spicer Ty.	SIL# INSKU 100276	MRT1307	1550	1705
16	Rear Teeth (Plain) - 110 Slip	16 Spline, Pipe dia = 4"/ 102mm, HALF Spline, Teeth L=10", MSL Ty.	SIL# 5016042	MRT1307A	1550	1705
17	Rear Teeth (Plain) - 110 Slip	16 Spline, Pipe dia = 4"/ 102mm, FULL Spline, Teeth L=10", MSL Ty.	SIL# 5016042	MRT1307AA	1575	1735
18	Rear Teeth (Glide Coat) - 110 Slip	30 Spline, Pipe dia = 4"/ 102mm, Full Spline, Teeth L=10", Spicer Ty., COATED	SIL# INSKU 100276	MRT1307C	1900	2090
19	Rear Teeth (Glide Coat) - 110 Slip	16 Spline, Pipe dia = 4"/ 102mm, HALF Spline, Teeth L=10", MSL Ty., COATED	SIL# 5016042	MRT1307AC	1900	2090
20	Rear Teeth (Glide Coat) - 110 Slip	16 Spline, Pipe dia = 4"/ 102mm, FULL Spline, Teeth L=10", MSL Ty., COATED	SIL# 5016042	MRT1307AAC	1950	2145
21	Full Yoke & Teeth Set - Thin S	30 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Full Spline	MP1306 + MP1307	MYT1305	3850	3960
22	Full Yoke & Teeth Set - Thin Spline, 110 Slip - Glide Coat	30 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Half Spline, Coated	MP1306 + MP1307C	MYT1305C	3950	4345
23	Full Sleeve Yoke & Teeth Set - Thick & Half Spline, 110 Slip	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Half & Thick Spline - MSL Ty.	MP1306A + MP1307A	MYT1305A	3600	3960
24	Full Sleeve Yoke & Teeth Set - Thick & Full Spline, 110 Slip	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Full & Thick Spline - MSL Ty.	MP1306A + MP1307AA	MYT1305AA	3625	3990
25	Full Sleeve Yoke & Teeth Set - Thick & Half Spline, 110 Slip - Glide Coat	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Half & Thick Spline - MSL Ty.	MP1306A + MP1307AC	MYT1305AC	3950	4345
26	Full Sleeve Yoke & Teeth Set - Thick & Full Spline, 110 Slip - Glide Coat	16 Spline, Spicer cross- 41.28mm, Yoke L=10.5". Spicer Ty., Pipe dia 4"/102mm, Full & Thick Spline - MSL Ty.	MP1306A + MP1307AAC	MYT1305AAC	4000	4400
27	Full Sleeve Yoke - Traylor, 63 Slip	30 Spline, Spicer cross- 41.28mm, Yoke L=9", Spicer Ty., 63 Slip	SIL# INSKU 100259	MFY1206	2000	2200
28	Full Sleeve Yoke - Traylor, 63 Slip	16 Spline, Spicer cross- 41.28mm, Yoke L=9", MSL Ty., 63 Slip		MFY1206A	2000	2200
29	Rear Teeth (Plain)-Traylor, 63 Slip	30 Spline, Pipe dia = 4"/ 102mm, Full Spline, Teeth L=8.5", Spicer Ty., 63 Slip		MRT1210	1525	1680
30	Rear Teeth (Plain) - Traylor, 63 Slip	16 Spline, Pipe dia = 4"/ 102mm, FULL Spline, Teeth L=8.5", MSL Ty., 63 Slip		MRT1210A	1525	1680
31	Rear Teeth (Glide Coat) - Traylor, 63 Slip	30 Spline, Pipe dia = 4"/ 102mm, HALF Spline, Teeth L=8.5", Spicer Ty., COATED, 63 Slip	SIL# INSKU 100147	MRT1210C	1875	2065
32	Rear Teeth (Glide Coat) - Traylor, 63 Slip	16 Spline, Pipe dia = 3.5"/ 90mm, HALF Spline, Teeth L=8.5", MSL Ty., COATED, 63 Slip		MRT1210AC	1900	2090
33	Sleeve Yoke & Teeth Set - Traylor, 63 Slip	30 Spline, Pipe dia = 4"/ 102mm, Full Spline, Teeth L=8.5", Spicer Ty., 63 Slip	MP1206 + MP1210	MYT1216	3525	3880

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
34	Sleeve Yoke & Teeth Set - Traylor, 63 Slip	16 Spline, Pipe dia = 4"/ 102mm, FULL Spline, Teeth L=8.5", MSL Ty., 63 Slip	MP1206A + MP1210A	MYT1216A	3525	3880
35	Sleeve Yoke & Teeth Set - Traylor, 63 Slip, GLIDE COAT	16 Spline, Pipe dia = 3.5"/ 90mm, HALF Spline, Teeth L=8.5", MSL Ty., COATED, 63 Slip	MP1206 + MP1210C	MYT1216C	3875	4265
36	Sleeve Yoke & Teeth Set - Traylor, 63 Slip, GLIDE COAT	16 Spline, Pipe dia = 3.5"/ 90mm, HALF Spline, Teeth L=8.5", MSL Ty., COATED, 63 Slip	MP1206A + MP1210AC	MYT1216AC	3900	4290
37	Full Yoke Assy. - Thin Spline	30 Spline, Plate dia 7", 8 hole, Spicer Cross-41.28x126, 110 Slip	MP1306 + MP1204 + MC1013	MFYA1311	4470	4920
38	Full Yoke Assy. - Thick Spline	16 Spline, Plate dia 7", 8 hole, Spicer Cross-41.28x126, 110 Slip	MP1306A + MP1204 + MC1013	MFYA1311A	4470	4920
39	Half Yoke Assy. - 4"	Pipe dia 4"/ 102mm, Spicer cross-41.28x126mm	MP1308 + MP1204 + MC1013	MHYA1312	3980	4360

**20. INTERAXLE SHAFT FOR TATA & LEYLAND (Double Diff. Vehicles)**  
**4"/102mm SPICER Shaft (1710 Series, Tusker cross- 34.92x126 & Spicer Cross- 41.28x126)**

1	Pinion Coupling Flange (1st Axle Output)	28 Spline, Square base, 4 hole		MPC1301AA	1275	1405
2	Pinion Coupling Flange (1st Axle Output)	34 Spline, Square base, 4 hole	SIL# 4-4-4101-1	MPC1302A	950	1045
3	Pinion Coupling Flange (1st Axle Output)	16 Spline, Square base, 4 hole		MPC1243	1300	1430
4	Pinion Coupling Flange (2nd Axle Input)	39 Spline, Square , 4 hole		MPC1303A	1100	1210
5	Pinion Coupling Flange (2nd Axle Input)	39 Spline, 4 hole, Plate dia 6"/ 150mm, Round, O/S 72mm	MERRITOR TYPE	MPC1303AA	1260	1390
6	Pinion Coupling Flange (2nd Axle Input)	39 Spline, 4 hole, Plate dia 6"/ 150mm, Round, O/S 76mm	SPICER TYPE	MPC1303B	1350	1485
7	Pinion Coupling Flange (2nd Axle Input)	39 Spline, 4 hole, Plate dia 6"/ 150mm, Round, O/S 76mm, TL=103mm	MERRITOR TYPE - N/M	MPC1303AB	1440	1585
8	Pinion Coupling Flange (1st Axle Input)	41 Spline, Square , 4 hole		MPC1304A	1120	1235
9	Flange Yoke Cross Holder - Long Eras	Square base, 4 hole, MSL Tusker cross-34.92x126, Long Ears	SIL# INSKU 100082	MPC1220	1125	1240
10	Flange Yoke Cross Holder - Long Eras	Square base, 4 hole, Spicer cross- 41.28x126, Long Ears		MCH1220A	1125	1240
11	Flange Yoke Cross Holder - X-Serrated	Plate dia 6"/150mm, 4 hole, Spicer cross-41.28x126, X-Serrated, Ear L=4"	90-2-15/ P4502232	MCH1242	1750	1925
12	Flange Yoke Cross Holder - X-Serrated, Long Ears	Plate dia 6"/150mm, 4 hole, Spicer cross-41.28x126, X-Serrated, Long Ears=5.25"		MCH1242A	1850	2035
13	Half Yoke	Pipe dia 4"/ 102mm, MSL Tusker cross- 34.92x126	INSKU 100963/ 975	MHY1308A	1560	1720
14	Half Yoke	Pipe dia 4"/ 102mm, Spicer cross- 41.28x126		MHY1308	1560	1720
15	Full Sleeve Yoke - Tusker cross	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=13", 160 Slip	SIL# 4-3-0110X	MFY1236	3300	3630
16	Rear Teeth, Glide Coat (Muff Can Ty.)	16 Spline, Pipe dia 4"/ 102mm, Teeth L=12", 160 Slip, Step Ty - MUFF CAN Ty W/ Oil Seal	INSKU 100650/100655	MRT1232MC	3250	3575
17	Sleeve Yoke & Teeth Set - Tusker cross, GLIDE COAT	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=13", Pipe dia 4", 160 Slip	MP1236 + MP1232MC	MYT1235C	6550	7205
18	F. Sleeve Yoke - Spicer cross	16 Spl, Spicer cross- 41.28x126, Yoke L=13", 160 Slip	SIL# 5013734-3	MFY1241	3350	3685
19	Sleeve Yoke & Teeth Set - Spicer cross, GLIDE CAOT	16 Spline, Spicer cross- 41.28x126, Yoke L=13", Pipe dia 4", 160 Slip	MP1241 + MP1232MC	MYT1240C	6600	7260

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
<b>21. LEYLAND 1613 Tipper (6 Tyre)/ LYNX Bus/ EICHER Jumbo (SPICER Ty. - 1500 Series) (3.5"/ 90mm Shaft, Tusker cross- 34.92x126mm)</b>						
1	Center Brg. Coupling Flange	10 Spline, Plate dia 6"/ 150mm, 4 hole	SIL# 4-1-5401 NA	MCC1703	1050	1155
2	Center Brg. Coupling Flange	34 Spline, Plate dia 6"/ 150mm, 4 hole	SIL# 5017838	MCC1703A	1050	1155
3	Pinion Coupling Flange	39 Spl, 4 hole, Plate 6"/ 150mm, Round, O/S 76mm		MPC1303AA	1260	1390
4	Cross Holder	Square base, 4 hole, MSL Tusker cross- 34.92x126	SIL# INSKU 100060	MCH704	815	900
5	Front Teeth W/ Nut	10 Spline, Pipe dia 3.5"/ 90mm, Brg. Dia=45mm (Brg. No.: 88509/ 6209)	SIL# INSKU 100557	MFT309	1025	1130
6	Front Teeth W/ Nut	34 Spline, Pipe dia 3.5"/ 90mm, Brg. Dia=50mm (Brg. No.: 6210)	SIL# 4-53-481	MFT309A	1450	1595
7	Half Yoke - 90mm	Pipe dia 3.5"/ 90mm, MSL Tusker cross- 34.92x126	SIL# 100060/ 4-28-307	MHY712	980	1080
8	Full Sleeve Yoke	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=9"	SIL# 4-3-2641X	MFY706A	1525	1680
9	Rear Teeth F/S - 3.5"/ 90mm	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=8.5"		MRT608AF	1240	1365
10	Rear Teeth F/S - 3.5"/ 90mm, Glide Coat	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=8.5", Coated	SIL# 4-40-1071	MRT608AFC	1550	1705
11	Sleeve Yoke & Teeth Set	16 Spl, MSL Tusker cross- 34.92x126, Yoke L=9", Pipe 3.5"	MP706A + MP608AF	MYT1705	2765	3045
12	S.Yoke & Teeth Set, Glide Coat	16 Spl, Tusker cross- 34.92x126, Yoke L=9", Pipe 3.5", Coated	MP706A + MP608AFC	MYT1705C	3075	3385

**22. AMW/ Mahindra NAVISTAR/ LEYLAND 3118 (12 Tryre)  
(4" Shaft, Plate dia 6"/ 150mm, Spicer 5-280X cross- 49.2x155 Patti Type)**

1	Gear Box Coupling Flange	18 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MGC1601S	1450	1595
2	Center Brg. Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MCC203AS	1750	1925
3	Center Brg. Coupling Flange (X-Serrated)	34 Spline, Plate dia 6"/ 150mm, 4 hole, 12mm bolt, Long, X-Serrated	SIL# 90-1-15	MCC1302S	1485	1635
4	Pinion Coupling Flange	41 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MPC1603S	1950	2145
5	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, O/S 73mm, X-Serrated		MPC1603AS	1950	2145
6	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, O/S 76mm, X-Serrated		MPC1603AAS	1950	2145
7	Cross Holder (4 hole, X- Serrated)	Plate dia 6"/ 150mm, 4 hole, 12mm bolt, Spicer 5-280x cross- 49.2x155 PATTI Ty., X-Serrated		MCH1604AAS	2200	2420
8	Cross Holder (4 hole, X- Serrated)	Plate dia 7"/ 178mm, 4 hole, 14mm bolt, Spicer 5-280x cross- 49.2x155 PATTI Ty., X-Serrated		MCH2504P	2420	2665
9	Stub Ball Half Yoke	Pipe dia 4"/ 102mm, Spicer 5-280x cross- 49.2x155 PATTI Ty.		MHY1608	1800	1980
10	Front Teeth W/ Nut	26 Spline, Pipe dia 4"/ 102mm, Brg. Dia=65mm (Brg. No.: 6013)	INSKU100853	MFT210B	1650	1815
11	Front Teeth W/ Nut (Brg.=55mm)	34 Spline, Pipe 4"/ 102mm, 2 step, Brg. Dia=55mm (Brg. No.: 88511/ 6211)	INSKU 100902	MFT1309AA	1450	1595
12	F. Sleeve Yoke - 4018 Long	16 Spline, Spicer 5-280x cross- 49.2x155 PATTI Ty., Yoke L=12.5"	6-3-2651 KX	MFY1906	3900	4290
13	Rear Teeth - 4018 Long, GLIDE COAT	16 Spline, Pipe dia 4"/102mm, Teeth L=11.5", Glide coat	6-40-521	MRT1232C	3000	3300

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

### 23. E-COMMET/ HINO Bus/ EICHER Galaxy (SPICER Type - 1550 Series)

1	Center Brg. Coupling Flange	10 Spline, Plate dia 6"/ 150mm, 4 hole	SIL# 4-1-5401 NA	MCC1703	1050	1155
2	Center Brg. Coupling Flange	34 Spline, Plate dia 6"/ 150mm, 4 hole	SIL# 5017838	MCC1703A	1050	1155
3	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, Round, O/S 76mm		MPC1303AA	1260	1390
4	Cross Holder	Square base, 4 hole, MSL Tusker cross-34.92x126	SIL# INSKU 100060	MCH704	815	900
5	Front Teeth W/ Nut	10 Spline, Pipe dia 3.5"/ 90mm, Brg. Dia=45mm (Brg. No.: 88509/ 6209)	SIL# INSKU 100557	MFT309	1025	1130
6	Front Teeth W/ Nut	34 Spline, Pipe dia 3.5"/ 90mm, Brg. Dia=50mm (Brg. No.: 6210)	SIL# 4-53-481	MFT309A	1450	1595
7	Half Yoke - 90mm	Pipe dia 3.5"/ 90mm, MSL Tusker cross-34.92x126	SIL# 100060/ 4-28-307	MHY712	980	1080
8	Full Sleeve Yoke	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=11.25"	SIL# 4-3-1431X	MFY706AA	1650	1815
9	Rear Teeth F/S - 3.5"/ 90mm	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=10"		MRT608AAF	1280	1410
10	Rear Teeth F/S - 3.5"/ 90mm, Glide Coate	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=9.5", Coated, Full Spline	SIL# 4-40-721	MRT608AAFC	1580	1740
11	Rear Teeth H/S - 3.5"/ 90mm, Glide Coate	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=9.5", Coated, Half Spline	SIL# 4-40-721	MRT608AAHC	1580	1740
12	Sleeve Yoke & Teeth Set	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=11.25", Pipe dia 3.5"	MP706AA + MP608AAF	MYT1705A	2930	3225
13	Sleeve Yoke & Teeth Set, Glide Coat	16 Spline, MSL Tusker cross- 34.92x126, Yoke L=11.25", Pipe dia 3.5", Coated	MP706AA + MP608AAFC	MYT1705AC	3230	3555
14	Full Sleeve Yoke (28 Spl.)	28 Spline, MSL Tusker cross- 34.92x126, Yoke L=11.25"		MFY1213	2000	2200
15	Rear Teeth F/S - 3.5"/ 90mm	28 Spline, Pipe dia 3.5"/ 90mm, Teeth L=10", Brg. Dia=45mm		MRT1708	1600	1760
16	Rear Teeth F/S - 3.5"/ 90mm, Glide Coate	28 Spline, Pipe dia 3.5"/ 90mm, Teeth L=10", Brg. Dia = 45mm, Coated		MRT1708C	1950	2145
17	Sleeve Yoke & Teeth Set, Glide Coat - 28 Spl.	28 Spline, MSL Tusker cross- 34.92x126, Yoke L=11.25", Pipe dia 3.5", Brg. Dia = 45mm, Coated	MP1213 + MP1708C	MYT1705AAC	3550	3905

### 24. TATA 407/ 407 Turbo (Telco cross- 30x82, 2.25" Shaft & 407 Turbo shaft)

(Jeep cross- 27x82, 2.5" Shaft, Telco 407 cross- 30x82, 2.25" Shaft, Canter cross- 30.17x106.5, 3" Shaft)

1	Coupling Flange (407 O/M)	16 Spline, 6 hole, Plate dia 4"/ 102mm, 407 O/M	2515 2620 0111	MGCC401	415	460
2	Coupling Flange (407 N/M)	16 Spline, 6 hole, Plate dia 4.25"/ 120mm, convert 407 to 1210		MCPC402	500	550
3	Cross Holder	Plate 4"/ 102mm, 6 hole, Telco 407 cross- 30x82mm	2651 4110 5102	MCH403	525	580
4	Full Sleeve Yoke	16 Spline, Telco 407 cross- 30x82mm, Yoke L=6"		MFY405	775	855
5	Rear Teeth	16 Spline, Pipe dia 2.25"/ 56mm, Teeth L=6"		MRT406	580	640
6	Rear Teeth, Glide Coate	16 Spline, Pipe dia 2.25"/ 56mm, Teeth L=6", Coated		MRT406C	780	860
7	Sleeve Yoke & Teeth	16 Spline, Telco 407 cross- 30x82mm, Yoke L=6", Pipe dia 2.25"/ 56mm	MP405 + MP406	MYT404	1355	1490
8	Sleeve Yoke & Teeth, Glide Coate	16 Spline, Telco 407 cross- 30x82mm, Yoke L=6", Pipe dia 2.25"/ 56mm, Coated	MP405 + MP406C	MYT404C	1555	1710
9	Full Sleeve Yoke (407 to 1210)	10 Spline, 1210 cross- 38x57mm, Yoke L=7", convert to 407 to 1210		MFY106	1210	1335
10	Rear Teeth (407 to 1210)	10 Spline, Pipe dia 2.25"/ 56mm, convert 407 to 1210		MRT406A	930	1025
11	Sleeve Yoke & Teeth (407 to 1210)	10 Spline, 1210 cross- 38x57mm, Yoke L=7", Pipe dia 2.25"/ 56mm, convert to 407 to 1210	MP106 + MP406A	MYT404A	2140	2355



S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
12	Rear Teeth (Turbo, 2.5", brg.)	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm		MRT406T	750	825
13	Rear Teeth (Turbo, 2.5", brg.), Glide Coate	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm, Coated	2-3-14551 X	MRT406TC	950	1045
14	Full Sleeve Yoke (Turbo, Jeep cross)	16 Spline, Jeep cross- 27x82, Yoke L=6"	INSKU 100025	MFY405T	840	925
15	Sleeve Yoke & Teeth (Turbo, Jeep cross, 2.5")	16 Spline, Jeep cross- 27x82, Yoke L=6", Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm	MP405T + MP406T	MYT404T	1590	1750
16	Sleeve Yoke & Teeth Set(Turbo, Jeep cross, 2.5") - Glide Coate	16 Spline, Jeep cross- 27x82, Yoke L=6", Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm, Coated	MP405T + MP406TC	MYT404TC	1790	1970
17	Rear Teeth (Turbo, 2.25", brg.)	16 Spline, Pipe dia 2.25"/ 56mm, Teeth L=8.5", Brg. Dia=35mm (fitment with MP405)		MRT406TT	835	920
18	Sleeve Yoke & Teeth Set (Turbo, Telco 407 cross, 2.25")	16 Spline, Pipe dia 2.25"/ 56mm, Teeth L=8.5", Brg. Dia=35mm (fitment with MP405)	MP405 + MP406TT	MYT404TT	1610	1775
19	Full Sleeve Yoke (Turbo - MSL Type, DCM cross)	16 Spline, DCM cross- 30x92.5, Yoke L=7", 407 Turbo MSL Type		MFY405A	925	1020
20	Rear Teeth (Turbo MSL Type, 3", brg.), Glide Coat	16 Spline, Pipe dia 3"/ 76mm, Teeth L=8", Brg. Dia=40mm, Coated (fittment with MP405A)		MRT406MC	1075	1185
21	Sleeve Yoke & Teeth (Turbo MSL Type, DCM cross, 3", Brg. 40mm)	16 Spline, DCM cross- 30-17x92.5, Yoke L=7", Pipe dia 3"/ 76mm, Teeth L=8", Brg. Dia=40mm	MP405A + MP406MC	MYT404MC	2000	2200
22	Full Sleeve Yoke (Canter)	16 Spline, Canter cross- 30.17x106.5, Yoke L=6"		MFY1406	950	1045
23	Rear Teeth (Turbo, 3", Brg.) - Glide Coate	16 Spline, Pipe dia 3"/ 76mm, Teeth L=9", Brg. Dia=40mm, Coated (fittment with MP1406)		MRT1407AC	1300	1430
24	Sleeve Yoke & Teeth Set (Canter Yoke, 3", Brg.)	16 Spline, Canter cross- 30.17x106.5, Yoke L=6", 16 Spline, Pipe dia 3"/ 76mm, Teeth L=9", Brg. Dia=40mm, Coated	MP1406 + MP1407AC	MYT1405AC	2250	2475
25	Full Sleeve Yoke (407 PICK UP)	16 Spline, JCB 3D cross- 34.92X106, Yoke L=8"		MFY1406B	1430	1575
26	Rear Teeth - 407 PICK UP	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=8" (Fitting MP1406B)		MRT1407AA	1000	1100
27	Rear Teeth - 407 PICK UP, Glide Coat	16 Spline, Pipe dia 3.5"/ 90mm, Teeth L=8" (Fitting MP1406B), Coated		MRT1407AAC	1200	1320
28	Sleeve Yoke & Teeth Set - 407 PICK UP	16 Spline, JCB 3D cross- 34.92X106mm, Pipe dia 3.5"/ 90mm, Teeth L=8"	MP1406B + MP1407AA	MYT1405AA	2430	2675
29	Sleeve Yoke & Teeth Set - 407 PICK UP, Glide Coat	16 Spline, JCB 3D cross- 34.92X106mm, Pipe dia 3.5"/ 90mm, Teeth L=8", Coated	MP1406B + MP1407AAC	MYT1405AAC	2630	2895
30	Cross Holder - 407 PICK UP, JCB 3D cross	Square Base, 4 hole, JCB 3D cross- 34.92x106mm		MCH1404A	725	800
31	Cross Holder - 407 TURBO, DCM cross	Plate Dia 4"/ 100mm, 6 hole, DCM cross- 30.17x92mm		MCH403A	700	770
32	Cross Holder (Turbo, Canter cross)	Plate dia 4.5"/ 120mm, 6 hole, Canter cross- 30.17x106.5		MCH104A	700	770
33	Half Yoke (Turbo, Canter cross)	Pipe dia 3"/ 76mm, Canter cross- 30.17x106.5mm		MHY1408	600	650
34	Half Yoke (407)	Pipe dia 2.25"/ 56mm, Telco 407 cross- 30x82mm		MHY407	525	580
35	Half Yoke (convert 407 to 1210)	Pipe dia 2.25"/ 56mm, 1210 cross- 38x57mm		MHY407A	700	770
36	Front Teeth W/ Nut (407)	16 Spline, Pipe dia 2.25"/ 56mm, Br. Dia=35mm		MFT408	740	815
37	Full Yoke Assy. (407)	16 Spline, Pipe dia 2.25", Plate dia 4", 6 hole, Telco 407 cross- 30x82	2651 4110 0125	MFYA409	1760	1940
38	Half Yoke Assy. (407)	Pipe dia 2.25", Plate dia 4", 6 hole, Telco 407 cross- 30x82mm		MHYA410	1510	1665

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

### 25. TATA SUMO/ SUMO Dlx/ 207 DI (Teco Type & Spicer Type)

1	Gear Coupling Flange (Patti Ty.)	26 Spline, Spicer Ty., Patti Type		MGC501	715	790
2	Center Brg. Coupling Flange (Patti Ty.)	16 Spline, Spicer Patti Type		MCC502	640	705
3	Pinion Coupling Flange (Patti Ty.)	26 Spline, Spicer Ty., Patti Type		MPC503	650	715
4	Rear Teeth (Turbo, 2.5", brg.)	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm		MRT406T	750	825
5	Rear Teeth (Turbo, 2.5", brg.), Glide Coate	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm, Coated		MRT406TC	950	1045
6	Full Sleeve Yoke (Turbo, Jeep cross)	16 Spline, Jeep cross- 27x82, Yoke L=6"		MFY405T	840	925
7	Sleeve Yoke & Teeth (Turbo, Jeep cross, 2.5")	16 Spline, Jeep cross- 27x82, Yoke L=6", Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm	MP405T + MP406T	MYT404T	1590	1750
8	Sleeve Yoke & Teeth Set (Turbo, Jeep cross, 2.5") - Glide Coate	16 Spline, Jeep cross- 27x82, Yoke L=6", Pipe dia 2.5"/ 62mm, Teeth L=7.5", Brg. Dia=35mm, Coated	MP405T + MP406TC	MYT404TC	1790	1970
9	Half Yoke (Spicer Ty.)	Pipe dia 2.5"/ 62mm, Jeep Cross-27x82mm		MHY909	500	550

### 26. JEEP Diesel (6", 7", Max Pick-Up, Marshall, Scorpio)

1	Gear Box Coupling Flange	10 Spline, Plate dia 3.75"/ 94mm, 4 hole		MGC902	440	485
2	Pinion Coupling Flange	10 Spline, Spicer Patti Type		MPC903	575	635
3	Pinion Coupling Flange (Max Pick -Up, Bolero)	26 Spline, Spicer Patti Type		MPC903A/ 503	650	715
4	Cross Holder (Marshall)	Plate dia 3.75"/ 95mm, 4 hole, Jeep cross- 27x82mm		MCH905	485	535
5	Cross Holder (Max Pick -Up, Bolero)	Square base, 4 hole, Jeep cross- 27x82mm		MCH905A	510	565
6	Full Sleeve Yoke (Scorpio)	16 Spline, Jeep cross- 27x82mm, Yoke L=6", H/Duty		MFY906	840	925
7	Full Sleeve Yoke	16 Spline, Jeep cross- 27x82mm, Yoke L=6"		MFY907	740	815
8	Rear Teeth (6")	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=6"		MRT908	540	595
9	Rear Teeth (7")	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=7"		MRT908A	570	630
10	Rear Teeth (Max Pick-Up)	16 Spline, Pipe dia 3"/ 76mm, Teeth L=7"		MRT914	585	645
11	Rear Teeth (6") - Glide Coate	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=6", Coated		MRT908C	740	815
12	Rear Teeth (7") - Glide Coate	16 Spline, Pipe dia 2.5"/ 62mm, Teeth L=7", Coated		MRT908AC	770	850
13	Rear Teeth (Max Pick-Up) - Glide Coate	16 Spline, Pipe dia 3"/ 76mm, Teeth L=7", Coated		MRT914C	785	865
14	Sleeve Yoke & Teeth Set (6")	16 Spline, Jeep cross- 27x82mm, Pipe dia 2.5"/ 62mm, Teeth L=6"	MP907 + MP908	MYT904	1280	1410
15	Sleeve Yoke & Teeth Set (7")	16 Spline, Jeep cross- 27x82mm, Pipe dia 2.5"/ 62mm, Teeth L=7"	MP907 + MP908A	MYT904A	1310	1445
16	Sleeve Yoke & Teeth Set (Max Pick-Up)	16 Spline, Jeep cross- 27x82mm, Pipe dia 3"/ 76mm, Teeth L=7"	MP907 + MP914	MYT912	1325	1460
17	Sleeve Yoke & Teeth Set (6") - Glide Coate	16 Spline, Jeep cross- 27x82mm, Pipe dia 2.5"/ 62mm, Teeth L=6", Coated	MP907 + MP908C	MYT904C	1480	1630
18	Sleeve Yoke & Teeth Set (7") - Glide Coate	16 Spline, Jeep cross- 27x82mm, Pipe dia 2.5"/ 62mm, Teeth L=7", Coated	MP907 + MP908AC	MYT904AC	1510	1665
19	Sleeve Yoke & Teeth Set (Max Pick-Up) - Glide Coate	16 Spline, Jeep cross- 27x82mm, Pipe dia 3"/ 76mm, Teeth L=7", Coated	MP907 + MP914C	MYT912C	1525	1680

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
20	Sleeve Yoke & Teeth Set (Mah. Scorpio) - Glide Coat	16 Spline, Jeep cross- 27x82mm, Pipe dia 3"/ 76mm, Teeth L=7", Coated	MP906 + MP914C	MYT913C	1625	1790
21	Half Yoke (2.5")	Pipe dia 2.5"/ 62mm, Jeep cross- 27x82		MHY909	500	550
22	Half Yoke (3")	Pipe dia 3"/ 76mm, Jeep cross- 27x82		MHY909A	540	595
23	Full Yoke Assy. (Round base)	16 Spline, Round base, 4 hole, Jeep cross- 27x82mm		MFYA910	1610	1775
24	Full Yoke Assy. (Square base)	16 Spline, Square base, 4 hole, Jeep cross- 27x82mm		MFYA910A	1635	1800
25	Half Yoke Assy. (2.5")	Pipe dia 2.5"/ 62mm, Jeep cross- 27x82		MHYA911	1370	1510
26	Half Yoke Assy. (3")	Pipe dia 3"/ 76mm, Jeep cross- 27x82		MHYA911A	1435	1580

### 27. EICHER CANTER (3" / 76mm Shaft, Canter cross- 30.17x106.5mm)

1	Gear Coupling Flange	18 Spl., 4 Hole, Square Base, TL=103mm		MGC1401	970	1070
2	Center Coupling Flange	10 Spl., Square base, 4 hole, 13mm bolt		MCC1402	800	880
2	Center Coupling Flange	10 Spl., Round base, 4 hole, 13mm bolt		MCC1402A	800	880
3	Pinion Coupling Flange	14 Spl, Square base, 4 hole, 13mm bolt		MPC1403	800	880
4	Pinion Coupling Flange	14 Spl, Round base, 4 hole, 13mm bolt		MPC1403A	900	990
5	Pinion Coupling Flange	18 Spl., Round base, 4 hole		MPC1403AA	990	1090
6	Full Sleeve Yoke - Canter	16 Spline, Canter cross- 30.17x106.5mm	3-3-118KX	MFY1406	950	1045
7	Rear Teeth - Canter	16 Spline, Pipe dia 3"/ 76mm, Teeth L=6"		MRT1407	625	690
8	Rear Teeth - Canter ,Glide Coat	16 Spline, Pipe dia 3"/ 76mm, Teeth L=6", Coated		MRT1407C	825	910
9	Sleeve Yoke & Teeth Set - Canter	16 Spline, Canter cross- 30.17x106.5mm, Pipe dia 3"/ 76mm, Teeth L=6"	MP1406 + MP1407	MYT1405	1575	1735
10	Sleeve Yoke & Teeth Set - Canter, Glide Coat	16 Spline, Canter cross- 30.17x106.5mm, Pipe dia 3"/ 76mm, Teeth L=6", Coated	MP1406 + MP1407C	MYT1405C	1775	1955
11	Full Sleeve Yoke - Canter LONG	16 Spline, Canter cross- 30.17x106.5mm, Yoke L=8.5"		MFY1406A	1010	1115
12	Rear Teeth - Canter LONG	16 Spline, Pipe dia 3"/ 76mm, Teeth L=8"		MRT1407A	715	790
13	Sleeve Yoke & Teeth Set - Canter LONG	16 Spline, Canter cross- 30.17x106.5mm, Pipe dia 3"/ 76mm, Teeth L=8"	MP1406A + MP1407A	MYT1405A	1725	1900
14	Cross Holder	Plate dia 4.5", 6 hile, Canter cross- 30.17x106.5mm		MCH1404	605	665
15	Half Yoke	Pipe dia 3"/ 76mm, Canter cross- 30.17x106.5mm	3-28-267	MHY1408	605	665
16	Front Teeth W/ Nut	10 Spl, Pipe Dia 3"		MFT1409	975	1075

### 28. TATA 809/ 909/ 1109/ 407 Turbo/ 407 Tipper (3" Shaft, Canter cross-30.17x106.5mm, Brg. Dia=40mm)

1	Gear Box Coupling (GB-40)	16 Spline, Plate dia 4.5"/ 120mm, 6 hole		MGC117	560	620
2	Center Brg. Coupling Flange	14 Spline, 4.5"/ 120mm, 6 hole		MCC102	500	550
3	Pinion Coupling Flange	26 Spline, 4.5"/ 120mm, 6 hole		MPC103	550	605
4	Full Sleeve Yoke (Canter)	16 Spline, Canter cross- 30.17x106.5, Yoke L=6"	3-3-118 KX	MFY1406	950	1045
5	Rear Teeth (Turbo, 3", Brg.) - Glide Coat	16 Spline, Pipe dia 3"/ 76mm, Teeth L=9", Brg. Dia=40mm, Coated, Fitting with MP1406	INSKU 100214	MRT1407AC	1300	1430
6	Sleeve Yoke & Teeth Set (Canter Yoke, 3", Brg.) - GLIDE COAT	16 Spline, Canter cross- 30.17x106.5, Yoke L=6", 16 Spline, Pipe dia 3"/ 76mm, Teeth L=9", Brg. Dia=40mm, Coated (Fiting with MP1406)	MP1406 + MP1407AC	MYT1405AC	2250	2475
7	Cross Holder (Turbo, Canter cross)	Plate dia 4.5"/ 120mm, 6 hole, Canter cross- 30.17x106.5		MCH104A	700	770
	Front Teeth W/ Nut	Pipe dia 3"/72mm, 16 Spline		MFT116	960	1060
8	Half Yoke (Turbo, Canter cross)	Pipe dia 3"/ 76mm, Canter cross- 30.17x106.5mm	3-28-267	MHY1408	605	665

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

**29. TATA 1109 EX (BS III)/ TATA StarBus - Marcopolo/ Mah. Tourister (35 & 45 seater)  
(3.5" Shaft, MSL Tusker cross - 34.92x126mm, Brg. Dia=45mm)**

1	Gear Box Coupling Flange	16 Spline, 5"/ 130mm, 8 hole		MGC201	650	715
2	Center Brg. Coupling Flange	26 Spline, 5"/ 130mm, 8 hole, TL=72mm		MCC203	860	950
3	Pinion Coupling Flange	26 Spline, 5"/ 130mm, 8 hole		MPC204	625	690
4	Cross Holder	Plate dia 5"/ 130mm, 8 hole, MSL Tusker cross- 34.92x126mm		MCH704A	1160	1280
5	Full Sleeve Yoke	27 Spl, MSL Tusker cross- 34.92x126mm, Yoke L=7.5"	5015802	MFY2306	1380	1520
6	Rear Teeth	27 Spline, Pipe 3.5"/ 90mm, Teeth L=9", Brg. Dia=45mm	5015803	MRT2307C	1375	1515
7	Sleeve Yoke & Teeth Set	27 Spline, MSL Tusker cross- 34.92x126mm, Yoke L=7.5", Pipe 3.5"/ 90mm, Teeth L=9", Brg. Dia=45mm	MP2306 + MP2307C	MYT2305C	2755	3030
8	Stub Ball Half Yoke - 3.5"	Pipe dia 3.5"/ 90mm, MSL Tusker cross- 34.92x126		MHY712	980	1080
9	Front Teeth W/ Nut	Pipe dia 3.5"/90mm, 26 Spline		MFT210	1320	1455

**30. TATA 1109 TURBO E-Comet Cargo - Pipe Dia 3"/ 76mm, MSL Tusker cross- 34.92x126mm**

1	Cross Holder	Plate dia 4.5"/ 120mm, 6 Hole, MSL Tusker cross- 34.92x126mm	1210 Plate, 6 Hole, MSL Tusker cross	MCH704C	1150	1265
2	Cross Holder	Plate dia 4.5"/ 120mm, 4 Hole, Cut Type - X-Serrated, MSL Tusker cross- 34.92x126mm	4.5" Plate, 4 Hole, Cut Type, MSL Tusker cross	MCH704S	1250	1375
3	Full Yoke	16 Spline, MSL Tusker cross- 34.92x126mm, Yoke L=7.5" (Teeth Fitting MP1407AC)	Tata 1109 - Tusker cross	MFY706B	1400	1540
4	Full Yoke & Teeth Set	16 spl., Pipe Dia 3"/ 76mm, MSL Tusker cross- 34.92x126, Yoke L=7.5", Teeth L=9", Brg. Dia=40mm, coated (MP706B + MP1407AC)	MP706B + MP1407AC	MYT1405BC	2700	2970
5	Half Yoke - 3"/76mm	Pipe dia 3"/76mm, MSL Tusker cross- 34.92x126		MHY711	920	1015

**31. TATA 709/809 (Pipe dia 2.5"/ 62mm 1210 cross - 38mm, 22 spline, Brg. Dia 50mm)**

1	Cross Holder	Plate dia 4.5", 6 hole, 1210 cross - 38mm		MCH104	650	715
2	Full Sleeve Yoke	22 spline, 1210 cross - 38mm		MFY106A	1300	1430
3	Rear Teeth	Pipe dia 2.5", 22 teeth, Brg Dia=50mm		MRT107A	1180	1300
4	Rear Teeth (Glide Coat)	Pipe dia 2.5", 22 teeth, Brg Dia=50mm, Coated		MRT107AC	1400	1540
5	Yoke & Teeth set (Plain)	22 spline, 1210 cross - 38mm, Pipe dia 2.5", Brg. Dia=50mm		MYT105A	2480	2730
6	Yoke & Teeth (Glide Coat)	22 spline, 1210 cross - 38mm, Pipe dia 2.5", Brg. Dia=50mm		MYT105AC	2700	2970

**32. TATA ACE O/M (INNER LOCK TYPE)**

1	Cross Holder (Inner Lock Ty.)	Square base, 4 hole, Ace O/M cross- 23.84x35.2mm	10/2/2029	MP1503	375	415
2	Half Yoke (Inner Lock Ty.)	Pipe 1.75"/ 45mm, Ace O/M cross- 23.84x35.2mm	10/28/2017	MP1504	375	415
3	Pinion Coupling Flange	Round base, 4 hole, 20 Spline		MP1505	585	645
4	Full Sleeve Yoke (Inner Lock)	20 Spline, Ace O/M cross- 23.84x35.2mm	INSKU 100743	MP1506	625	690

**33. TATA ACE Magic/ H.T (N/M - Outer Lock Type)**

1	Cross Holder (Outter Lock Ty)	Square base, 4 hole, Ace Magic N/M cross- 22x55mm	5010501	MCH1503A	375	415
2	Half Yoke (Outter Lock Ty.)	Pipe 1.75"/ 45mm, Ace Magic N/M cross- 22x55mm	5010499/ 5016513	MHY1504A	375	415
3	Pinion Coupling Flange	Round base, 4 hole, 20 Spline		MPC1505A	585	645
4	Full Sleeve Yoke (Outter Lock)	20 Spline, Ace Magic N/M cross- 22x55mm	7001158	MFY1506A	625	690

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

**34. TATA SUPER ACE**

1	Cross Holder (Outter Lock Ty)	Square base, 4 hole, Jeep cross- 27x82mm		MCH1503AA	580	640
2	Half Yoke (Outter Lock Ty.)	Pipe 1.75"/ 45mm, Jeep cross- 27x82mm		MHY1504AA	580	640
3	Pinion Coupling Flange	Round base, 4 hole, 20 Spline		MPC1505AA	625	690
4	Full Sleeve Yoke (Outter Lock)	20 Spline, Jeep cross- 27x82mm		MFY1506AA	935	1030

**35. LEYLAND DOST**

1	Cross Holder (Outter Lock Ty)	Square base, 4 hole, Jeep cross- 27x82mm		MCH905	485	535
2	Cross Holder (Outter Lock Ty)	Round base, 4 hole, Jeep cross- 27x82mm		MCH2903	580	640
3	Half Yoke (Outter Lock Ty.)	Pipe 2.25"/ 54mm, Jeep cross- 27x82mm		MHY2904	550	605
4	Pinion Coupling Flange	Round base, 4 hole, 20 Spline		MPC2905	660	730
5	Full Sleeve Yoke (Outter Lock)	20 Spline, Jeep cross- 27x82mm		MFY2906	740	815

**36. Mahindra MAXIMO**

1	Cross Holder (Outter Lock Ty)	Square base, 4 hole, Jeep cross- 27x82mm		MCH2803	560	620
2	Half Yoke (Outter Lock Ty.)	Pipe 1.75"/ 45mm, Jeep cross- 27x82mm		MHY2804	500	550
3	Pinion Coupling Flange	Round base, 4 hole, 20 Spline		MPC2805	575	635
4	Full Sleeve Yoke (Outter Lock)	20 Spline, Jeep cross- 27x82mm		MFY2806	700	770

**37. AMBASSADOR**

1	Cross Holder	Plate 87mm, 4 hole, cross amb. - 23.83x61.4		MCH1804	340	375
2	Full Sleeve Yoke	16 Spline, cross amb.- 23.83x61.4		MFY1806	480	530
3	Rear Teeth	16 Teeth		MRT1807	385	425
4	Half Yoke	cross amb.- 23.83x61.4		MHY1808	360	400
6	Full Yoke Assy.	16 spl, Plate dia 87mm, 4 hole		MFYA1809	1150	1265
7	Half Yoke Assy.	cross amb.- 23.83x61.4		MHYA1810	1030	1135

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
<b>38. U. J. CROSS FOR TATA/ LEYLAND/ JEEP DIESEL/ EICHER CANTER/ 407 TURBO/ SPICER &amp; RSB Type</b>						
1	UJC for 1210/ SE	38X56.8 mm (Inner Lock Type)		MC1022	660	730
2	UJC for 1312/ 1612/ 2515	46.04X69 MM (Inner Lock Type)		MC1023	1020	1125
3	UJC for Spicer SPL90	41.28x126 mm (Outter Lock Type)		MC1013	1045	1150
4	UJC for Tusker MSL Type	34.94x126 mm (Outter Lock Type)		MC1021	825	910
5	UJC for Leyland 370/Bedford	39.67x116 mm (Outter Lock)		MC1020	825	910
6	UJC for 2516/ 1616 (RSB)	42x119.8mm (Outter Lock Type) - Single Roller		MC1030	1075	1185
7	UJC for 2518 (RSB)	42x129.4 mm (Outter Lock Type) - Single Roller		MC1026	1155	1270
8	UJC for TATA 4018(Lock-RSB)	48x135 mm (Outter Lock Type) - Singlr Roller		MC1031	1595	1755
9	TATA 4018 (Spicer Patti Ty.)	49.2x155 (Patti Type) - Single Roller		MC1032P	2115	2330
10	UJC for Sumo - SPICER Ty.	27x82 mm (Patti Bolt Type)		MC1018P	440	485
11	UJC for 407 Telco Type	30x82 mm (Spicer Type)		MC1005	460	510
12	UJC for Jeep Diesel	27x82 mm (MSL Design)		MC1018	385	425
13	UJC for Eicher Canter	30.17x106.5		MC1025	560	620
14	UJC for 407 Turbo	30.17x92 mm (Outter Lock Type)		MC1029	550	605
15	UJC for L/L Taurus O/M	47.8x155 (Outter Lock Type)		MC1015	1300	1430
16	UJC for Ambassador	23.83x61.4 mm (Outter Lock Type)		MC1019	330	365
17	UJC for TATA Ace O/M	23.84x35.2 mm (Inner Lock Type)		MC1027	330	365
18	UJC for TATA Ace Magic/ HT	22.03x55 mm (Outter Lock Type)		MC1028	330	365
19	UJC for Minidor	30x82 mm (Spicer Type - Outside Lock Type)		MC1024	360	400
20	UJC for 410 EX/ JCB 3D	34.92x106.5 mm (Outside Lock Type)		MC1033	680	750
21	UJC for AMW	AMW cross- 57x144mm		MC1034	2500	2750
22	UJC for Jamela Assy.	Jamela Assy. U. J. Cross - 18x44.5mm		MC1035	230	255
23	UJC for AMW	AMW cross- 57x152mm		MC1036	2600	2860
24	AMW/ TATA PRIMA			MC1037	2000	2200
25	AMW/ TATA PRIMA			MC1038	2300	2530

**39. STEERING YOKE & TEETH - GLIDE COAT**

1	Steering Yoke & Teeth	Tata Sumo - 8" Long, Coated		MSYT2111C	1180	1300
2	Steering Yoke & Teeth	Tata 207 DI - 15" Long, Coated		MSYT2112C	1840	2025
3	Steering Yoke & Teeth	Tata 407 - 17.5" Long, Coated		MSYT2113C	1330	1465
4	Steering Yoke & Teeth	Tata 407 Turbo - Heavy Duty - 17.5" Long, Coated		MSYT2113AC	1550	1705
5	Steering Yoke & Teeth	Tata 609 - 16" Long, Coated		MSYT2114C	1330	1465
6	Steering Yoke & Teeth	Tata 709 LP - 16" Long, Coated		MSYT2115C	1840	2025
7	Steering Yoke & Teeth	Tata 1109 - 15.75" Long, Coated		MSYT2116C	1900	2090
8	Steering Yoke & Teeth	Tata 3015 TC - 15.5" Long, Coated		MSYT2117C	2100	2310
9	Steering Yoke & Teeth	Tata 1613 SFC/ 1613 EX - 17.5" Long, Coated		MSYT2118C	2100	2310
10	Steering Yoke & Teeth	Tata 2515 Rane Power Steering - 19.5" Long, Coated		MSYT2119C	2100	2310
11	Steering Yoke & Teeth	Tata 2515 ZF Power Steering - 18.75" Long, Coated		MSYT2120C	2100	2310
12	Steering Yoke & Teeth	Tata 4018, Coated		MSYT2121C	2100	2310
13	Steering Yoke & Teeth	Tata 410/ 909, Coated		MSYT2122C	1380	1520
14	Steering Yoke & Teeth	Tata 1109 Big, Coated		MSYT2123C	1900	2090
15	Steering Yoke & Teeth	Tata 1613 LPT , Coated		MSYT2124C	1840	2025
16	Steering Yoke & Teeth	Tata 712, Coated		MSYT2125C	1290	1420
17	Steering Yoke & Teeth	Tata 407 City Ride, Coated		MSYT2126C	1290	1420
18	Steering Yoke & Teeth	TATA 909 - 18.5"		MSYT2127C	1575	1735

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	---------------	----------------	-----------

**40. STEERING PITMAN ARM**

1	Steering Pitman Arm	Tata 1210 Truck		MSPA2006	990	1090
2	Steering Pitman Arm	Tata 1210 Bus		MSPA2007	990	1090
3	Steering Pitman Arm	Tata SE Truck	2574 4630 6001	MSPA2014	715	790
4	Steering Pitman Arm	Tata SE - LPS Bus	2574 4631 6002	MSPA2015	750	825
5	Steering Pitman Arm	Tata 1109 - Manual Steering		MSPA3201	890	980
6	Steering Pitman Arm	Tata 1109 - Power Steering		MSPA3202	890	980
7	Steering Pitman Arm	Tata 1613 LP		MSPA3203	900	990
8	Steering Pitman Arm	Tata 1613 SFC		MSPA3204	815	900
9	Steering Pitman Arm	Tata 407 - Truck		MSPA2030	600	660
10	Steering Pitman Arm	Tata 207 W/ Bush		MSPA3205	590	650
11	Steering Pitman Arm	Tata SUMO - Spline Bore		MSPA3206	530	585
12	Steering Pitman Arm	Tata SUMO - Spacio Big		MSPA3207	880	970
13	Steering Pitman Arm	Tata SUMO - W/ Bush Small		MSPA3208	590	650
14	Steering Pitman Arm	Tata 2416 Truck - 12"		MSPA3209	1050	1155
15	Steering Pitman Arm	Tata 2516 - Rane Power Steering 10.5"		MSPA3211	975	1075
16	Steering Pitman Arm	Tata 2416 ZF - 12"		MSPA3214	1050	1155
17	Steering Pitman Arm	Tata 1613 Big - 12"		MSPA3215	1080	1190
18	Steering Straight Arm	STRIGHT ARM - TATA 3118 - RIGHT	RIGHT	MSSA3216	1980	2180
19	Steering Straight Arm	STRIGHT ARM - TATA 3118 - LEFT	LEFT	MSSA3217	1980	2180

**41. CLUTCH FORK**

1	Clutch Fork	Tata 1210 O/M		MCF2048	525	580
2	Clutch Fork	Tata 1210 SE O/M - GB 30 - Long		MCF2049	525	580
3	Clutch Fork	Tata GB 40		MCF2049A	525	580
4	Clutch Fork	Tata 1312 O/M		MCF2050	525	580
5	Clutch Fork	Tata 1312 N/M		MCF2051	525	580
6	Clutch Fork	Tata 1510/1516		MCF2051A	525	580
7	Clutch Fork	Tata 407		MCF2052	525	580
8	Clutch Fork	Leyland W/ Bush		MCF2054	1050	1155
9	Clutch Fork	Leyland W/ Bush - Thread Type - HINO TYPE	HINO	MCF2054A	1050	1155
10	Clutch Fork	Tata 2515 EX (Cut Type/ C-Type)		MCF2056	925	1020
11	Clutch Fork	Tata 1613 TC - Small		MCF2057	615	680
12	Clutch Fork	Tata 1613 TC - Big		MCF2058	615	680
13	Clutch Fork	TATA GB-75		MCF2070	1200	1320

**42. STEERING JOINT CROSS ASSY. - TATA/ LEYLAND/ EICHER / JEEP MAHINDRA**

1	Steering Jt. Cross Assy.	Tata 1210 O/M	321 460 0157	MSCA2003	1210	1335
2	Steering Jt. Cross Assy.	Tata 1312/ SE	321 460 0157	MSCA2011	760	840
3	Steering Jt. Cross Assy.	Tata 1613 Turbo - one side thin & other thick spl		MSCA2012	780	860
4	Steering Jt. Cross Assy.	Tata 2515/ 2516 - Rane Power Steering		MSCA2020	780	860
5	Steering Jt. Cross Assy.	Tata 2515/ 2516 - ZF Steering		MSCA2055A	780	860
6	Steering Jt. Cross Assy.	Tata 709 LPT		MSCA2055B	650	715
7	Steering Jt. Cross Assy.	Tata 1109		MSCA2057	550	605
8	Steering Jt. Cross Assy.	Tata 407		MSCA2027	550	605
9	Steering Jt. Cross Assy.	Tata SUMO		MSCA2041	560	620
10	Steering Jt. Cross Assy.	Tata SUMO - Victa		MSCA2041A	1050	1155

S.No	Description	Specification	OE Part No.	MOOVEL P. No.	List Price Rs.	M.R.P Rs.
11	Steering Jt. Cross Assy.	Tata 207 DI RX		MSCA2085	575	635
12	Steering Jt. Cross Assy.	Tata 4018		MSCA2086A	660	730
13	Steering Jt. Cross Assy.	Leyland 2516/ 3516 - Thick Spline		MSCA2045	880	970
14	Steering Jt. Cross Assy.	Leyland 2516/ 3516 - Thin Spline		MSCA2045A	880	970
15	Steering Jt. Cross Assy.	Leyland 3516 Long		MSCA2055	925	1020
16	Steering Jt. Cross Assy.	Leyland ZF Steering		MSCA2055A	770	860
17	Steering Jt. Cross Assy.	Leyland ZF Power Steering		MSCA2055B	650	715
18	Steering Jt. Cross Assy.	Tempo Trax		MSCA2058	550	605
19	Steering Jt. Cross Assy.	Tata ACE		MSCA2059	550	605
20	Steering Jt. Cross Assy.	Tata ACE with Rod - Old Model		MSCA2059A	880	960
21	Steering Jt. Cross Assy.	Tata ACE with Rod - Magic		MSCA2059A	925	1020
22	Steering Jt. Cross Assy.	Jeep Mahindra - Marshall Big		MSCA2082A	550	605
23	Steering Jt. Cross Assy.	Jeep Mahindra - Commander Small		MSCA2083	550	605
24	Steering Jt. Cross Assy.	Jeep mahindra - Bolero Upper Patti Type		MSCA2080U	600	660
25	Steering Jt. Cross Assy.	Jeep mahindra - Bolero Lower		MSCA2081L	550	605
26	Steering Jt. Cross Assy.	Jeep Mahindra - Scorpio		MSCA2084	625	690
27	Steering Jt. Cross Assy.	JCB		MSCA2086J	535	590
28	Steering Jt. Cross Assy.	Eicher Canter 10.70 - Original Type	302364	MSCA2087	950	1045
30	Steering Jt. Cross Assy.	Eicher Canter 10.95 - Original Type Long		MSCA2088	1000	1100
31	Steering Jt. Cross Assy.	Eicher Canter 1110 - Original Type		MSCA2090	970	1070
32	Steering Jt. Cross Assy.	Swaraj Mazda N/M		MSCA2089	975	1075
32	Steering Jt. Cross Assy.	Eicher Jumbo - TURBO		MSCA2091	975	1075
33	Strg. Joint Cross Assy.	Rane Power Strg. - MODIFIED		MSCA2020M	775	855
34	Strg. Joint Cross Assy.	ZF Power Strg. - MODIFIED		MSCA2055B	650	715
35	Strg. Joint Cross Assy.	Leyland DOST - Rane Power Strg. W/ Rod		MSCA2092	815	900
36	Strg. Joint Cross Assy.	Leyland DOST - Manual Strg. W/ Rod		MSCA2093	815	900
37	Strg. Joint Cross Assy.	Leyland DOST - UPPER W/ Rod		MSCA2094	815	900
38	Strg. Joint Cross Assy.	Leyland IVECO 709, STALLION (O.E. P.NO.: F-7850500) NO.: 116		MSCA2095	1870	2060
39	Strg. Joint Cross Assy.	Leyland IVECO 909 New Model NO.: 119		MSCA2096	1870	2060
40	Strg. Joint Cross Assy.	LEYLAND U-TRUCK 26 TEETH, PIPE 305mm		MSCA2097	2200	2420
41	Strg. Joint Cross Assy.	LEYLAND U-TRUCK 26 TEETH, PIPE 250mm		MSCA2098	2035	2240
42	Strg. Joint Cross Assy.	LEYLAND 4018/ U-TRUCK 26 TEETH, PIPE		MSCA2099	1870	2060
43	Strg. Joint Cross Assy.	EICHER JUMBO/ GALAXY (10 SPLINE) OE P.NO.: 212280 NO.: 113		MSCA2100	2035	2240
44	Strg. Joint Cross Assy.	EICHER JUMBO/ GALAXY - POWER STRG. EICHER H.C.V. NO.: 112A		MSCA2101	2035	2240
45	Strg. Joint Cross Assy.	TATA ACE SUPER W/ ROD		MSCA2102	935	1030
46	Strg. Joint Cross Assy.	TATA ACE SUPER LOWER W/ ROD		MSCA2103	925	1020
47	Strg. Joint Cross Assy.	TATA ACE IRIS BIG 18" W/ ROD WITH SMALL IN SMALL YOKE		MSCA2104	990	1090
48	Strg. Joint Cross Assy.	TATA ACE IRIS BIG 18" W/ ROD WITH BIG BORE IN SMALL YOKE		MSCA2105	990	1090
49	Strg. Joint Cross Assy.	TATA ACE IRIS BIG 18" - RANE STEERING W/		MSCA2106	1015	1120
50	Strg. Joint Cross Assy.	TATA ACE IRIS SMALL 5" W/ ROD SMALL BORE IN SMALL YOKE		MSCA2107	855	940
51	Strg. Joint Cross Assy.	TATA ACE HT 20" W/ ROD		MSCA2108	1035	1140
52	Strg. Joint Cross Assy.	Tata 2515/ 2516 - Rane Power Steering - Original Type	PUNCH TY.	MSCA2020P	815	900
53	Strg. Joint Cross Assy.	Tata 709 LPT - Original Type	PUNCH TY.	MSCA2055B	675	745
54	Strg. Joint Cross Assy.	Tata 1109 - Original Type	PUNCH TY.	MSCA2057P	585	645
55	Strg. Joint Cross Assy.	Tata 407 - Original Type	PUNCH TY.	MSCA2027P	585	645



S.No.	Description	Specification	OE Part No.	P. No	List Price Rs.	M.R.P Rs.
-------	-------------	---------------	-------------	-------	----------------	-----------

**43. GEAR HOUSING BLOCK ASSY**

1	Gear Housing Block Assy.	Tata 2515/ Leyland - Spline Type		MHBA2061	1265	1395
2	Gear Housing Block Assy.	Tata 1512/ 1613 TC - Thread Type		MHBA2065	1265	1395
3	Gear Housing Block Assy.	Leyland 3118		MHBA2068	1320	1455
4	Gear Housing Block Assy.	Tata 1312 TC		MHBA2060	1265	1395
5	Gear Housing Block Assy.	Tata 1616 TC		MHBA2062	1265	1395
6	Gear Housing Block Assy.	Tata 1313 TC		MHBA2064	1265	1395
7	Gear Housing Block Assy.	Tata 2516 TC		MHBA2066	1265	1395
8	Gear Housing Block Assy.	Tata 4018		MHBA2067	1100	1210

**44. STEERING SECTOR SHAFT**

1	Steering Sector Shaft	Tata 1312/ SE		MSSS2009	1175	1295
2	Steering Sector Shaft	Tata 1312/ SE W/ Nut		MSSS2010	1240	1365
3	Steering Sector Shaft	Tata 407		MSSS2025	1175	1295
4	Steering Sector Shaft	Tata 407 W/ Nut		MSSS2026	1240	1365
5	Steering Sector Shaft	Tata 407 N/M		MSSS2025A	1240	1365
6	Steering Sector Shaft	Tata 407 N/M W/ Nut		MSSS2026A	1290	1420
7	Steering Sector Shaft	Tata Sumo		MSSS2033	1290	1420
8	Steering Sector Shaft	Tata 1613 LP		MSSS2080	2640	2905
9	Steering Sector Shaft	Tata 1613 SFC - Modified		MSSS2081	2640	2905
10	Steering Sector Shaft	Tata 1613 SE		MSSS2082	2640	2905
11	Steering Sector Shaft	Tata 1613 VRST		MSSS2084	2340	2450

**45. X-SERRATED (CUT Type) CROSS HOLDER**

1	Cross Holder (TATA 2516 - RSB 42x129.4)	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, RSB cross- 42x129.4, Ear L=4"		MCH1604S	1750	1925
2	Cross Holder (TATA 2516 - RSB 42x129.4) - Long Ears	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, RSB cross- 42x129.4, Long Ears L=5.25"		MCH1604SS	1850	2035
3	Cross Holder (TATA 2518 - RSB 42x19.2)	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, RSB cross- 42x119.2, Ear L=4"		MCH1604AS	1750	1925
4	Cross Holder (TATA 2518 - RSB 42x19.2) LONG	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, RSB cross- 42x119.2, Long Ears L=5.25"		MCH1604AS S	1850	2035
5	Cross Holder ( Spicer cross- 41.28x126	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, Spicer cross- 41.28x126, Ear L=4"		MCH1242	1750	1925
6	Cross Holder (Spicer 41.28x126) - Long Ears	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, Spicer cross- 41.28x126, Long Ears L=5.25"		MCH1242A	1850	2035
7	Cross Holder (TATA 4018 - Spicer - 49.2x155 PATTI)	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, Spicer cross- 49.2x155 (PATTI Type) TL=5"		MCH1604A AS	2200	2420
8	Cross Holder (TATA 4018 - Spicer - 49.2x155 PATTI) - Long Ears	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, Spicer cross- 49.2x155 (PATTI Type) - long TL=5.25"		MCH1604A BS	2300	2530
9	Cross Holder (TATA 4018 - RSB 48x135) - 6", Med. Ears	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, RSB cross- 48x135 (Lock Type), Med. Ears L=4.75"		MCH1322S	1975	2175
10	Cross Holder (TATA 4018 - RSB 48x135) - 6", Long Ears	Plate dia 6"/ 150mm, 4 hole, bolt 12mm, RSB cross- 48x135 (Lock Type), Long Ears L=5"		MCH1322SS	2420	2665

S.No.	Description	Specification	OE Part No.	P. No	List Price Rs.	M.R.P Rs.
11	Cross Holder (TATA 4018 - RSB 48x135) - 7", Long Ears	Plate dia 7"/ 178mm, 4 hole, bolt 14mm, RSB cross- 48x135 (Lock Type), Long Ears		MCH2504R	2420	2665
12	Cross Holder (TATA 4018 - SPICER Patti 49.2x155) - 7", Long Ears	Plate dia 7"/ 178mm, 4 hole, bolt 14mm, SPICER 5-280X cross- 49.2x155 (Patti Type), Long Ears		MCH2504P	2420	2665
13	Cross Holder (AMW - 12 hole Patti Ty.)	Plate Dia 8"/ 204mm, 12 Hole, 12mm bolt, Spicer 5-280X cross - 49.2x155 Patti Ty.		MCH2704P	2200	2420
14	Cross Holder (AMW)	Plate dia 6.5"/ 165mm, 8 hole, 16mm bolt, AMW cross - 57x144 Lock Ty.		MCH1604AA	2000	2200
15	Cross Holder (AMW - Serrated, 57x152)	Plate Dia 7"/ 176mm, 4 Hole, 14mm bolt, X-Serrated, AMW cross - 57x152 Lock Ty.		MCH2504AA	2475	2725
16	Cross Holder (AMW - Serrated, 52x133 - 6")	Plate Dia 6"/150mm, 4 Hole, 12mm bolt, X-Serrated, AMW cross - 52x133 Lock Ty.		MCH2604	2200	2420
17	Cross Holder (AMW Serrated, 52x133 - 7")	Plate Dia 7"/ 176mm, 4 Hole, 14mm bolt, X-Serrated, AMW cross - 52x133 Lock Ty.		MCH2604A	2475	2725
18	Cross Holder (AMW , Serrated, 52x147 - 7")	Plate Dia 7"/ 176mm, 4 Hole, 14mm bolt, X-Serrated, AMW cross - 52x147mm Lock Ty.		MCH2604AB	2475	2725
19	Cross Holder (ley. U-TRUCK/ Prima) Taurus cross	Plate Dia 6"/ 150mm, 4 Hole, 14mm bolt, X-Serrated, Ley. Taurus cross- 47.65x135		MCH2622SS	2420	2665
20	Cross Holder - e-comet cargo	Plate Dia 4.5"/120mm, 4 Hle, 11mm Bolt, X-Serrated, Tusker cross- 34.92x126.2		MCH704S	1200	1320
21	Cross Holder - Ley. IVECO Cargo	Plate Dia 4.5"/120mm, 4 Hle, 11mm Bolt, X-Serrated, Canter cross- 30.17x106		MCH1404S	1200	1320

#### 46. X-SERRATED (CUT Type) COUPLING FLANGES

1	Gear Coupling Flange	18 Spl, Plate dia 6"/ 150mm, 4 hole, bolt 12mm		MGC1601S	1450	1595
2	Gear Coupling Flange	28 Spl, Plate dia 6"/ 150mm, 4 hole, bolt 12mm, ZF Ty., Long		MGC1301B	1800	1980
3	Center Coupling Flange	34 Spl, Plate dia 6"/ 150mm, 4 hole, bolt 12mm		MCC1302S	1500	1650
4	Center Coupling Flange	26 Spl, Plate dia 6"/ 150mm, 4 hole, bolt 12mm		MCC203AS	1750	1925
5	Pinion Coupling Flange	39 Spline, Plate dia 6"/ 150mm, 4 Hole, X-Serrated (Cut), TL=87mm, O/S Dia 66mm		MPC1303AAS	1750	1925
6	Pinion Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MPC1603RS	1450	1595
7	Pinion Coupling Flange	26 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, TL=88mm, o/s dia=90mm, X-Serrated		MPC1603RSS	2350	2585
8	Pinion Coupling Flange	41 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, X-Serrated		MPC1603S	1950	2145
9	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, O/S 73mm, X-Serrated		MPC1603AS	1950	2145
10	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 6"/ 150mm, 12mm bolt, RSB cross- 42x119.2, O/S 76mm, X-Serrated		MPC1603AAS	1950	2145
11	Pinion Coupling Flange	44 Spline, Plate Dia 6"/ 150mm, 4 Hole, X-Serrated (Cut), 12mm Bolt, TL=94mm, O/S Dia 76mm		MPC1611	2000	2200
12	Pinion Coupling Flange	46 Spline, Plate Dia 6"/ 150mm, 4 Hole, X-Serrated (Cut), 12mm Bolt, TL=104mm, O/S Dia 83mm		MPC1612	2100	2310

S.No.	Description	Specification	OE Part No.	P. No	List Price Rs.	M.R.P Rs.
13	Pinion Coupling Flange	34 Spl, Plate dia 6"/ 150mm, 4 hole, bolt 12mm, O/S Dia=76mm, Double Diff.		MPC1302SS	1650	1815
14	Center Coupling Flange	16 Spl, Big Bore, Plate dia 6"/ 150mm, 12mm bolt, 4 hole, X-Serrated		MCC820S	1950	2145
15	Center Coupling Flange	16 Spl, Big Bore, Plate dia 7"/ 175mm, 13mm bolt, 4 hole, X-Serrated		MCC820SS	2475	2725
16	Gear Coupling Flange	18 Spl, Plate dia 7"/ 175mm, 4 hole, bolt 13mm		MGC2501	2450	2695
17	Gear Coupling Flange	26 Spl, Plate dia 7"/ 178mm, 4 hole, bolt 14mm, TL=106mm		MGC2501A	2150	2365
18	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 7"/ 178mm, 14mm bolt, O/S 72mm, TL=109mm, X-Serrated		MPC2503AS	2420	2665
19	Pinion Coupling Flange	39 Spline, 4 hole, Plate dia 7"/ 178mm, 14mm bolt, O/S 76mm, TL=109mm, X-Serrated		MPC2503AAS	2420	2665
20	Pinion Coupling Flange	41 Spline, 4 hole, Plate dia 7"/ 178mm, 14mm bolt, O/S 76mm, TL=112mm, X-Serrated		MPC2503S	2420	2665
21	Pinion Coupling Flange	44 Spline, 4 hole, Plate dia 7"/ 178mm, 14mm bolt, O/S 76mm, TL=112mm, X-Serrated		MPC2511	2420	2665
22	Pinion Coupling Flange	46 Spline, 4 hole, Plate dia 7"/ 178mm, 14mm bolt, O/S 82.5mm, TL=73mm, X-Serrated		MPC2512	2250	2575

#### 47. FORGING (EN-8) FULL YOKE FOR SPICER HYVA/ L/L 2214/SUPER TUSKER

1	Full Sleeve Yoke (EN-8) - SPICER Type	30 Spl, 110 Slip, Yoke L=10.5", Spicer cross-41.28x126, SPICER Type		MYT1306(F)	2300	2530
2	Full Sleeve Yoke (EN-8) - MSL Type	16 Spl, 110 Slip, Yoke L=10.5", Spicer cross-41.28x126, MSL Type		MYT1306A(F)	2300	2530
3	Yoke & Teeth (Forging) - Spicer Type	30 Spl, Pipe 4", 110 Slip, Yoke L=10.5", Spicer cross- 41.28x126, SPICER Type		MYT1305(F)	3850	4235
4	Yoke & Teeth (Forging) - MSL Type, H/S	16 Spl, Pipe 4", 110 Slip, Yoke L=10.5", Spicer cross- 41.28x126, Half Spline, MSL Type		MYT1305A(F)	3850	4235
5	Yoke & Teeth (Forging) - MSL Type, F/S	16 Spl, Pipe 4", 110 Slip, Yoke L=10.5", Spicer cross- 41.28x126, Full Spline, MSL Type		MYT1305AA(F)	3875	4265
6	Yoke & Teeth (Forging) - Glide Coat, Spicer Ty., H/S	16 Spl, Pipe 4", 110 Slip, Yoke L=10.5", Spicer cross- 41.28x126, Half Spline, coated, MSL Type		MYT1305AC(F)	4200	4620
7	Yoke & Teeth (Forging) - Glide Coat, MSL Type, F/S	16 Spl, Pipe 4", 110 Slip, Yoke L=10.5", Spicer cross- 41.28x126, Full Spline, coated, MSL Type		MYT1305AAC(F)	4250	4675
8	Yoke & Teeth (Forging) - Glide Coat, Spicer Type	30 Spl, Pipe 4", 110 Slip, Yoke L=10.5", Spicer cross- 41.28x126, coated, SPICER Type		MYT1305C(F)	4200	4620

S.No.	Description	Specification	OE Part No.	P. No	List Price Rs.	M.R.P Rs.
-------	-------------	---------------	-------------	-------	----------------	-----------

**48. INTER-AXLE (DOUBLE DIFF.) PROPSHAFT ASSY. - TATA & LEYLAND (SPICER & RSB SHAFT)**

1	Inter -Axle Propshaft Assy - SPICER Ty. MSL Tusker cross	16 Spl., Yoke L=13", Pipe dia 4", Square base, 4 hole, MSL Tusker cross- 34.92x126, <b>Shaft L=27"</b>	(MP1236+MP1232C+MC1021+MP1220) + (MP1220+MC1021+MP1308A)	MIAPS1245	14550	16000
2	Inter -Axle Propshaft Assy - SPICER Ty., Spicer SPL90 cross	16 Spl., Yoke L=13", Pipe dia 4", Square base, 4 hole, Spicer SPL90 cross- 41.27x126, <b>Shaft L=27"</b>	(MP1241+MP1232C+MC1131+MP1220A) + (MP1220A+MC1013+MP1308)	MIAPS1245A	15050	16500
3	Inter -Axle Propshaft Assy - SPICER Ty., Spicer SPL90 cross, X=Serrated	16 Spl., Yoke L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, Spicer SPL90 cross- 41.27x126, <b>Shaft L=29"</b> (Long Ears)	(MP1241+MP1232C+MC1013+MP1242A) + (MP1242A+MC1013+MP1308)	MIAPS1250	16450	18250
4	Inter -Axle Propshaft Assy - SPICER Ty., Spicer SPL90 cross, X=Serrated	16 Spl., Yoke L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, Spicer SPL90 cross- 41.27x126, <b>Shaft L=27"</b> (Long Ears)	(MP1241+MP1232C+MC1013+MP1242A) + (MP1242A+MC1013+MP1308)	MIAPS1250A	16000	17600
5	Inter -Axle Propshaft Assy - RSB Ty., RSB cross- 42x129.4, X=Serrated	20 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 42x129.4, <b>Shaft L=23"</b> (Long Ears)	(MP1317TP+MP1326+MC1026+MP1604SS) + (MP1604SS+MC1026+MP1318)	MIAPS1336	14400	15840
6	Inter -Axle Propshaft Assy - RSB Ty., RSB cross- 42x129.4, X=Serrated	20 Spl., Fork L=15", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 42x129.4, <b>Shaft L=29"</b> (Long Ears)	(MP1317ATP+MP1326A+MC1026+MP1604SS) + (MP1604SS+MC1026+MP1318)	MIAPS1340	14900	16390
7	Main Drive Assy - JCB 3D	16 Spline, 4 Hole, Square base, JCB 3D cross- 34.92x106.5mm		MMDA2500T	4500	4950
8	Pump Drive Assy - JCB	16 Spline, 4 Hole, Square base, Jeep Diesel cross- 27x82mm		MPDA2510T	2520	2775
9	Inter -Axle Propshaft Assy - RSB Ty., RSB cross- 48x135, X=Serrated	30 Spl., Fork L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, <b>Shaft L=23"</b> (Small Ears)	(MP1320ATP+MP1327A+MC1031+MP1322S) + (MP1322S+MC1031+MP1621)	MIAPS1350	17400	19140
10	Inter -Axle Propshaft Assy - RSB Ty., RSB cross- 48x135, X=Serrated	30 Spl., Fork L=14.5", Pipe dia 4", Plate 6", 4 hole, X-Serrated, RSB cross- 48x135, <b>Shaft L=29"</b> (Long Ears)	(MP1320TP+MP1327+MC1031+MP1322SS) + (MP1322SS+MC1031+MP1621)	MIAPS1355	19600	21560
11	Inter -Axle Propshaft Assy - SPICER Ty., Spicer SPL90 cross, X=Serrated	16 Spl., Yoke L=13", Pipe dia 4", Plate 6", 4 hole, X-Serrated, Spicer SPL90 cross- 41.27x126, <b>Shaft L=23.5"</b> (Long Ears)	(MP1241+MP1232C+MC1013+MP1242A) + (MP1242A+MC1013+MP1308)	MIAPS1260	16750	18425

**49. CROSS HOLDER ASSY. (FOR AGRICULTURAL, INDUSTRIAL & MARINE APPLICATIONS)**

1	CROSS HOLDER ASSY. - 1210 Ty.	Plate dia 4.5", 6 hole, 1210 cross-38mm	MP104+MC1022+MP104	MCHA120T	1960	2160
2	CROSS HOLDER ASSY - L/L 370 Ty.	Plate dia 6", 4 hole, L/L 370 cross- 39.67x116	MP604+MC1020+MC604	MCHA616T	2725	3000
3	CROSS HOLDER ASSY. - 407 Ty.	Plate dia 4.25", 6 hole, 407 cross-30x82	MP403+MC1005+MP403	MCHA411T	1510	1665
4	CROSS HOLDER ASSY. - SPICER Ty.	Plate dia 7", 8 hole, Spicer SPL90 cross- 41.27x126	MP1204+MC1013+MP1204	MCHA1255T	3450	3795
5	CROSS HOLDER ASSY. - L/L TAURUS T-11 Ty.	Plate dia 7", 8 hole, L/L Taurus cross- 47.62x155	MP804+MC1015+MP804	MCHA818T	4330	4765

S.No	Description	Specification	OE Part No.	P. No	List Price Rs.	M.R.P Rs.
------	-------------	---------------	-------------	-------	-------------------	--------------

### 50. INTER-AXLE (DOUBLE DIFF.) THROUGH SHAFT (MERRITOR & SPICER TY.)

1	THROUGH SHAFT	34 SPL. X 32 SPL	MERRITOR TY.	MTS2601T	1525	1680
2	THROUGH SHAFT	26 SPL. X 35 SPL.	SPICER TY.	MTS2602T	3575	3935
3	THROUGH SHAFT	39 SPL. X 20 SPL.	SPICER TY.	MTS2603T	2000	2200
4	THROUGH SHAFT	39 SPL. X 34 SPL.	SPICER TY.	MTS2604T	2000	2200

### 51. RIG GEAR BOX COUPLING FLANGES

1	Gear Box Coupling Flange	16 Spl. , 8 Hole, Plate dia 7"/ 175mm, small bore - O/M		MGC802AR	1525	1680
2	Gear Box Coupling Flange	10 Spl. , 8 Hole, Plate dia 7"/ 175mm, small bore - O/M		MGC813R	1525	1680
3	Gear Box Coupling Flange	16 Spl, Plate dia 7"/ 178mm, 10mm bolt, 8 hole, Big Bore - N/M		MGC820R	2200	2420
4	Gear Box Coupling Flange	16 Spl, Big Bore, Plate dia 6"/ 150mm, 12mm bolt, 4 hole, X-Serrated		MGC820SR	2000	2200
5	Gear Box Coupling Flange	16 Spl, Big Bore, Plate dia 7"/ 175mm, 13mm bolt, 4 hole, X-Serrated		MGC820SSR	2475	2725

### 52. COUPLING FLANGE W/ CUP CONE ASSEMBLY

S.NO	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	TATA & LEYLAND - O/M	OLD MODEL	O/M	MCCC3201	2100	2310
2	TATA & LEYLAND - N/M	NEW MODEL	N/M	MCCC3202	2400	2640

### 53. DOUBLE DIFFERENTIAL NEST CAGE ASSEMBLY

S.NO	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	NEST CAGE ASSY.	TATA 2516 - O/M	41 SPLINE	MNA3101	6600	7260
2	NEST CAGE ASSY.	TATA 2518 - N/M	22 SPLINE	MNA3102	7500	8250
3	NEST CAGE ASSY.	TATA 3118	37 SPLINE	MNA3103	7900	8690

### 54. U J CROSS - GREASELESS

S.NO	APPLICATION	SPECIFICATION	TYPE	MOOVEL P.NO.	LIST PRICE Rs.	M.R.P. Rs.
1	UJC for 1210/ SE	38X56.8 mm (Inner Lock Type)	GREASELESS	MC1022GL	715	790
2	UJC for 1312/ 1612/ 2515	46.04X69 MM (Inner Lock Type)	GREASELESS	MC1023GL	1080	1190
3	UJC for Spicer SPL90	41.28x126 mm (Outter Lock Type)	GREASELESS	MC1013GL	1100	1210
4	UJC for Tusker MSL Type	34.94x126 mm (Outter Lock Type)	GREASELESS	MC1021GL	880	970
5	UJC for 2516/ 1616 (RSB)	42x119.8mm (Outter Lock Type) - Single Roller	GREASELESS	MC1030GL	1150	1265
6	UJC for 2518 (RSB)	42x129.4 mm (Outter Lock Type) - Single Roller	GREASELESS	MC1026GL	1215	1340
7	UJC for TATA 4018(Lock-RSB)	48x135 mm (Outter Lock Type) - Singlr Roller	GREASELESS	MC1031GL	1675	1845

































































